

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/007894

International filing date: 07 March 2005 (07.03.2005)

Document type: Certified copy of priority document


Document details: Country/Office: US
Number: 60/604,076
Filing date: 24 August 2004 (24.08.2004)

Date of receipt at the International Bureau: 18 April 2005 (18.04.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

April 06, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/604,076

FILING DATE: August 24, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/07894



Certified by

Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

082404

2/27/13 U.S. PTO

Express Mail No. ER 893 270 985 US

COVER SHEET FOR PROVISIONAL APPLICATION FOR PATENT

Commissioner for Patents
P.O. Box 1450
Mail Stop Provisional Patent Application
Alexandria, VA 22313-1450

U.S. PTO
60/604076
15364

082404

Sir:

This is a request for filing a PROVISIONAL APPLICATION under 37 CFR 1.53(c).

CAM To be assigned			Docket Number	9301-238-888	Type a plus sign (+) inside this box 6	+
INVENTOR(S) APPLICANT(S)						
LAST NAME	FIRST NAME	MIDDLE INITIAL	RESIDENCE (CITY AND EITHER STATE OR FOREIGN COUNTRY)			
Dai	Hongyue		Bothell, Washington			
Van't Veer	Laura		Amsterdam, The Netherlands			
Lamb	John		Shoreline, Washington			
Stoughton	Roland		San Diego, California			
Friend	Stephen		Bryn Mawr, Pennsylvania			
He	Yudong		Kirkland, Washington			
TITLE OF THE INVENTION (280 characters max)						
CLASSIFICATION OF BREAST CANCER PATIENTS USING A COMBINATION OF CLINICAL CRITERIA AND INFORMATIVE GENE SETS						
JONES DAY 222 East 41 st Street, New York, NY 10017-6702 :20583						
ENCLOSED APPLICATION PARTS (check all that apply)						
<input checked="" type="checkbox"/> Specification	Number of Pages	243 (including 153 pages sequence listing)	<input type="checkbox"/> Applicant claims small entity status, see 37 CFR §1.27			
<input checked="" type="checkbox"/> Drawing(s)	Number of Sheets	10	<input type="checkbox"/> Other (specify)			
METHOD OF PAYMENT (check one)						
<input type="checkbox"/> A check or money order is enclosed to cover the Provisional filing fees.					ESTIMATED PROVISIONAL FILING FEE: AMOUNT	
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge the required filing fee to Deposit Account Number 503013.					<input checked="" type="checkbox"/> \$160 <input type="checkbox"/> \$80	

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.
☒ No. ☐ Yes, the name of the U.S. Government agency and the Government contract number are:

Respectfully submitted,

Signature

Adriane M. Antler
JONES DAY

REGISTRATION NO.
(if appropriate)

32,605

Date

August 24, 2004

☐ Additional inventors are being named on separately numbered sheets attached hereto.

Total number of cover sheet pages.

1

PROVISIONAL APPLICATION FILING ONLY

CAJD: 504431.1

CLASSIFICATION OF BREAST CANCER PATIENTS USING A
COMBINATION OF CLINICAL CRITERIA AND INFORMATIVE GENE SETS

1. FIELD OF THE INVENTION

[0001] The present invention relates to the use of both phenotypic and genotypic aspects of a condition, such as a disease, in order to identify discrete subsets of patients for which specific sets of informative genes are then identified. The invention also relates to the classification of individuals, such as breast cancer patients, into a subset of the condition on the basis of clinical parameters and the status of markers, for example, of genes expression patterns, and the prognosis of those individuals on the basis of markers informative for prognosis within the subset of the condition. The invention also relates to methods of determining a course of treatment or therapy to an individual having, or suspected of having, a condition, such as breast cancer. The invention further relates to methods of structuring a clinical trial, particularly using five breast cancer-specific patient subsets and prognosis-informative genes for each, and of identifying patient populations for clinical trials or for other condition-related, for example, breast cancer-related, research. Finally, the invention relates to computer implementations of the above methods.

2. BACKGROUND OF THE INVENTION

[0002] The increased number of cancer cases reported in the United States, and, indeed, around the world, is a major concern. Currently there are only a handful of treatments available for specific types of cancer, and these provide no guarantee of success. In order to be most effective, these treatments require not only an early detection of the malignancy, but a reliable assessment of the severity of the malignancy.

[0003] The incidence of breast cancer, a leading cause of death in women, has been gradually increasing in the United States over the last thirty years. Its cumulative risk is relatively high; 1 in 8 women are expected to develop some type of breast cancer by age 85 in the United States. In fact, breast cancer is the most common cancer in women and the second most common cause of cancer death in the United States. In 1997, it was estimated that 181,000 new cases were reported in the U.S., and that 44,000 people would die of breast cancer (Parker *et al.*, *CA Cancer J. Clin.* 47:5-27 (1997); Chu *et al.*, *J. Nat. Cancer Inst.* 88:1571-1579 (1996)). While mechanism of tumorigenesis for most breast carcinomas is largely

unknown, there are genetic factors that can predispose some women to developing breast cancer (Miki *et al.*, *Science*, 266:66-71(1994)).

[0004] Sporadic tumors, those not currently associated with a known germline mutation, constitute the majority of breast cancers. It is also likely that other, non-genetic factors also have a significant effect on the etiology of the disease. Regardless of the cancer's origin, breast cancer morbidity and mortality increases significantly if it is not detected early in its progression. Thus, considerable effort has focused on the early detection of cellular transformation and tumor formation in breast tissue.

[0005] A marker-based approach to tumor identification and characterization promises improved diagnostic and prognostic reliability. Typically, the diagnosis of breast cancer requires histopathological proof of the presence of the tumor. In addition to diagnosis, histopathological examinations also provide information about prognosis and selection of treatment regimens. Prognosis may also be established based upon clinical parameters such as tumor size, tumor grade, the age of the patient, and lymph node metastasis.

[0006] Diagnosis and/or prognosis may be determined to varying degrees of effectiveness by direct examination of the outside of the breast, or through mammography or other X-ray imaging methods (Jatoi, *Am. J. Surg.* 177:518-524 (1999)). The latter approach is not without considerable cost, however. Every time a mammogram is taken, the patient incurs a small risk of having a breast tumor induced by the ionizing properties of the radiation used during the test. In addition, the process is expensive and the subjective interpretations of a technician can lead to imprecision. For example, one study showed major clinical disagreements for about one-third of a set of mammograms that were interpreted individually by a surveyed group of radiologists. Moreover, many women find that undergoing a mammogram is a painful experience. Accordingly, the National Cancer Institute has not recommended mammograms for women under fifty years of age, since this group is not as likely to develop breast cancers as are older women. It is compelling to note, however, that while only about 22% of breast cancers occur in women under fifty, data suggests that breast cancer is more aggressive in pre-menopausal women.

[0007] In clinical practice, accurate diagnosis of various subtypes of breast cancer is important because treatment options, prognosis, and the likelihood of therapeutic response all vary broadly depending on the diagnosis. Accurate prognosis, or determination of distant metastasis-free survival could allow the oncologist to tailor the administration of adjuvant chemotherapy, with women having poorer prognoses being given the most aggressive treatment. Furthermore, accurate prediction of poor prognosis would greatly impact clinical

trials for new breast cancer therapies, because potential study patients could then be stratified according to prognosis. Trials could then be limited to patients having poor prognosis, in turn making it easier to discern if an experimental therapy is efficacious.

[0008] To date, no set of satisfactory predictors for prognosis based on the clinical information alone has been identified. Many have observed that the ER status has a dominant signature in the breast tumor gene expression profiling. See West *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 98:11462 (2001); van 't Veer *et al.*, *Nature* 415:530 (2002); Sorlie *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 100:8418 (2003); Perou *et al.*, *Nature* 406:747 (2000); Gruberger *et al.*, *Cancer Res.* 61:5979 (2001); Sotiriou *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 100:10393 (2003). It is generally accepted that there is some relationship between patient survival and ER status. van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002); Surowiak *et al.*, *Folia Histochem. Cytobiol.* 39:143 (2001); Pichon *et al.*, *Br. J. Cancer* 73:1545 (1996); Collett *et al.*, *J. Clin. Pathol.* 49:920 (1996). *BRCA1* mutations are related to the familial cancer susceptibility. Biesecker *et al.*, *JAMA* 269:1970 (1993); Easton *et al.*, *Cancer Surv.* 18:95 (1993). Age is also considered to be a prognosis factor since young cancer patients tend to have poor tumors. Maggard *et al.*, *J. Surg. Res.* 113:109 (2003). Lymph node status is a factor in deciding the treatment. Eifel *et al.*, *J. Natl. Cancer Inst.* 93:979 (2001).

[0009] The discovery and characterization of *BRCA1* and *BRCA2* has recently expanded our knowledge of genetic factors which can contribute to familial breast cancer. Germ-line mutations within these two loci are associated with a 50 to 85% lifetime risk of breast and/or ovarian cancer (Casey, *Curr. Opin. Oncol.* 9:88-93 (1997); Marcus *et al.*, *Cancer* 77:697-709 (1996)). Only about 5% to 10% of breast cancers, however, are associated with breast cancer susceptibility genes, *BRCA1* and *BRCA2*. The cumulative lifetime risk of breast cancer for women who carry the mutant *BRCA1* is predicted to be approximately 92%, while the cumulative lifetime risk for the non-carrier majority is estimated to be approximately 10%. *BRCA1* is a tumor suppressor gene that is involved in DNA repair and cell cycle control, which are both important for the maintenance of genomic stability. More than 90% of all mutations reported so far result in a premature truncation of the protein product with abnormal or abolished function. The histology of breast cancer in *BRCA1* mutation carriers differs from that in sporadic cases, but mutation analysis is the only way to find the carrier. Like *BRCA1*, *BRCA2* is involved in the development of breast cancer, and like *BRCA1* plays a role in DNA repair. However, unlike *BRCA1*, it is not involved in ovarian cancer.

[0010] Other genes have been linked to breast cancer, for example c-erb-2 (*HER2*) and p53 (Becken *et al.*, *Ann. Surg.* 233(5):630-638 (2001). Overexpression of c-erb-2 (*HER2*) and

p53 have been correlated with poor prognosis (Rudolph *et al.*, *Hum. Pathol.* 32(3):311-319 (2001), as has been aberrant expression products of *mdm2* (Lukas *et al.*, *Cancer Res.* 61(7):3212-3219 (2001) and cyclin1 and p27 (Porter & Roberts, International Publication WO98/33450, published August 6, 1998).

[0011] The detection of *BRCA1* or *BRCA2* mutations represents a step towards the design of therapies to better control and prevent the appearance of these tumors. Recently, many studies have used gene expression profiling to analyze various cancers, and those studies have provided new diagnosis and prognosis information in the molecular level. See Zajchowski *et al.*, "Identification of Gene Expression Profiled that Predict the Aggressive Behavior of Breast Cancer Cells," *Cancer Res.* 61:5168 (2001); West *et al.*, "Predicting the Clinical Status of Human Breast Cancer by Using Gene Expression Profiles," *Proc. Natl. Acad. Sci. U.S.A.* 98:11462 (2001); van 't Veer *et al.*, "Gene Expression Profiling Predicts the Outcome of Breast Cancer," *Nature* 415:530 (2002); Roberts *et al.*, "Diagnosis and Prognosis of Breast Cancer Patients," WO 02/103320; Sorlie *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 100:8418 (2003); Perou *et al.*, *Nature* 406:747 (2000); Khan *et al.*, *Cancer Res* 58, 5009 (1998); Golub *et al.*, *Science* 286, 531 (1999); DeRisi *et al.*, *Nat. Genet.* 14:457 (1996); Alizadeh *et al.*, *Nature* 403, 503 (2000). Methods for the identification of informative genesets for various cancers have also been described. See Roberts *et al.*, "Diagnosis and Prognosis of Breast Cancer Patients," WO 02/103320; Golub *et al.*, United States Patent No. 6,647,341.

[0012] Genesets have been identified that are informative for differentiating individuals having, or suspected of having, breast cancer based on estrogen receptor (ER) status, or *BRCA1* mutation vs. sporadic (*i.e.*, other than *BRCA1*-type) mutation status. See Roberts *et al.*, WO 02/103320; van't Veer *et al.*, *Nature* 415:530 (2001). Genesets have also been identified that enable the classification of sporadic tumor-type individuals as those who will likely have no metastases within five years of initial diagnosis (*i.e.*, individuals with a good prognosis) or those who will likely have a metastasis within five years of initial diagnosis (*i.e.*, those having a poor prognosis). Roberts, *supra*; van't Veer, *supra*.

[0013] Roberts *et al.* WO 02/103320 describes a 70-gene set, useful for the prognosis of breast cancer, which outperformed clinical measures of prognosis, and which showed good potential in selecting good outcome patients, thereby avoiding over-treatment. van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002). The expression of genes with most predictive value, however, were not homogeneous among poor patients, suggesting the need for improvement.

[0014] Although the patterns of gene expression as described in Roberts *et al.* were correlated with existing clinical indicators such as estrogen receptor and *BRCA1* status, clinical measures were not incorporated. Furthermore, although the poor-outcome group in particular showed heterogeneity in expression pattern, the best classifier decision rule found during these studies was a fairly simple one based on the similarity of a patient profile to the average profile of a good-outcome training group.

[0015] It is evident that breast cancer is the result of more than one type of molecular event. Likewise, a variety of other conditions, such as other cancers; non-cancer diseases such as diabetes, autoimmune or neurodegenerative disorders, obesity; etc., are also the result of more than one molecular event. Moreover, an individual's response to exposure to particular environmental conditions, for example, exposure to natural or man-made agents, such as toxins, pollutants, drugs, food additives, etc., likely result from more than one molecular event. Thus, there exists a need for improved prognostic methods so that appropriate courses of prophylaxis and/or therapy may be provided. Genesets having improved prognostic power can be identified by first identifying discrete subsets of individuals based on genotypic or phenotypic characteristics relevant to the disease or condition, and then identifying genesets informative for prognosis within those subsets of patients. Individuals having the condition, or who are suspected of having the condition, such as breast cancer, would then be provided therapies appropriate to the molecular mechanisms underlying the condition. The present invention provides such methods for breast cancer, and for other cancers, diseases or conditions.

3. SUMMARY OF THE INVENTION

[0016] The present invention provides methods of identifying relevant subsets of conditions, and the identification of markers relevant to those subsets, for example, for prognosis of individuals classifiable into one of those subsets. The invention further provides sets of markers useful for the prognosis of individuals having breast cancer, wherein those patients have been classified according to one or more characteristics of breast cancer.

[0017] Thus, the present invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics of said condition into a plurality of first classes; and (b) identifying within each of said first classes a first set of genes or markers informative for said condition, wherein said first set of genes or markers within each

of said first classes is unique to said class relative to other first classes. In a specific embodiment, this method further comprises additionally classifying into a plurality of second classes said samples or individuals in at least one of said first classes on the basis of a phenotypic or genotypic characteristic different than that used in said classifying step (a); and identifying within at least one of said second classes a second set of informative genes or markers, wherein said second set of informative genes or markers within each of said second classes is unique to said second class relative to other first and second classes.

[0018] The invention further provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics into a plurality of first classes; (b) classifying at least one of said first classes into a plurality of second classes on the basis of phenotypic or genotypic characteristic different than that used in said classifying step (a); and (c) identifying within at least one of said first classes or said second classes a set of genes or markers informative for said condition, wherein said second set of genes or markers is unique to said class relative to other first and second classes.

[0019] The invention further provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) selecting a first characteristic from said plurality of phenotypic or genotypic characteristics; (b) identifying at least two first condition classes differentiable by said first characteristic; (c) selecting a plurality of individuals classifiable into at least one of said first condition classes; and (d) identifying in samples derived from each of said plurality of individuals a set of genes or markers informative for said condition within said at least one of said first condition classes.

[0020] The invention further provides a method of classifying an individual with a condition as having a good prognosis or a poor prognosis, comprising: (a) classifying said individual into one of a plurality of patient classes, said patient classes being differentiated by one or more phenotypic, genotypic or clinical characteristics of said condition; (b) determining the level of expression of a plurality of genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins informative for prognosis of the patient class into which said individual is classified; and (c) classifying said individual as having a good prognosis or a poor prognosis on the basis of said level of expression. In a specific embodiment, said condition is cancer, said good prognosis is the non-occurrence of

metastases within five years of initial diagnosis, and said poor prognosis is the occurrence of metastases within five years of initial diagnosis. In a more specific embodiment, said cancer is breast cancer. In another specific embodiment, said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a poor prognosis. In a more specific embodiment, said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a poor prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance. In another specific embodiment, said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a good prognosis. In a more specific embodiment, said classifying in step (c) is carried out by a method comprising comparing the level expression of each of said plurality of genes or their encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a good prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance. In another specific embodiment, said plurality of patient classes comprises ER⁻, *BRCAl* individuals; ER⁻, sporadic individuals; ER⁺, ER/AGE high individuals; ER⁺, ER/AGE low, LN⁺ individuals; and ER⁺, ER/AGE low, LN⁻ individuals.

[0021] The invention further provides a method of classifying a breast cancer patient as having a good prognosis or a poor prognosis comprising: (a) classifying said breast cancer patient as ER⁻, *BRCAl*; ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻; (b) determining the level of expression of a first plurality of genes in a cell sample taken from said breast cancer patient relative to a control, said first plurality of genes comprising two of the genes corresponding to the markers in Table 1 if said breast cancer patient is classified as ER⁻, *BRCAl*; in Table 2 if said breast cancer patient is classified as ER⁻ sporadic; in Table 3 if said breast cancer patient is classified as ER⁺, ER/AGE high; in Table 4 if said breast cancer patient is classified as ER⁺, ER/AGE low, LN⁺; or in Table 5 if said breast cancer patient is classified as ER⁺, ER/AGE low, LN⁻; and (c) classifying said breast cancer patient as having a good prognosis or a poor prognosis on the basis of the level of expression of said first plurality of genes, wherein said breast cancer

patient is “ER/AGE high” if the ratio of the $\log_{10}(\text{ratio})$ of ER gene expression to age exceeds a predetermined value, and “ER/AGE low” if the ratio of the $\log_{10}(\text{ratio})$ of ER gene expression to age does not exceed said predetermined value. In a specific embodiment, said control is the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, *BRCA1* individuals, if said breast cancer patient is ER⁻, *BRCA1*; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, sporadic individuals if said breast cancer patient is ER⁻, sporadic; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁺, ER/AGE high individuals, if said breast cancer patient is ER⁺, ER/AGE high; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁺, ER/AGE low, LN⁺ individuals where said breast cancer patient is ER⁺, ER/AGE low, LN⁺; or the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁺, ER/AGE low, LN⁻ individuals where said breast cancer patient is ER⁺, ER/AGE low, LN⁻. In a more specific embodiment, each of said individuals has a poor prognosis. In another more specific embodiment, each of said individuals has a good prognosis. In an even more specific embodiment, said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins in a sample from said breast cancer patient to said control, and classifying said breast cancer patient as having a poor prognosis if said level of expression correlates with said average level of expression of the corresponding genes or their encoded proteins in said control more strongly than would be expected by chance. In another specific embodiment, said predetermined value of ER is calculated as $ER = 0.1(AGE - 42.5)$, wherein AGE is the age of said individual. In another specific embodiment, said individual is ER⁻, *BRCA1*, and said plurality of genes comprises two of the genes for which markers are listed in Table 1. In another specific embodiment, said individual is ER⁻, *BRCA1*, and said plurality of genes comprises all of the genes for which markers are listed in Table 1. In another specific embodiment, said individual is ER⁻, sporadic, and said plurality of genes comprises two of the genes for which markers are listed in Table 2. said individual is ER⁻, sporadic, and said plurality of genes comprises all of the genes for which markers are listed in Table 2. In another specific embodiment, said individual is ER⁺, ER/AGE high, and said plurality of genes comprises two of the genes for which markers are listed in Table 3. said individual is ER⁺, ER/AGE high, and said plurality of genes comprises all of the genes for which markers are listed in Table 3. In another specific embodiment, said individual is ER⁺, ER/AGE low, LN⁺, and said plurality of genes comprises two of the genes for which markers

are listed in Table 4. In another specific embodiment, said individual is ER+, ER/AGE low, LN+, and said plurality of genes comprises all of the genes for which markers are listed in Table 4. In another specific embodiment, said individual is ER+, ER/AGE low, LN-, and said plurality of genes comprises two of the genes for which markers are listed in Table 4. In another specific embodiment, said individual is ER+, ER/AGE low, LN-, and said plurality of genes comprises all of the genes for which markers are listed in Table 4. In another specific embodiment, the method further comprises determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis.

[0022] In another embodiment, the invention provides a method for assigning an individual to one of a plurality of categories in a clinical trial, comprising: (a) classifying said individual as ER-, *BRCA1*, ER-, sporadic; ER+, ER/AGE high; ER+, ER/AGE low, LN+; or ER+, ER/AGE low, LN-; (b) determining for said individual the level of expression of at least two genes for which markers are listed in Table 1 if said individual is classified as ER-, *BRCA1*; Table 2 if said individual is classified as ER-, sporadic; Table 3 if said individual is classified as ER+, ER/AGE high; Table 4 if said individual is classified as ER+, ER/AGE low, LN+; or Table 5 if said individual is classified as ER+, ER/AGE low, LN-; (c) determining whether said individual has a pattern of expression of said at least two genes that correlates with a good prognosis or a poor prognosis; and (d) assigning said individual to one category in a clinical trial if said individual has a good prognosis, and assigning said individual to a second category in said clinical trial if said individual has a poor prognosis. In a specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of the classification of said individual as determined in step (a). In another specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of any other clinical, phenotypic or genotypic characteristic of breast cancer. In another specific embodiment, said method further comprises determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis of breast cancer, and determining from the expression of said second plurality of genes, in addition to said first plurality of genes, whether said individual has a good prognosis or a poor prognosis.

[0023] The invention further provides a microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in any of Tables 1-5. The invention further provides a microarray comprising probes complementary and hybridizable

to a plurality of the genes for which markers are listed in Table 1, each of the genes for which markers are listed in Table 1, a plurality of the genes for which markers are listed in Table 2, each of the genes for which markers are listed in Table 2, a plurality of the genes for which markers are listed in Table 3, each of the genes for which markers are listed in Table 3, a plurality of the genes for which markers are listed in Table 4, each of the genes for which markers are listed in Table 4, a plurality of the genes for which markers are listed in Table 5, or each of the genes for which markers are listed in Table 5. The invention further provides any one of the above microarrays, wherein said probes are at least 50% of the probes on said microarray. The invention further provides any one of the above microarrays, wherein said probes are at least 90% of the probes on said microarray. The invention further provides microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in any of Tables 1-5, wherein said probes are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 1; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 2; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 3; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 4; and are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 5, wherein said probes, in total, are at least 50% of the probes on said microarray.

[0024] The invention further comprises a kit comprising any one of the above microarrays in a sealed container.

[0025] The invention further provides a method of identifying a set of genes informative for a condition, said condition having a plurality of phenotypic or genotypic characteristics such that samples may be categorized by at least one of said phenotypic or genotypic characteristics into at least one characteristic class, said method comprising: (a) selecting a plurality of samples from individuals having said condition; (b) identifying a first set of genes informative for said characteristic class using said plurality of samples; (c) predicting the characteristic class of each of said plurality of samples; (d) discarding samples for which said characteristic class is incorrectly predicted; (e) repeating steps (c) and (d) at least once; and (f) identifying a second set of genes informative for said characteristic class using samples in said plurality of samples remaining after step (e).

[0026] The invention further provides a method for assigning an individual to one of a plurality of categories in a clinical trial, comprising: (a) classifying the individual into one of a plurality of condition categories differentiated by at least one genotypic or phenotypic

characteristic of the condition; (b) determining the level of expression, in a sample derived from said individual, of a plurality of genes informative for said condition category; (c) determining whether said level of expression of said plurality of genes indicates that the individual has a good prognosis or a poor prognosis; and (d) assigning the individual to a category in a clinical trial on the basis of prognosis.

4. BRIEF DESCRIPTION OF THE DRAWINGS

[0027] FIG. 1 depicts the decision tree that resulted in the five patient subsets used to identify informative prognosis-related genes.

[0028] FIG. 2: Relationship between ER level and age. (A) Scatter plot of ER vs. age for ER+ patients. Black dots indicate metastases free samples, and gray dots indicate metastases samples. It appears that patients of ER+ group can be subdivided into “ER+, ER/AGE high” group (above the black line) and “ER+, ER/AGE low” (below the black line) group. The black line is approximated by $ER = 0.1 * (AGE - 42.5)$, and the dashed line by $ER = 0.1 * (age - 50)$. Within each population, the ER level also increases with age. (B) Age distribution of all patients in ER+ samples. A bimodal distribution is observed. (C) ER-modulated age ($age - 10*$) distribution of all patients in ER+ samples. A bimodal distribution is observed. (D) Age distribution of samples with metastasis. (E) ER-modulated age distribution of samples with metastasis. The three peaks appearing in this distribution suggest a polymorphism.

[0029] FIG. 3. Performance of classifier for the “ER-/sporadic” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases-free samples, squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0030] FIG. 4. Performance of classifier for the “ER+, ER/AGE high” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases-free samples, and squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group

(good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0031] FIG. 5. Performance of classifier for the “ER+, ER/AGE low/LN-” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases-free samples, and squares indicates samples with metastases. Dashed line indicates the threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0032] FIG. 6. Performance of classifier for the “ER+, ER/AGE low/LN+” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases free samples, squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0033] FIG. 7. Performance of classifier for the “ER-, *BRCA1*” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases free samples, squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0034] FIG. 8. Heatmaps of genes representing key biological functions in subgroups of patients: A: Cell cycle genes are predictive of outcome in patients with ER/age high. B: Cell cycle genes are not predictive of outcome in “ER- and sporadic” patients C: Glycolysis genes

are predictive of outcome in patients with ER/age low and LN-. D: Glycolysis genes are not predictive of outcome in 'ER- & BRCA1' patients.

5. DETAILED DESCRIPTION OF THE INVENTION

5.1 INTRODUCTION

[0035] The present invention provides methods for classifying individuals having a condition, such as a disease, into at least one subset of that condition, wherein the subset is defined by one or more phenotypic or genotypic characteristics of the condition. Such individuals may be eukaryotes or prokaryotes, may be non-human animals such as mammals, for example humans, primates, rodents, felines, canines, etc.; birds, reptiles, fish, etc. "Individuals" as used herein also encompasses single-celled organisms, or colonies thereof, such as bacteria and yeast. The condition may be a disease, such as cancer, and may be a specific cancer, such as breast cancer. The condition may also be an environmental condition, such as exposure to a toxin, pollutant, drug, proximity to urban or industrial areas, etc.

[0036] The present invention provides methods of determining the prognosis of individuals having a condition, such as cancer, for example, breast cancer, or who are suspected of having the condition, by the use of a combination of clinical, biological or biochemical parameters of the condition and gene expression pattern data. For prognosis, the parameters selected preferably relate to or affect the progression and/or outcome of the condition. The pattern of gene expression within a subset of the particular condition leads to the identification of sets of genes within a subset that is informative for that subset, for example, for prognosis within that subset. In general, the successful identification of sets of genes informative for prognosis within a particular subset justifies the selection of the plurality of clinical, biological or biochemical parameters of the condition on which division of individuals into condition subsets is based.

[0037] In the example of breast cancer, patient groups are first classified according to at least one of age, lymph node (LN) status, estrogen receptor (ER) level, and *BRCA1* mutation status into discrete patient subsets. These clinical factors have been implicated in tumor etiology as well as differences in disease outcome. These characteristics are not limiting; other genotypic or phenotypic characteristics of breast cancer, for example, tumor grade, tumor size, tumor cell type, etc., may be used, alone or in combination with those listed herein, in order to classify individuals. The differences in gene expression or in tumor fate related to these parameters likely represent differences in tumor origin and tumor genesis, and are

therefore good candidates for tumor stratification. Genesets informative for prognosis within each subset are then identified. New breast cancer patients are then classified using the same criteria, and a prognosis is made based on the geneset specific for the patient subset into which the patient falls. In the process of constructing a prognosis classifier within each patient subset, particular attention is paid to the homogeneous patterns related to the tumor outcome. Emergence of such homogeneous prognosis patterns may indicate the most common mechanism to metastasis within a subset. At the same time, successful identification of such patterns also justifies the parameters being used for the tumor stratification. To differentiate this approach from an mRNA-alone approach, we refer to the current approach of integrating clinical data with the gene expression data as a “comprehensive prognosis”.

5.2 DEFINITIONS

[0038] As used herein, “*BRCA1* tumor” or “*BRCA1* type” means a tumor having cells containing a mutation of the *BRCA1* locus.

[0039] The “absolute amplitude” of correlation means the distance, either positive or negative, from a zero value; *i.e.*, both correlation coefficients -0.35 and 0.35 have an absolute amplitude of 0.35.

[0040] “Marker” means a cellular constituent, or a modification of a cellular constituent (*e.g.*, an entire gene, EST derived from that gene, a protein encoded by that gene, post-translational modification of the protein, etc.) the expression or level of which changes between certain conditions. Where a change in a characteristic of the constituent correlates with a certain condition, the constituent is a marker for that condition.

[0041] “Marker-derived polynucleotides” means the RNA transcribed from a marker gene, any cDNA or cRNA produced therefrom, and any nucleic acid derived therefrom, such as synthetic nucleic acid having a sequence derived from the gene corresponding to the marker gene.

[0042] A “similarity value” is a number that represents the degree of similarity between two things being compared. For example, a similarity value may be a number that indicates the overall similarity between a patient’s expression profile using specific phenotype-related markers and a control specific to that phenotype (for instance, the similarity to a “good prognosis” template, where the phenotype is a good prognosis). The similarity value may be expressed as a similarity metric, such as a correlation coefficient, or may simply be expressed

as the expression level difference, or the aggregate of the expression level differences, between a patient sample and a template.

[0043] A “patient subset” is a group of individuals, all of whom have a particular condition, or are subject to a particular condition, which is distinguished from other individuals having that condition by one or more phenotypic, genotypic or clinical characteristics of the condition, or of a response to the condition. For example, where the condition is breast cancer, individuals may belong to an “ER⁺” or an “ER⁻” patient subset, or may belong to a particular age group patient subset.

[0044] A gene and/or marker is “informative” for a condition, phenotype, genotype or clinical characteristic if the expression of the gene or marker is correlated or anticorrelated with the condition, phenotype, genotype or clinical characteristic to a greater degree than would be expected by chance.

[0045] An individual is classified as “ER/AGE high” if the ratio of the log(ratio) of ER expression to the age of individual for which the ER expression level is determined is equal to or greater than a predetermined threshold value, and the individual is classified as “ER/AGE low” if the ratio is less than the threshold value. In one embodiment, the threshold value is calculated as $ER = 0.1 (AGE - 42.5)$; thus, the threshold for a 45-year old individual in this embodiment is 0.1 (45-42.5), or 0.25. Thus, in this embodiment, if the log(ratio) of ER expression in the individual is equal to or greater than 0.25, the individual is classified as “ER/AGE high”; otherwise, the individual is classified as “ER/AGE low.”

5.3 IDENTIFICATION OF DIAGNOSTIC AND PROGNOSTIC MARKER SETS

5.3.1 IDENTIFICATION OF CONDITION SUBSETS

[0046] The present invention provides methods of identifying of sets of genes and/or markers useful in the diagnosis and prognosis of breast cancer. More generally, the invention also provides methods of identifying sets of genes and/or markers useful in the diagnosis or prognosis of other cancers, and even more generally, of identifying sets of genes and/or markers useful in the differentiation between subgroups of individuals having a particular condition, such as a disease or exposure to a particular environmental condition.

[0047] The method may be applied to any condition for which a plurality of phenotypic or genotypic subsets may be identified. The condition may be a disease; for example, the condition may be cancer, an autoimmune disease, an inflammatory disease, an infectious disease, a neurological disease, a degenerative disease, etc. The condition may be environmental; for example, the condition may be a particular diet, geographic location, etc.;

the condition may be exposure to a compound, including, for example, a drug, a toxin, a carcinogen, a foodstuff, a poison, an inhaled compound, an ingested compound, etc.; the condition may be a particular genetic background or predisposition to a medical condition; etc.

[0048] Where the condition is cancer, the condition may be any cancer, for example, without limitation: leukemias, including acute leukemia, acute lymphocytic leukemia, acute myelocytic leukemia, myeloblastic leukemia, promyelocytic leukemia, myelomonocytic leukemia, monocytic leukemia, and erythroleukemia; chronic leukemia, such as chronic myelocytic (granulocytic) leukemia or chronic lymphocytic leukemia; polycythemia vera; lymphomas, such as Hodgkin's disease and non-Hodgkin's disease; multiple myeloma; Waldenström's macroglobulinemia; heavy chain disease; solid tumors, such as sarcomas and carcinomas, fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, lymphangi endotheliosarcoma, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilms' tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, meningioma, melanoma, neuroblastoma, or retinoblastoma; etc.

[0049] Rather than stratifying individuals, such as patients or tumor samples derived from patients, by gene expression patterns in the first instance, however, the method of identifying sets of genes informative for a condition begins by identifying phenotypic, genotypic or clinical subsets of individuals within the larger class of individuals having or affected by the condition.

[0050] In one embodiment, the condition is cancer, and the subsets are distinguished by phenotypes, genotypes, and/or clinical characteristics of the cancer. In this embodiment, groups of individuals are classified according to one or more phenotypes, genotypes, or clinical characteristics relevant to the cancer into patient subsets. At any step in the process of subdividing a patient population into patient subsets, the level expression of one or more genes may be determined in order to identify whether a prognosis-informative set of genes

may be identified for the particular patient subset. If an informative gene set is identified, but is not as informative as desired, the patient subset may be divided and a new geneset identified. These subsets may be further subdivided. For example, a group of individuals affected by a particular cancer may be classified first on the basis of a phenotypic, genotypic or clinical characteristic A into subsets S1 and S2. The level of expression is then determined of a plurality of genes in tumor samples taken from individuals that fall within subsets S1 or S2 in order to identify sets of genes informative for prognosis within these subsets. Subsets S1 and S2 may then be subdivided into two or more subsets each based on other phenotypic, genotypic or clinical characteristics. The basis for subdivision, if performed, need not be the same for both S1 and S2. For example, in various embodiments, S1 is not subdivided, while S2 is subdivided on the basis of characteristic B; S1 is subdivided based on characteristic B while S2 is not subdivided; S1 and S2 are both subdivided on the basis of characteristic B; S1 is subdivided based on characteristic B, while S2 is subdivided according to characteristic C; and so on. For a particular decision matrix leading to a plurality of patient subsets, the preferred outcome is a prognosis-informative set of genes for each patient subset. Different decision matrices may lead to different patient subsets, which, in turn, may result in different sets of prognosis-informative genes.

[0051] In the specific example of breast cancer, a plurality of phenotypes, genotypes or clinical indications are used to classify a patient as being a member of one of a plurality of patient subsets, wherein the subsets are medically, biochemically or genetically relevant to breast cancer. For example, a group of patients may be classified into patient subsets based on criteria including, but not limited to, estrogen receptor (ER) status, type of tumor (*i.e.*, *BRCA1*-type or sporadic), lymph node status, grade of cancer, invasiveness of the tumor, or age. “*BRCA1*-type” indicates that the *BRCA1* mutation is present. In each classification step, a group of cancer patients may be classified into only two classes, for example, ER+ or ER⁻, or into three or more subsets (for example, by tumor grade), depending upon the characteristic used to determine the subsets. As used herein, “ER+” indicates that the estrogen receptor is expressed at some level; for example, it may indicate that the estrogen receptor is detectably expressed, or may indicate that more than 10% of cells may be histologically stained for the receptor, etc. Conversely, “ER-” indicates that the estrogen receptor is expressed at a reduced level or not at all; for example, it may indicate that the receptor is not detectably expressed, or that 10% or less of cells may be histologically stained for the receptor, etc. Marker gene sets optimized for each phenotypic class are preferably determined after the subsets are established. Where informative markers for a particular

patient subset, distinguished from another subset by a particular characteristic of the condition of interest, cannot be determined, the subset may be further divided by another characteristic of the condition to create a plurality of second patient subsets, whereupon genes informative for these second patient subsets may be identified.

[0052] FIG. 1 depicts the process, described in the Examples, of subdivision of a collection of breast cancer patients according to phenotypic and genotypic characteristics relevant to breast cancer, in preparation for identification of genes informative for prognosis. A collection of breast cancer tumor samples was first subdivided by estrogen receptor status. ER status was chosen because the presence or absence of the estrogen receptor greatly influences the expression of other genes. In the ER+ patient subset, it was noted that patients appeared to be bimodally distributed by ER level vs. age; that is, ER level dependence upon age tended to fall within two classes, as separated by the solid line in FIG. 2A. This bimodality was used to further subdivide ER+ individuals into "ER+, ER/AGE high" individuals and "ER+, ER/AGE low" individuals. A set of informative genes was identified for the ER+, ER/AGE high patient subset. An informative set was not identified for the ER+, ER/AGE low subset, however, so the subset of patients was further divided into LN+ and LN- individuals. Thus, in one embodiment, the present invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising (a) classifying each of a plurality of samples or individuals on the basis of one phenotypic or genotypic characteristic into a plurality of first classes; and (b) identifying within each of said first classes a set of informative genes or markers, wherein said set of informative genes or markers within each said first classes is unique to said class.

5.3.2 IDENTIFICATION OF MARKER SETS INFORMATIVE FOR PATIENT SUBSETS

[0053] Once a patient subset is identified, markers, such as genes, informative for a particular outcome, such as prognosis, may be identified. In one embodiment, the method for identifying marker sets is as follows. This example describes the use of genes and gene-derived nucleic acids as markers; however, proteins or other cellular constituents may be used as markers of the condition.

[0054] After extraction and labeling of target polynucleotides, the expression of a plurality of markers, such as genes, in a sample X is compared to the expression of the plurality markers in a standard or control. In one embodiment, the standard or control comprises target markers, such as polynucleotide molecules, derived from one or more samples from a

plurality of normal individuals, or a plurality of individuals not exposed to a particular condition. For example, the control, or normal, individuals may be persons without the particular disease or condition of interest (*e.g.*, individuals not afflicted with breast cancer, where breast cancer is the disease of interest), or may be an individual not exposed to a particular environmental condition. The standard or control may also comprise target polynucleotide molecules, derived from one or more samples derived from individuals having a different form or stage of the same disease; a different disease or different condition, or individuals exposed or subjected to a different condition, than the individual from which sample X was obtained. The control may be a sample, or set of samples, taken from the individual at an earlier time, for example, to assess the progression of a condition, or the response to a course of therapy.

[0055] In a preferred embodiment, the standard or control is a pool of target polynucleotide molecules. However, where protein levels, or the levels of any other relevant biomolecule, are to be compared, the pool may be a pool of proteins or the relevant biomolecule. In a preferred embodiment in the context of breast cancer, the pool comprises samples taken from a number of individuals having sporadic-type tumors.

[0056] In another preferred embodiment, the pool comprises an artificially-generated population of nucleic acids designed to approximate the level of nucleic acid derived from each marker found in a pool of marker-derived nucleic acids derived from tumor samples. In another embodiment, the pool, also called a “mathematical sample pool,” is represented by a set of expression values, rather than a set of physical polynucleotides; the level of expression of relevant markers in a sample from an individual with a condition, such as a disease, is compared to values representing control levels of expression for the same markers in the mathematical sample pool. Such a control may be a set of values stored on a computer. Such artificial or mathematical controls may be constructed for any condition of interest.

[0057] In another embodiment specific to breast cancer, the pool is derived from normal or breast cancer cell lines or cell line samples. In a preferred embodiment, the pool comprises samples taken from individuals within a specific patient subset, *e.g.*, “ER+, ER/AGE high” individuals, wherein each of said individuals has a good prognosis, or each of said individuals has a poor prognosis. Of course, where, for example, expressed proteins are used as markers, the proteins are obtained from the individual’s sample, and the standard or control could be a pool of proteins from a number of normal individuals, or from a number of individuals having a particular state of a condition, such as a pool of samples from individuals having a particular prognosis of breast cancer.

[0058] The comparison may be accomplished by any means known in the art. For example, expression levels of various markers may be assessed by separation of target polynucleotide molecules (*e.g.*, RNA or cDNA) derived from the markers in agarose or polyacrylamide gels, followed by hybridization with marker-specific oligonucleotide probes. Alternatively, the comparison may be accomplished by the labeling of target polynucleotide molecules followed by separation on a sequencing gel. Polynucleotide samples are placed on the gel such that patient and control or standard polynucleotides are in adjacent lanes. Comparison of expression levels is accomplished visually or by means of densitometer. In a preferred embodiment, the expression of all markers is assessed simultaneously by hybridization to a microarray. In each approach, markers meeting certain criteria are identified as informative for the prognosis of breast cancer.

[0059] Marker genes are selected based upon significant difference of expression in a condition, such as a disease, as compared to a standard or control condition. Marker genes may be screened, for example, by determining whether they show significant variation within a set of samples of interest. Genes that do not show a significant amount of variation within the set of samples are presumed not to be informative for the disease or condition, and are not selected as markers for the disease or condition. Genes showing significant variation within the sample set are candidate informative genes for the disease or condition. The degree of variation may be estimated by calculating the standard deviation of the expression of the gene, or ratio of expression between sample and control, within the set of samples. The expression, or ratio of expressions, may be transformed by any means, *e.g.*, linear or log transformation. Selection may be made based upon either significant up- or down regulation of the marker in the patient sample. Selection may also be made by calculation of the statistical significance (*i.e.*, the *p*-value) of the correlation between the expression of the marker and the disease and condition. Preferably, both selection criteria are used. Thus, in one embodiment of the present invention, markers associated with prognosis of breast cancer within a patient subset are selected where the markers show both more than two-fold change (increase or decrease) in expression as compared to a standard, and the *p*-value for the correlation between the existence of breast cancer and the change in marker expression is no more than 0.01 (*i.e.*, is statistically significant).

[0060] In the context of the present invention, "good prognosis" indicates a desired outcome for a particular condition, especially a particular disease, and "poor prognosis" indicates an undesired outcome of the condition. For example, where the condition is cancer, a "good prognosis" may mean partial or complete remission, and "poor prognosis" may mean

reappearance of the cancer after treatment. What constitutes “good prognosis” and “poor prognosis” is specific to the condition of interest, for example, specific to the particular cancer an individual suffers. For example, “good prognosis” for pancreatic cancer may be survival for one or two years after initial diagnosis, while “good prognosis” for Hodgkin’s disease may be survival for five years or more. In the specific example of breast cancer, “good prognosis” means the likelihood of non-reoccurrence of metastases within a period of 1, 2, 3, 4, 5 or more years after initial diagnosis, and “poor prognosis” means the likelihood of reoccurrence of metastasis within that period. In a more specific example, “good prognosis” means the likelihood of non-reoccurrence of metastases within 5 years after initial diagnosis, and “poor prognosis” means the likelihood of reoccurrence of metastasis within that period.

[0061] In a more specific embodiment for cancer, for example, breast cancer, using a number of breast cancer tumor samples, markers are identified by calculation of correlation coefficients ρ between the clinical category or clinical parameter(s) \vec{c} and the linear, logarithmic or any transform of the expression ratio \vec{r} across all samples for each individual gene. Specifically, the correlation coefficient may be calculated as:

$$\rho = (\vec{c} \bullet \vec{r}) / (\|\vec{c}\| \cdot \|\vec{r}\|). \quad \text{Equation (1)}$$

[0062] Markers for which the coefficient of correlation exceeds a cutoff are identified as prognosis-informative markers specific for a particular clinical type, *e.g.*, good prognosis, within a given patient subset. Such a cutoff or threshold may correspond to a certain significance of discriminating genes obtained by Monte Carlo simulations. The threshold depends upon the number of samples used; the threshold can be calculated as $3 \times 1/\sqrt{n-3}$, where $1/\sqrt{n-3}$ is the distribution width and n = the number of samples. In a specific embodiment, markers are chosen if the correlation coefficient is greater than about 0.3 or less than about -0.3.

[0063] Next, the significance of the correlation is calculated. This significance may be calculated by any statistical means by which such significance is calculated. In a specific example, a set of correlation data is generated using a Monte-Carlo technique to randomize the association between the expression difference of a particular marker and the clinical category. The frequency distribution of markers satisfying the criteria in the Monte-Carlo runs is used to determine whether the number of markers selected by correlation with clinical data is significant.

[0064] Once a marker set is identified, the markers may be rank-ordered in order of significance of discrimination. One means of rank ordering is by the amplitude of correlation between the change in gene expression of the marker and the specific condition being discriminated. Another, preferred, means is to use a statistical metric. In a specific embodiment, the metric is a t-test-like statistic:

$$t = \frac{(\langle x_1 \rangle - \langle x_2 \rangle)}{\sqrt{[\sigma_1^2(n_1 - 1) + \sigma_2^2(n_2 - 1)] / (n_1 + n_2 - 1) / (1/n_1 + 1/n_2)}} \quad \text{Equation (2)}$$

[0065] In this equation, $\langle x_1 \rangle$ is the error-weighted average of the log ratio of transcript expression measurements within a first clinical group (e.g., good prognosis), $\langle x_2 \rangle$ is the error-weighted average of log ratio within a second, related clinical group (e.g., poor prognosis), σ_1 is the variance of the log ratio within the first clinical group (e.g., good prognosis), n_1 is the number of samples for which valid measurements of log ratios are available, σ_2 is the variance of log ratio within the second clinical group (e.g., poor prognosis), and n_2 is the number of samples for which valid measurements of log ratios are available. The t -value represents the variance-compensated difference between two means.

[0066] The rank-ordered marker set may be used to optimize the number of markers in the set used for discrimination. This is accomplished generally in a “leave one out” method as follows. In a first run, a subset, for example five, of the markers from the top of the ranked list is used to generate a template, where out of X samples, $X-1$ are used to generate the template, and the status of the remaining sample is predicted. This process is repeated for every sample until every one of the X samples is predicted once. In a second run, additional markers, for example five additional markers, are added, so that a template is now generated from 10 markers, and the outcome of the remaining sample is predicted. This process is repeated until the entire set of markers is used to generate the template. For each of the runs, type 1 error (false negative) and type 2 errors (false positive) are counted; the optimal number of markers is that number where the type 1 error rate, or type 2 error rate, or preferably the total of type 1 and type 2 error rate is lowest.

[0067] For prognostic markers, validation of the marker set may be accomplished by an additional statistic, a survival model. This statistic generates the probability of tumor distant metastases as a function of time since initial diagnosis. A number of models may be used, including Weibull, normal, log-normal, log logistic, log-exponential, or log-Rayleigh

(Chapter 12 “Life Testing”, S-PLUS 2000 GUIDE TO STATISTICS, Vol. 2, p. 368 (2000)). For the “normal” model, the probability of distant metastases P at time t is calculated as

$$P = \alpha \times \exp(-t^2/\tau^2) \quad \text{Equation (3)}$$

where α is fixed and equal to 1, and τ is a parameter to be fitted and measures the “expected lifetime”.

[0068] It is preferable that the above marker identification process be iterated one or more times by excluding one or more samples from the marker selection or ranking (*i.e.*, from the calculation of correlation). Those samples being excluded are the ones that can not be predicted correctly from the previous iteration. Preferably, those samples excluded from marker selection in this iteration process are included in the classifier performance evaluation, to avoid overstating the performance.

[0069] It will be apparent to those skilled in the art that the above methods, in particular the statistical methods, described above, are not limited to the identification of markers associated with the prognosis of breast cancer within a particular patient subset, but may be used to identify set of marker genes associated with any phenotype or condition, or with any subset of a phenotype or condition defined by one or more characteristics of the phenotype or condition. The phenotype or condition can be the presence or absence of a disease such as cancer, or the presence or absence of any identifying clinical condition associated with that cancer. In the disease context, the phenotype may be a prognosis such as a survival time, probability of distant metastases of a disease condition, or likelihood of a particular response to a therapeutic or prophylactic regimen. The phenotype need not be cancer, or a disease; the phenotype may be a nominal characteristic associated with a healthy individual.

[0070] Thus, the invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics of said condition into a plurality of first classes; (b) identifying within each of said first classes a first set of genes or markers informative for said condition, wherein said first set of genes or markers within each of said first classes is unique to said class relative to other classes. In a specific embodiment, samples or individuals in at least one of said first classes are additionally classified on the basis of a phenotypic or genotypic characteristic different than that used to distinguish said first classes. and identifying within at least one of said second classes a second set of informative genes or markers, wherein said second set of informative genes or markers within each of said second

classes is unique to said second class relative to other classes. In another embodiment, the invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics into a plurality of first classes; (b) classifying at least one of said first classes into a plurality of second classes on the basis of phenotypic or genotypic characteristic different than that used to distinguish said plurality of first classes; (c) identifying within at least one of said first classes or said second classes a set of genes or markers informative for said condition, wherein said second set of genes or markers is unique to said class relative to other classes. The invention further provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) selecting a first characteristic from said plurality of phenotypic or genotypic characteristics; (b) identifying at least two first condition classes differentiable by said first characteristic; (c) selecting a plurality of individuals classifiable into at least one of said first condition classes; and (d) identifying in samples derived from each of said plurality of individuals a set of genes or markers informative for said condition within said at least one of said first condition classes.

5.3.3 CLASSIFIER GENESETS FOR FIVE PATIENT SUBSETS

[0071] The present invention provides sets of markers useful for the prognosis of breast cancer. The markers were identified according to the above methods in specific subsets of individuals with breast cancer. Generally, the marker sets were identified within a population of breast cancer patients that had been first stratified into five phenotypic categories based on criteria relevant to breast cancer prognosis, including estrogen receptor (ER) status, lymph node status, type of mutation(s) (*i.e.*, *BRCA1*-type or sporadic) and age at diagnosis. More specifically, patients, and tumors from which samples were taken, were classified as ER⁻, sporadic (*i.e.*, being both estrogen receptor negative and having a non-*BRCA1*-type tumor); ER⁻, *BRCA1* (*i.e.*, being both estrogen receptor negative and having a *BRCA1*-type tumor); ER⁺, ER/AGE high (*i.e.*, estrogen receptor positive with a high ratio of the log (ratio) of estrogen receptor gene expression to age); ER⁺, ER/AGE low, LN⁺ (*i.e.*, estrogen receptor positive with a low ratio of the log (ratio) of estrogen receptor gene expression to age, lymph node positive); and ER⁺, ER/AGE low, LN⁻ (*i.e.*, estrogen receptor positive with a low ratio of the log (ratio) of estrogen receptor gene expression to age, lymph node negative). The rationale for subdivision of the original patient set into these five subsets is detailed in the

Examples (Section 6). The marker sets useful for each of the subsets above are provided in Tables 1-5, respectively.

Table 1: Geneset of 20 markers used to classify ER⁺, sporadic individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
AF055033	IGFBP5	-2.12	0.88	0.54	insulin-like growth factor binding protein 5	Growth factor binding, Glycoprotein, Signal, 3D-structure
NM_000599	IGFBP5	-3.41	0.43	0.53	insulin-like growth factor binding protein 5	Growth factor binding, Glycoprotein, Signal, 3D-structure
L27560	IGFBP5	-4.55	0	0.52	EST	Hypothetical protein
AF052162	FLJ12443	-0.27	1.6	0.52	EST	Hypothetical protein
NM_001456	FLNA	-0.61	2.47	0.52	filamin A, alpha (actin binding protein 280)	Hypothetical protein, Actin-binding, Phosphorylation, Repeat, Polymorphism, Disease mutation
NM_002205	ITGA5	-0.37	2.08	0.49	integrin, alpha 5 (fibronectin receptor, alpha polypeptide)	Integrin, Cell adhesion, Receptor, Glycoprotein, Transmembrane, Signal, Calcium, Repeat
NM_013261	PPARGC1	0.09	1.54	0.47	peroxisome proliferative activated receptor, gamma, coactivator 1	
NM_001605	AARS	0.39	2.36	0.51	alanyl-tRNA synthetase	Aminoacyl-tRNA synthetase, Protein biosynthesis, Ligase, ATP-binding
X87949	HSPA5	-0.03	2.03	0.49	heat shock 70kDa protein 5 (glucose-regulated protein, 78kDa)	ATP-binding, Hypothetical protein, Endoplasmic reticulum, Signal
Contig50950_RC	NGEF	-1.17	3.2	0.52	neuronal guanine nucleotide exchange factor	
NM_005689	ABCB6	-0.51	2.26	0.48	ATP-binding cassette, sub-family B (MDR/TAP), member 6	ATP-binding, Transport, Transmembrane, Mitochondrion, Inner membrane, Transit peptide, Hypothetical protein
NM_004577	PSPH	-0.56	3.05	0.51	phosphoserine phosphatase	Hydrolase, Serine biosynthesis, Magnesium, Phosphorylation
NM_003832	PSPHL	-2.08	2.18	0.5	phosphoserine phosphatase-like	
NM_002422	MMP3	-0.96	2.54	0.5	matrix metalloproteinase 3 (stromelysin 1, progelatinase)	Hydrolase, Metalloprotease, Glycoprotein, Zinc, Zymogen, Calcium, Collagen degradation, Extracellular matrix, Signal, Polymorphism, 3D-structure
Contig37562_RC		-3.42	-6.02	-0.59	ESTs	
NM_018465	MDS030	-0.82	-3.28	-0.58	uncharacterized	Hypothetical protein

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correlation	Description	Sp_xref_keyword_list
					hematopoietic stem/progenitor cells protein MDS030	
Contig54661_RC		-0.79	-2.08	-0.54	ESTs	
AB032969	KIAA1143	-0.6	-2.85	-0.53	KIAA1143 protein	Hypothetical protein
Contig55353_RC	KIAA1915	-0.27	-1.82	-0.47	KIAA1915 protein	Hypothetical protein
NM_005213	CSTA	2.11	-3.4	-0.49	cystatin A (stefin A)	Thiol protease inhibitor, 3D-structure

Table 2. Geneset of 10 markers used to classify ER⁺, *BRCA1* individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correlation	Sequence name	Description	Sp_xref_keyword_list
AF005487		6.08	0.5	-0.79	HLA-DRB6	Homo sapiens MHC class II antigen (DRB6) mRNA, HLA-DRB6*0201 allele, sequence.	MHC
Contig50728_RC		4.02	0.25	-0.77		ESTs, Weakly similar to S26650 DNA-binding protein 5 - human [H.sapiens]	
Contig53598_RC		8.41	3.26	-0.77	FLJ11413	hypothetical protein FLJ11413	Hypothetical protein
NM_002888	RARR ES1	6.9	0.05	-0.87	RARR ES1	retinoic acid receptor responder (tazarotene induced) 1	Receptor, Transmembrane, Signal-anchor
NM_005218	DEFB1	5.14	-3.02	-0.81	DEFB1	defensin, beta 1	Antibiotic, Signal, 3D-structure
U17077	BENE	2.72	-1.72	-0.77	BENE	BENE protein	Transmembrane
Contig14683_RC		1.29	-2.31	-0.74		ESTs	
Contig53641_RC		-3.29	4.23	0.75	MAGE-E1	MAGE-E1 protein	Hypothetical protein
Contig56678_RC		-6.7	-9.73	-0.82		ESTs, Highly similar to THYA_HUMAN Prothymosin alpha [H.sapiens]	
NM_005461	KRML	0.88	-3.38	-0.75	MAFB	v-maf musculoaponeurotic fibrosarcoma oncogene homolog B (avian)	Transcription regulation, Repressor, DNA-binding, Nuclear protein, Hypothetical protein

Table 3. Geneset of 50 markers used to classify ER⁺, ER/AGE high individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correlation	Description	Sp_xref_keyword_list
NM_003600	STK15	-2.93	2.08	0.8	serine/threonine kinase 6	ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase
NM_003158	STK6	-1.57	1.42	0.78	serine/threonine kinase 6	ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase
NM_007019	UBCH10	-2.98	2.62	0.81	ubiquitin-conjugating enzyme E2C	Hypothetical protein, Ubl conjugation pathway,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
						Ligase, Multigene family, Mitosis, Cell cycle, Cell division
NM_013277	ID-GAP	-2.43	2.43	0.77	Rac GTPase activating protein 1	Hypothetical protein
NM_004336	BUB1	-2.04	1.39	0.77	BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)	Transferase, Serine/threonine-protein kinase, ATP-binding, Cell cycle, Nuclear protein, Mitosis, Phosphorylation, Polymorphism
NM_006607	PTTG2	-1.71	1.49	0.72	pituitary tumor-transforming 2	
AK001166	FLJ11252	-1.33	0.99	0.71	hypothetical protein FLJ11252	Hypothetical protein
NM_004701	CCNB2	-4.62	2.01	0.81	cyclin B2	Cyclin, Cell cycle, Cell division, Mitosis
Contig57584_RC		-3.68	2.04	0.78	likely ortholog of mouse gene rich cluster, C8 gene	
NM_006845	KNSL6	-4.13	1.05	0.73	kinesin-like 6 (mitotic centromere-associated kinesin)	Hypothetical protein, Motor protein, Microtubules, ATP-binding, Coiled coil, Nuclear protein
Contig38901_RC		-3.08	1.15	0.75	hypothetical protein MGC45866	Hypothetical protein
NM_018410	DKFZp762E1312	-4.38	1.49	0.75	hypothetical protein DKFZp762E1312	Hypothetical protein
NM_003981	PRC1	-3.52	2.17	0.78	protein regulator of cytokinesis 1	
NM_001809	CENPA	-5.04	0.98	0.75	centromere protein A, 17kDa	Hypothetical protein, Chromosomal protein, Nuclear protein, DNA-binding, Centromere, Antigen
NM_003504	CDC45L	-2.67	1.22	0.73	CDC45 cell division cycle 45-like (S. cerevisiae)	DNA replication, Cell cycle, Nuclear protein, Cell division
Contig41413_RC		-5.43	2.15	0.74	ribonucleotide reductase M2 polypeptide	Oxidoreductase, DNA replication, Iron
NM_004217	STK12	-2.17	0.73	0.72	serine/threonine kinase 12	Hypothetical protein, ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase
NM_002358	MAD2L1	-2.65	2.27	0.83	MAD2 mitotic arrest deficient-like 1 (yeast)	Cell cycle, Mitosis, Nuclear protein, 3D-structure
NM_014321	ORC6L	-2.73	1.8	0.75	origin recognition complex, subunit 6 homolog-like (yeast)	Hypothetical protein, DNA replication, Nuclear protein, DNA-binding
NM_012291	KIAA0165	-1.52	1.55	0.71	extra spindle poles like 1 (S. cerevisiae)	Hypothetical protein
NM_004203	PKMYT1	-3.64	2.2	0.7	retinoblastoma-like 2 (p130)	ATP-binding, Kinase, Serine/threonine-protein

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
						kinase, Transferase, Transcription regulation, DNA-binding, Nuclear protein, Cell cycle, Phosphorylation, Anti-oncogene
M96577	E2F1	-2.14	1.42	0.75	E2F transcription factor 1	Transcription regulation, Activator, DNA-binding, Nuclear protein, Phosphorylation, Cell cycle, Apoptosis, Polymorphism
NM_002266	KPNA2	-3.77	1.78	0.71	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	Transport, Protein transport, Repeat, Nuclear protein, Polymorphism
Contig31288_RC		-2.63	0.7	0.68	ESTs, Weakly similar to hypothetical protein FLJ20489 [Homo sapiens] [H. sapiens]	
NM_014501	E2-EPF	-1.55	1.93	0.7	ubiquitin carrier protein	Ubl conjugation pathway, Ligase, Multigene family
NM_001168	BIRC5	-5.76	2.01	0.78	baculoviral IAP repeat-containing 5 (survivin)	Apoptosis, Thiol protease inhibitor, Alternative splicing, 3D-structure, Hypothetical protein, Protease, Receptor
NM_003258	TK1	-4.57	1.38	0.71	thymidine kinase 1, soluble	Transferase, Kinase, DNA synthesis, ATP-binding
NM_001254	CDC6	-2.46	0.28	0.72	CDC6 cell division cycle 6 homolog (S. cerevisiae)	ATP-binding, Cell division
NM_004900	DJ742C19.2	-2.96	0.13	0.69	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3B	Hydrolase
NM_004702	CCNE2	-3.12	2.13	0.81	cyclin E2	Cell cycle, Cell division, Cyclin, Hypothetical protein, Phosphorylation, Alternative splicing, Nuclear protein
AL160131		-3.07	2.42	0.7	hypothetical protein MGC861	Hypothetical protein
NM_016359	LOC51203	-3.22	2.61	0.76	nucleolar protein ANKT	Hypothetical protein, Nuclear protein
NM_004856	KNLS5	-1.52	1.1	0.71	kinesin-like 5 (mitotic kinesin-like protein 1)	Motor protein, Cell division, Microtubules, ATP-binding, Coiled coil, Mitosis, Cell cycle, Nuclear protein
NM_000057	BLM	-1.54	0.76	0.71	Bloom syndrome	Hydrolase, Helicase, ATP-binding, DNA-binding, Nuclear protein, DNA replication, Disease mutation
NM_018455	BM039	-2.44	1.18	0.7	uncharacterized bone marrow protein	

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
					BM039	
NM_002106	H2AFZ	-2.49	1.53	0.72	H2A histone family, member Z	Chromosomal protein, Nucleosome core, Nuclear protein, DNA-binding, Multigene family
Contig64688		-2.68	3.1	0.73	hypothetical protein FLJ23468	Hypothetical protein
Contig44289_RC		-1.65	1.6	0.67	ESTs	
Contig28552_RC		-1.37	1.53	0.68	diaphanous homolog 3 (Drosophila)	Hypothetical protein, Coiled coil, Repeat, Alternative splicing
Contig46218_RC		-1.31	1.56	0.68	ESTs, Weakly similar to T19201 hypothetical protein C11G6.3 - Caenorhabditis elegans [C. elegans]	
Contig28947_RC		-1.3	0.98	0.67	cell division cycle 25A	Hypothetical protein, Cell division, Mitosis, Hydrolase, Alternative splicing, Multigene family, 3D-structure
NM_016095	LOC51659	-1.4	2.13	0.67	HSPC037 protein	Hypothetical protein
NM_003090	SNRPA1	-3.26	0.95	0.7	small nuclear ribonucleoprotein polypeptide A'	Hypothetical protein, Nuclear protein, RNA-binding, Ribonucleoprotein, Leucine-rich repeat, Repeat, 3D-structure
NM_002811	PSMD7	-2.48	1.89	0.7	proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mov34 homolog)	Proteasome
Contig38288_RC		-2.34	0.97	0.67	hypothetical protein DKFZp762A2013	Hypothetical protein
NM_003406	YWHAZ	-1.5	2.79	0.68	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide	Brain, Neurone, Phosphorylation, Acetylation, Multigene family, 3D-structure
AL137540	NTN4	2.13	-4.61	-0.69	netrin 4	Hypothetical protein, Laminin EGF-like domain, Signal
AL049367		1.9	-3.2	-0.68	EST	Transducer, Prenylation, Lipoprotein, Multigene family, Acetylation
NM_013409	FST	1.04	-5.78	-0.69	folistatin	Glycoprotein, Repeat, Signal, Alternative splicing
NM_000060	BTD	3.1	-1.45	-0.67	biotinidase	Hydrolase, Glycoprotein, Signal, Disease mutation

Table 4. Geneset of 50 markers used to classify ER+, ER/AGE low, LN+ individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
NM_006417	MTAP44	-1.5	3	0.69	Fc fragment of IgG, low affinity IIb, receptor for (CD32)	Hydrolase, Hypothetical protein, Immunoglobulin domain, IgG-binding protein, Receptor, Transmembrane, Glycoprotein, Signal, Repeat, Multigene family, Polymorphism, NAD, One-carbon metabolism, Serine protease, Zymogen, Protease, Alternative splicing, Chromosomal translocation, Proto-oncogene, Galaptin, Lectin, Antigen
NM_006820	GS3686	-4.3	4.06	0.69	chromosome 1 open reading frame 29	Hypothetical protein
NM_001548	IFIT1	-3.4	4.27	0.71	Interferon-induced protein with tetra-ricopeptide repeats 1	Repeat, TPR repeat, Interferon induction
Contig41538_RC		-2.5	3.16	0.68	ESTs, Moderately similar to hypothetical protein FLJ20489 (<i>Homo sapiens</i>)	
NM_016816	OAS1	-1.7	3.29	0.75	2',5'-oligoadenylate synthetase 1, 40/46kDa	RNA-binding, Transferase, Nucleotidyltransferase, Interferon induction, Alternative splicing
Contig51660_RC		-2.1	2.65	0.66	28kD interferon responsive protein	Transmembrane
Contig43645_RC		-4.8	1.44	0.63	<i>Homo sapiens</i> , clone IMAGE:4428577, mRNA, partial cds	Hypothetical protein
AF026941		-4.6	2.71	0.63	EST, Weakly similar to 2004399A chromosomal protein [<i>Homo sapiens</i>]	Hypothetical protein
NM_007315	STAT1	-3.5	1.8	0.59	signal transducer and activator of transcription 1, 91kDa	Transcription regulation, DNA-binding, Nuclear protein, Phosphorylation, SH2 domain, Alternative splicing, 3D-structure
NM_002038	G1P3	-4.1	5.64	0.79	interferon, alpha-inducible protein (clone IFI-6-16)	Interferon induction, Transmembrane, Signal, Alternative splicing
NM_005101	ISG15	-5.6	5.34	0.77	interferon-stimulated protein, 15 kDa	Interferon induction, Repeat
NM_002462	MX1	-6.1	0.83	0.56	myxovirus (influenza virus) resistance 1, interferon-inducible protein p78 (mouse)	Hypothetical protein, Interferon induction, GTP-binding, Multigene family, Antiviral
NM_005532	IFI27	-5.8	2.81	0.59	interferon, alpha-inducible protein 27	Interferon induction, Transmembrane

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
NM_002346	LY6E	-2.1	3.58	0.75	lymphocyte antigen 6 complex, locus E	Signal, Antigen, Multigene family, Membrane, GPI-anchor
NM_016817	OAS2	-3.6	1.89	0.59	2'-5'-oligoadenylate synthetase 2, 69/71kDa	RNA-binding, Transferase, Nucleotidyltransferase, Repeat, Interferon induction, Alternative splicing, Myristate
Contig44909_RC		-2.3	1.13	0.55	hypothetical protein BC012330	Hypothetical protein
NM_017414	USP18	-4.1	3.37	0.72	ubiquitin specific protease 18	Ubl conjugation pathway, Hydrolase, Thiol protease, Multigene family
NM_004029	IRF7	-2.4	3.67	0.66	interferon regulatory factor 7	Collagen, Transcription regulation, DNA-binding, Nuclear protein, Activator, Alternative splicing
NM_004335	BST2	-3.2	3.22	0.57	bone marrow stromal cell antigen 2	Transmembrane, Glycoprotein, Signal-anchor, Polymorphism
NM_002759	PRKR	-2.4	1.8	0.58	protein kinase, interferon-inducible double stranded RNA dependent	Transferase, Serine/threonine-protein kinase, ATP-binding, Repeat, Phosphorylation, Interferon induction, RNA-binding, 3D-structure
NM_006332	IFI30	-3.8	2.65	0.64	interferon, gamma-inducible protein 30	Oxidoreductase, Interferon induction, Glycoprotein, Lysosome, Signal, Hypothetical protein
NM_009587	LGALS9	-3.2	2.08	0.6	lectin, galactoside-binding, soluble, 9 (galectin 9)	Galaptin, Lectin, Repeat, Alternative splicing
NM_003641	IFITM1	-2.4	5.54	0.63	interferon induced transmembrane protein 1 (9-27)	Interferon induction, Transmembrane
NM_017523	HSXIAPA F1	-1	2.84	0.7	XIAP associated factor-1	Hypothetical protein
NM_014314	RIG-I	-1.3	3.55	0.62	RNA helicase	ATP-binding, Helicase, Hydrolase, Hypothetical protein
Contig47563_RC		-2.2	3.11	0.56	ESTs	
Al497657_RC		-4.4	5.61	0.74	guanine nucleotide binding protein 4	Transducer, Prenylation, Lipoprotein, Multigene family
NM_000735	CGA	-4.3	2.5	0.58	glycoprotein hormones, alpha polypeptide	Hormone, Glycoprotein, Signal, 3D-structure
NM_004988	MAGEA1	-1.4	6.31	0.64	melanoma antigen, family A, 1 (directs expression of antigen MZ2-E)	Antigen, Multigene family, Polymorphism, Tumor antigen
Contig54242_RC		-1.2	4.1	0.65	chromosome 17 open reading frame	Hypothetical protein

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
					26	
NM_004710	SYNGR2	-1.4	3.01	0.54	synaptogyrin 2	Transmembrane
NM_001168	BIRC5	-3.7	3.39	0.64	baculoviral IAP repeat-containing 5 (survivin)	Hypothetical protein, Protease, Receptor, Apoptosis, Thiol protease inhibitor, Alternative splicing, 3D-structure
Contig41413_RC		-4.4	2.61	0.57	ribonucleotide reductase M2 polypeptide	Oxidoreductase, DNA replication, Iron
NM_004203	PKMYT1	-3.4	3.79	0.6	retinoblastoma-like 2 (p130)	ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase, Transcription regulation, DNA-binding, Nuclear protein, Cell cycle, Phosphorylation, Anti- oncogene
Contig48913_RC		-3.1	1.72	0.55	<i>Homo sapiens</i> , Similar to hypothetical protein PRO1722, clone MGC:15692 IMAGE:3351479, mRNA, complete cds	
NM_005804	DDXL	-2.5	1.42	0.58	DEAD/H (Asp-Glu- Ala-Asp/His) box polypeptide 39	ATP-binding, Helicase, Hydrolase, Hypothetical protein
NM_016359	LOC5120 3	-1.7	3.6	0.57	nucleolar protein ANKT	Hypothetical protein, Nuclear protein
NM_001645	APOC1	-2.9	3.43	0.58	apolipoprotein C-I	Plasma, Lipid transport, VLDL, Signal, 3D- structure, Polymorphism
Contig37895_RC		-2	2.05	0.55	ESTs	
NM_005749	TOB1	-1.3	4.96	0.59	transducer of ERBB2, 1	Phosphorylation
NM_000269	NME1	-1.3	2.98	0.55	non-metastatic cells 1, protein (NM23A) expressed in	Transferase, Kinase, ATP-binding, Nuclear protein, Anti-oncogene, Disease mutation
NM_014462	LSM1	-1	4.5	0.57	Lsm1 protein	Nuclear protein, Ribonucleoprotein, mRNA splicing, mRNA processing, RNA-binding
Contig31221_RC		-1.4	3.83	0.56	HTPAP protein	
NM_005326	HAGH	-1.9	4.29	0.57	hydroxyacyl glutathione hydrolase	Hydrolase, Zinc, 3D- structure
Contig42342_RC		0.78	-3.2	-0.6	<i>Homo sapiens</i> cDNA FLJ39417 fis, clone PLACE6016942	Hypothetical protein
AL137540	NTN4	2.24	-3.9	-0.6	netrin 4	Laminin EGF-like domain, Signal, Hypothetical protein
Contig40434_RC		1.64	-5.6	-0.6	wingless-type MMTV integration site family, member 5A	Developmental protein, Glycoprotein, Signal
Contig1632_RC		1.03	-3.9	-0.6	hypothetical protein MGC17921	Hypothetical protein

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
NM_014246	CELSR1	0.95	-4.6	-0.6	cadherin, EGF LAG seven-pass G-type receptor 1 (flamingo homolog, <i>Drosophila</i>)	G-protein coupled receptor, Transmembrane, Glycoprotein, EGF-like domain, Calcium-binding, Laminin EGF-like domain, Repeat, Developmental protein, Hydroxylation, Signal, Alternative splicing, Hypothetical protein
NM_005139	ANXA3	1.26	-6.2	-0.6	annexin A3	Annexin, Calcium/phospholipid-binding, Repeat, Phospholipase A2 inhibitor, 3D-structure, Polymorphism

Table 5. Geneset of 65 markers used to classify ER+, ER/AGE low, LN⁻ individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_list
M55914	MPB1	-2.82	1.25	0.5	ENO1	enolase 1, (alpha)	DNA-binding, Transcription regulation, Repressor, Nuclear protein, Lyase, Glycolysis, Magnesium, Multigene family, Hypothetical protein
NM_005945	MPB1	-3.06	1.19	0.49	ENO1	Homo sapiens enolase 1, (alpha) (ENO1), mRNA.	Glycolysis, Hypothetical protein, Lyase, Magnesium, DNA-binding, Transcription regulation, Repressor, Nuclear protein, Multigene family
NM_001428	ENO1	-2.53	1.18	0.46	ENO1	enolase 1, (alpha)	DNA-binding, Transcription regulation, Repressor, Nuclear protein, Lyase, Glycolysis, Magnesium, Multigene family, Hypothetical protein
NM_001216	CA9	-4.72	1.49	0.6	CA9	carbonic anhydrase IX	Lyase, Zinc, Transmembrane, Glycoprotein, Antigen, Signal, Nuclear protein, Polymorphism
NM_001124	ADM	-5.68	2.99	0.56	ADM	adrenomedullin	Hormone, Amidation, Cleavage on pair of basic residues, Signal

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_ll st
NM_000584	IL8	-2.45	2.04	0.54	IL8	interleukin 8	Cytokine, Chemotaxis, Inflammatory response, Signal, Alternative splicing, 3D-structure
D25328	PFKP	-4.19	3.29	0.56	PFKP	Phosphofructo- kinase, platelet	Kinase, Transferase, Glycolysis, Repeat, Allosteric enzyme, Phosphorylation, Magnesium, Multigene family
NM_006096	NDRG1	-5.45	5.97	0.77	NDRG1	N-myc downstream regulated gene 1	Hypothetical protein, Nuclear protein, Repeat
NM_004994	MMP9	-5.53	1.07	0.49	MMP9	matrix metalloproteinase 9 (gelatinase B, 92kDa gelatinase, 92kDa type IV collagenase)	Hydrolase, Metalloprotease, Glycoprotein, Zinc, Zymogen, Calcium, Collagen degradation, Extracellular matrix, Repeat, Signal, Polymorphism, 3D- structure
NM_003311	TSSC3	-4.57	5.58	0.68	TSSC3	tumor suppressing subtransferable candidate 3	
NM_006086	TUBB4	-5.19	2.85	0.59	TUBB4	tubulin, beta, 4	G-protein coupled receptor, Transmembrane, Glycoprotein, Phosphorylation, Lipoprotein, Palmitate, Polymorphism, Hypothetical protein, GTP-binding, Receptor, Microtubules, Multigene family
NM_006115	PRAME	-4.48	2.77	0.61	PRAME	preferentially expressed antigen in melanoma	Antigen
NM_004345	CAMP	-2.02	1.37	0.49	CAMP	cathelicidin antimicrobial peptide	Antibiotic, Signal
NM_018455	BM039	-2.34	0.76	0.47	BM039	uncharacterized bone marrow protein BM039	
Contig49169_RC		-1.17	1.5	0.46	SUV39H2	suppressor of variegation 3-9 (Drosophila) homolog 2; hypothetical protein FLJ23414	Hypothetical protein, Nuclear protein
Contig45032_RC		-1.37	0.77	0.45	FLJ14813	hypothetical protein FLJ14813	Hypothetical protein, ATP-binding, Kinase,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
							Serine/threonine- protein kinase, Transferase
NM_000917	P4HA1	-1.54	4.31	0.62	P4HA1	procollagen- proline, 2- oxoglutarate 4- dioxygenase (proline 4- hydroxylase), alpha polypeptide I	Dioxygenase, Collagen, Oxidoreductase, Iron, Vitamin C, Alternative splicing, Glycoprotein, Endoplasmic reticulum, Signal
NM_002046	GAPD	-2.51	3.42	0.6	GAPD	glyceraldehyde-3- phosphate dehydrogenase	Glycolysis, NAD, Oxidoreductase, Hypothetical protein, Multigene family
NM_000365	TPI1	-1.81	2.94	0.56	TPI1	triosephosphate isomerase 1	Fatty acid biosynthesis, Gluconeogenesis, Glycolysis, Isomerase, Pentose shunt, Disease mutation, Polymorphism, 3D- structure
NM_014364	GAPDS	-1.08	2.88	0.58	GAPDS	glyceraldehyde-3- phosphate dehydrogenase, testis-specific	Glycolysis, Oxidoreductase, NAD
NM_005566	LDHA	-2.01	4.01	0.59	LDHA	lactate dehydrogenase A	Oxidoreductase, NAD, Glycolysis, Multigene family, Disease mutation, Polymorphism
NM_000291	PGK1	-2.28	1.68	0.51	PGK1	phosphoglycerate kinase 1	Kinase, Transferase, Multigene family, Glycolysis, Acetylation, Disease mutation, Polymorphism, Hereditary hemolytic anemia
NM_016185	LOC511 55	-2.33	2.82	0.59	HN1	hematological and neurological expressed 1	
NM_001168	BIRC5	-4.33	2.78	0.55	BIRC5	baculoviral IAP repeat-containing 5 (survivin)	Apoptosis, Thiol protease inhibitor, Alternative splicing, 3D-structure, Hypothetical protein, Protease, Receptor
NM_002266	KPNA2	-3.75	1.34	0.47	KPNA2	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	Transport, Protein transport, Repeat, Nuclear protein, Polymorphism
Contig31288_RC		-2.1	1.27	0.5		ESTs, Weakly similar to hypothetical protein FLJ20489 [Homo sapiens] [H.sapiens]	

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
NM_000269	NME1	-2.15	3.43	0.55	NME1	non-metastatic cells 1, protein (NM23A) expressed in	Transferase, Kinase, ATP-binding, Nuclear protein, Anti- oncogene, Disease mutation
NM_003158	STK6	-1.23	1.73	0.45	STK6	serine/threonine kinase 6	ATP-binding, Kinase, Serine/threonine- protein kinase, Transferase
NM_007274	HBACH	-1.83	2.73	0.51	BACH	brain acyl-CoA hydrolase	Hydrolase, Serine esterase, Repeat
Contig55188_RC		-2.36	3.28	0.47	FLJ22341	hypothetical protein FLJ22341	Hypothetical protein
NM_002061	GCLM	-1.06	1.76	0.48	GCLM	glutamate-cysteine ligase, modifier subunit	Ligase, Glutathione biosynthesis
NM_004207	SLC16A 3	-3.11	5.07	0.67	SLC16A3	solute carrier family 16 (monocarboxylic acid transporters), member 3	Transport, Symport, Transmembrane, Multigene family
NM_000582	SPP1	-5.09	5.47	0.53	SPP1	secreted phosphoprotein 1 (osteopontin, bone sialoprotein I, early T-lymphocyte activation 1)	Hypothetical protein, Glycoprotein, Sialic acid, Biomaterialization, Cell adhesion, Phosphorylation, Signal, Alternative splicing
NM_001109	ADAM8	-2.5	3.74	0.45	ADAM8	a disintegrin and metalloproteinase domain 8	Hydrolase, Metalloproteinase, Zinc, Signal, Glycoprotein, Transmembrane, Antigen
D50402	SLC11A 1	-1.05	3.46	0.53	SLC11A1	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 1	Transport, Iron transport, Transmembrane, Glycoprotein, Macrophage, Polymorphism
AL080235	DKFZP5 86E162 1	-1.23	1.96	0.51	RIS1	Ras-induced senescence 1	Hypothetical protein
Contig40552_RC		-1.26	3.96	0.54	FLJ25348	hypothetical protein FLJ25348	Hypothetical protein
Contig52490_RC		-0.64	3.33	0.61	LOC11623 8	hypothetical protein BC014072	
NM_006461	DEEPE ST	-2.1	1.85	0.46	SPAG5	sperm associated antigen 5	Hypothetical protein
Contig56503_RC		-4.3	3.39	0.55	MGC9753	hypothetical gene MGC9753	Hypothetical protein
Contig63525		-1.91	3.34	0.5	FLJ13352	hypothetical protein FLJ13352	Hypothetical protein
NM_001909	CTSD	-0.83	4.6	0.51	CTSD	cathepsin D (lysosomal aspartyl protease)	Hydrolase, Aspartyl protease, Glycoprotein, Lysosome, Signal,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
							Zymogen, Polymorphism, Alzheimer's disease, 3D-structure
NM_005063	SCD	-2.57	5.15	0.48	SCD	stearoyl-CoA desaturase (delta- 9-desaturase)	Hypothetical protein, Endoplasmic reticulum, Fatty acid biosynthesis, Iron, Oxidoreductase, Transmembrane
NM_005165	ALDOC	-2.43	5.02	0.48	ALDOC	aldolase C, fructose- biphosphate	Lyase, Schiff base, Glycolysis, Multigene family
NM_000363	TNNI3	-0.54	3.58	0.48	TNNI3	troponin I, cardiac	Hypothetical protein, Muscle protein, Actin- binding, Acetylation, Disease mutation, Cardiomyopathy, Receptor, Signal
AF035284		-1.63	3.28	0.47	FADS1	EST	Heme, Hypothetical protein
Contig30875_RC		-0.88	3	0.6		ESTs	
NM_018487	HCA112	-0.7	3.54	0.58	HCA112	hepatocellular carcinoma- associated antigen 112	Hypothetical protein
NM_001323	CST6	-1.63	3.84	0.57	CST6	cystatin E/M	Thiol protease inhibitor, Signal, Glycoprotein
NM_006516	SLC2A1	-1.66	2.22	0.46	SLC2A1	solute carrier family 2 (facilitated glucose transporter), member 1	Transmembrane, Sugar transport, Transport, Glycoprotein, Multigene family, Disease mutation
NM_007267	LAK-4P	-1.04	3.28	0.61	EVIN1	expressed in activated T/LAK lymphocytes	Hypothetical protein
NM_004710	SYNGR 2	-0.84	4.81	0.56	SYNGR2	synaptogyrin 2	Transmembrane
Contig63649_RC		-1.34	6.3	0.75		ESTs, Weakly similar to 2004399A chromosomal protein [Homo sapiens] [H.sapiens]	
NM_003376	VEGF	-2.12	2.42	0.46	VEGF	vascular endothelial growth factor	Hypothetical protein, Mitogen, Angiogenesis, Growth factor, Glycoprotein, Signal, Heparin- binding, Alternative splicing, Multigene family, 3D-structure
NM_000799	EPO	-0.75	4.01	0.69	EPO	erythropoietin	Erythrocyte maturation, Glycoprotein, Hormone, Signal, Pharmaceutical, 3D-

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
							structure
NM_006014	DXS9879E	-1.85	3.44	0.54	DXS9879E	DNA segment on chromosome X (unique) 9879 expressed sequence	
NM_007183	PKP3	-0.91	4.14	0.48	PKP3	plakophilin 3	Cell adhesion, Cytoskeleton, Structural protein, Nuclear protein, Repeat
D13642	SF3B3	-0.65	2.28	0.48	SF3B3	splicing factor 3b, subunit 3, 130kDa	Hypothetical protein, Spliceosome, mRNA processing, mRNA splicing, Nuclear protein
NM_003756	EIF3S3	-1.85	2.19	0.46	EIF3S3	eukaryotic translation initiation factor 3, subunit 3 gamma, 40kDa	Initiation factor, Protein biosynthesis
Contig47096_RC		-0.41	4.52	0.54	PFKFB4	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4	Kinase, Multifunctional enzyme, Transferase, Hydrolase, ATP-binding, Phosphorylation, Multigene family
NM_004209	SYNGR3	-0.31	3.67	0.53	SYNGR3	synaptogyrin 3	Transmembrane
Contig3464_RC		0.99	-5.81	-0.52		ESTs	
Contig31646_RC		1.1	-7.76	-0.5	COL14A1	collagen, type XIV, alpha 1 (undulin)	Extracellular matrix, Glycoprotein, Hypothetical protein, Collagen, Signal
Contig49388_RC		1.73	-1.75	-0.51	FLJ13322	hypothetical protein FLJ13322	Hypothetical protein
Contig41887_RC		0.37	-5.74	-0.47	LOC124220	similar to common salivary protein 1	Hypothetical protein

5.4 DIAGNOSTIC AND PROGNOSTIC METHODS

5.4.1 SAMPLE COLLECTION

[0072] In the present invention, markers, such as target polynucleotide molecules or proteins, are extracted from a sample taken from an individual afflicted with a condition such as breast cancer. The sample may be collected in any clinically acceptable manner, but must be collected such that marker-derived polynucleotides (*i.e.*, RNA) are preserved (if gene expression is to be measured) or proteins are preserved (if encoded proteins are to be measured). For example, mRNA or nucleic acids derived therefrom (*i.e.*, cDNA or amplified DNA) are preferably labeled distinguishably from standard or control polynucleotide molecules, and both are simultaneously or independently hybridized to a microarray comprising some or all of the markers or marker sets or subsets described above.

Alternatively, mRNA or nucleic acids derived therefrom may be labeled with the same label as the standard or control polynucleotide molecules, wherein the intensity of hybridization of each at a particular probe is compared. A sample may comprise any clinically relevant tissue sample, such as a tumor biopsy or fine needle aspirate, or a sample of bodily fluid, such as blood, plasma, serum, lymph, ascitic fluid, cystic fluid, urine or nipple exudate. The sample may be taken from a human, or, in a veterinary context, from non-human animals such as ruminants, horses, swine or sheep, or from domestic companion animals such as felines and canines.

[0073] Methods for preparing total and poly(A)+ RNA are well known and are described generally in Sambrook *et al.*, *MOLECULAR CLONING - A LABORATORY MANUAL* (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989)) and Ausubel *et al.*, *CURRENT PROTOCOLS IN MOLECULAR BIOLOGY*, vol. 2, Current Protocols Publishing, New York (1994)).

[0074] RNA may be isolated from eukaryotic cells by procedures that involve lysis of the cells and denaturation of the proteins contained therein. Cells of interest include wild-type cells (*i.e.*, non-cancerous), drug-exposed wild-type cells, tumor- or tumor-derived cells, modified cells, normal or tumor cell line cells, and drug-exposed modified cells. Preferably, the cells are breast cancer tumor cells.

[0075] Additional steps may be employed to remove DNA. Cell lysis may be accomplished with a nonionic detergent, followed by microcentrifugation to remove the nuclei and hence the bulk of the cellular DNA. In one embodiment, RNA is extracted from cells of the various types of interest using guanidinium thiocyanate lysis followed by CsCl centrifugation to separate the RNA from DNA (Chirgwin *et al.*, *Biochemistry* 18:5294-5299 (1979)).

Poly(A)+ RNA is selected by selection with oligo-dT cellulose (*see* Sambrook *et al.*, *MOLECULAR CLONING - A LABORATORY MANUAL* (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989)). Alternatively, separation of RNA from DNA can be accomplished by organic extraction, for example, with hot phenol or phenol/chloroform/isoamyl alcohol.

[0076] If desired, RNase inhibitors may be added to the lysis buffer. Likewise, for certain cell types, it may be desirable to add a protein denaturation/digestion step to the protocol.

[0077] For many applications, it is desirable to preferentially enrich mRNA with respect to other cellular RNAs, such as transfer RNA (tRNA) and ribosomal RNA (rRNA). Most mRNAs contain a poly(A) tail at their 3' end. This allows them to be enriched by affinity chromatography, for example, using oligo(dT) or poly(U) coupled to a solid support, such as

cellulose or Sephadex™ (see Ausubel et al., CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, vol. 2, Current Protocols Publishing, New York (1994)). Once bound, poly(A)+ mRNA is eluted from the affinity column using 2 mM EDTA/0.1% SDS.

[0078] The sample of RNA can comprise a plurality of different mRNA molecules, each different mRNA molecule having a different nucleotide sequence. In a specific embodiment, the mRNA molecules in the RNA sample comprise at least 5, 10, 15, 20, 25, 30, 40 or 50 different nucleotide sequences. More preferably, the mRNA molecules of the RNA sample comprise mRNA molecules corresponding to each of the marker genes. In another specific embodiment, the RNA sample is a mammalian RNA sample.

[0079] In a specific embodiment, total RNA or mRNA from cells are used in the methods of the invention. The source of the RNA can be cells of a plant or animal, human, mammal, primate, non-human animal, dog, cat, mouse, rat, bird, yeast, eukaryote, prokaryote, etc. In specific embodiments, the method of the invention is used with a sample containing total mRNA or total RNA from 1×10^6 cells or less. In another embodiment, proteins can be isolated from the foregoing sources, by methods known in the art, for use in expression analysis at the protein level.

[0080] Probes to the homologs of the marker sequences disclosed herein can be employed preferably when non-human nucleic acid is being assayed.

[0081] The methods of the invention may employ any molecule suitable as a marker. For example, sets of proteins informative for a particular condition, including a disease, may be determined. As for gene-based markers, levels of variations of different proteins in samples may be determined for phenotypic or genotypic subsets of the condition, and proteins showing significant variation in either level (abundance) or activity, or both, may be identified in order to create a set of proteins informative for one or more of these subsets. Such proteins may be identified, for example, by use of gel electrophoresis, such as one-dimensional polyacrylamide gel electrophoresis, two-dimensional polyacrylamide gel electrophoresis, nondenaturing polyacrylamide gel electrophoresis; isoelectric focusing gels, etc., by use of antibody arrays, etc. Of course, the particular template(s) used to classify the individual depends upon the type(s) of cellular constituents used as markers. For example, where nucleic acids (*e.g.*, genes or nucleic acids derived from expressed genes) are used as markers, the template comprises nucleic acids (or the level of expression or abundance thereof); where proteins are used as markers, the template comprises proteins, for example, the level or abundance of those proteins in a set of individuals; etc.

5.4.2 USE OF PROGNOSTIC GENESETS FOR BREAST CANCER

[0082] According to the present invention, once genesets informative for a plurality of subsets of a condition are identified, an individual is classified into one of these subsets and a prognosis is made based on the expression of the genes, or their encoded proteins, in the geneset for that subset in a breast cancer tumor sample taken from the individual.

[0083] For example, a particular hypothetical condition has three relevant phenotypic characteristics, A, B and C. In this example, based on these characteristics, genesets informative for prognosis of four patient subsets A^+B^+ ; $A^+B^-C^+$; $A^+B^-C^-$; and A^- are identified by the method described above. Thus, an individual having the condition would first be classified according to phenotypes A-D into one of the four patient subsets. In one embodiment, therefore, the invention provides for the classification of an individual having a condition into one of a plurality of patient subsets, wherein a set of genes informative for prognosis for the subset has been identified. A sample is then taken from the individual, and the expression of the prognostically-informative genes in the sample is analyzed and compared to a control. In various embodiments, the control is the average expression of informative genes in a pool of samples taken from good prognosis individuals classifiable into that patient subset; the average expression of informative genes in a pool of samples taken from poor prognosis individuals classifiable into that patient subset; a set of mathematical values that represent gene expression levels of good prognosis individuals classifiable into that patient subset; etc.

[0084] In a specific embodiment, the condition is breast cancer, and the phenotypic, genotypic and/or clinical classes are: ER^- , *BRCA1* individuals; ER^- , sporadic individuals; ER^+ , *ER/AGE* high individuals; ER^+ , *ER/AGE* low, *LN+* individuals; and ER^+ , *ER/AGE* low, *LN^-* individuals. In this embodiment, an individual may be classified as ER^+ or ER^- . If the individual is ER^- , the individual is additionally classified as having a *BRCA1*-type or sporadic tumor. ER^- individuals are thus classified as ER^- , *BRCA1* or ER^- , sporadic. Alternatively, if the individual is classified as ER^+ , the individual is additionally classified as having a high or low ratio of the log (ratio) of the level of expression of the gene encoding the estrogen receptor to the individual's age. Individuals having a low ratio are additionally classified as *LN+* or *LN-*. ER^+ individuals are thus classified as ER^+ , *ER/AGE* high; ER^+ , *ER/AGE* low, *LN+*, or ER^+ , *ER/AGE* low, *LN^-*. Of course, the individual's *ER* status, tumor type, age and *LN* status may be identified in any order, as long as the individual is classified into one of these five subsets.

[0085] Thus, in one embodiment, the invention provides a method of classifying an individual with a condition as having a good prognosis or a poor prognosis, comprising: (a) classifying said individual into one of a plurality of patient classes, said patient classes being differentiated by one or more phenotypic, genotypic or clinical characteristics of said condition; (b) determining the level of expression of a plurality of genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins informative for prognosis of the patient class into which said individual is classified; and (c) classifying said individual as having a good prognosis or a poor prognosis on the basis of said level of expression. In a specific embodiment, said condition is breast cancer, said good prognosis is the non-occurrence of metastases within five years of initial diagnosis, and said poor prognosis is the occurrence of metastases within five years of initial diagnosis. In an more specific embodiment, said classifying said individual with a condition as having a good prognosis or a poor prognosis is carried out by comparing the level expression of each of said plurality of genes or their encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a good prognosis poor prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in a good prognosis control or a poor prognosis control, respectively, more strongly than would be expected by chance. In a more specific embodiment of the method, said plurality of patient subsets comprises ER⁻, *BRCA1* individuals; ER⁻, sporadic individuals; ER⁺, ER/AGE high individuals; ER⁺, ER/AGE low, LN⁺ individuals; and ER⁺, ER/AGE low, LN⁻ individuals. In another embodiment, said control is the average level of expression of each of said plurality of genes informative for prognosis in a pool of tumor samples from individuals classified into said subset who have a good prognosis or good outcome, or who have a poor prognosis or good outcome. In another specific embodiment, said control is a set of mathematical values representing the average level of expression of genes informative for prognosis in tumor samples of individuals classifiable into said subset who have a good prognosis, or who have a poor prognosis.

[0086] It is evident that the different patient subsets described herein reflect different molecular mechanisms of the initiation of tumor formation and metastasis. Thus, the genesets listed in tables 1-5 are also useful for diagnosing a person as having a particular type of breast cancer in the first instance. Thus, the invention also provides a method of

diagnosing an individual as having a particular subtype of breast cancer, comprising determining the level of expression in a sample from said individual of a plurality of the genes for which markers are listed in Tables 1-5; and comparing said expression to a control, where said control is representative of the expression of said plurality of genes in a breast cancer sample of said subtype of cancer, and on the basis of said comparison, diagnosing the individual as having said subtype of breast cancer. In a specific embodiment, said subtype of cancer is selected from the group consisting of ER⁻, *BRCA1* type; ER⁻, sporadic type; ER⁺, ER/AGE high type; ER⁺, ER/AGE low, LN⁺ type; and ER/AGE low, LN⁻ type. In another specific embodiment, said control is the average level of expression of a plurality of the genes for which markers are listed in Table 1, Table 2, Table 3, Table 4 or Table 5. In another specific example, said comparing comprises determining the similarity of the expression of the genes for which markers are listed in each of Tables 1-5 in said sample taken from said individual to a control level of expression of the same genes for each of Tables 1-5, and determining whether the level of expression of said genes in said sample is most similar to said control expression of the genes for which markers are listed in Table 1, Table 2, Table 3, Table 4 or Table 5.

[0087] In another embodiment, the invention provides a method of classifying an individual as having a good prognosis or a poor prognosis, comprising: (a) classifying said individual as ER⁻, *BRCA1*; ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻; (b) determining the level of expression of a first plurality of genes in a cell sample taken from the individual relative to a control, said first plurality of genes comprising two of the genes corresponding to the markers Table 1 if said individual is classified as ER⁻, *BRCA1*; Table 2 if said individual is classified as ER⁻, sporadic; Table 3 if said individual is classified as ER⁺, ER/AGE high; Table 4 if said individual is classified as ER⁺, ER/AGE low, LN⁺; or Table 5 if said individual is classified as ER⁺, ER/AGE low, LN⁻, wherein said individual is "ER/AGE high" if the ratio of ER expression to age exceeds a predetermined value, and "ER/AGE low" if the ratio of ER expression to age does not exceed said predetermined value. In a specific embodiment of this method, said predetermined value of ER calculated as $ER = 0.1(AGE - 42.5)$, wherein AGE is the age of said individual. In another specific embodiment, said individual is ER⁻, *BRCA1*, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 1. In another specific embodiment, said individual is ER⁻, sporadic, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 2. In another specific embodiment, said

individual is ER+, ER/AGE high, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 3. In another specific embodiment, said individual is ER+, ER/AGE low, LN+, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 4. In another specific embodiment, said individual is ER+, ER/AGE low, LN⁻, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 5. In another specific embodiment, the method additionally comprises determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis.

[0088] Where information is available regarding the LN status of a breast cancer patient, the patient may identified as having a “very good prognosis,” an “intermediate prognosis,” or a poor prognosis, which enables the refinement of treatment. In one embodiment, the invention provides a method of assigning a therapeutic regimen to a breast cancer patient, comprising: (a) classifying said patient as having a “poor prognosis,” “intermediate prognosis,” or “very good prognosis” on the basis of the levels of expression of at least five genes for which markers are listed in Table 1, Table 2, Table 3, Table 4 or Table 5; and (b) assigning said patient a therapeutic regimen, said therapeutic regimen (i) comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or (ii) comprising chemotherapy if said patient has any other combination of lymph node status and expression profile.

[0089] In another embodiment, a breast cancer patient is assigned a prognosis by a method comprising (a) determining the breast cancer patient’s age, ER status, LN status and tumor type; (b) classifying said patient as ER⁻, sporadic; ER⁻, *BRCA1*; ER+, ER/AGE high; ER+, ER/AGE low, LN+; or ER+, ER/AGE low, LN⁻; (c) determining the level of expression of at least five genes in a cell sample taken from said breast cancer patient wherein markers for said at least five genes are listed in Table 1 if said patient is classified as ER⁻, sporadic; Table 2 if said patient is classified as ER⁻, *BRCA1*; Table 3 if said patient is classified as ER+, ER/AGE high; Table 4 if said patient is classified as ER+, ER/AGE low, LN+; or Table 5 if said patient is classified as ER+, ER/AGE high, LN⁻; (d) determining the similarity of the level of expression of said at least five genes to control levels of expression of said at least five genes to obtain a patient similarity value; (e) comparing said patient similarity value to selected first and second threshold values of similarity of said level of expression of said genes to said control levels of expression to obtain first and second similarity threshold

values, respectively, wherein said second similarity threshold indicates greater similarity to said control levels of expression than does said first similarity threshold; and (f) classifying said breast cancer patient as having a first prognosis if said patient similarity value exceeds said first and said second threshold similarity values, a second prognosis if said patient similarity value exceeds said first threshold similarity value but does not exceed said second threshold similarity value, and a third prognosis if said patient similarity value does not exceed said first threshold similarity value or said second threshold similarity value. In a specific embodiment of the method, said first prognosis is a “very good prognosis,” said second prognosis is an “intermediate prognosis,” and said third prognosis is a “poor prognosis,” wherein said breast cancer patient is assigned a therapeutic regimen comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or comprising chemotherapy if said patient has any other combination of lymph node status and expression profile.

[0090] The invention also provides a method of assigning a therapeutic regimen to a breast cancer patient, comprising: (a) determining the lymph node status for said patient; (b) determining the level of expression of at least five genes for which markers are listed in Table 5 in a cell sample from said patient, thereby generating an expression profile; (c) classifying said patient as having a “poor prognosis,” “intermediate prognosis,” or “very good prognosis” on the basis of said expression profile; and (d) assigning said patient a therapeutic regimen, said therapeutic regimen comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or comprising chemotherapy if said patient has any other combination of lymph node status and classification. In a specific embodiment of this method, said therapeutic regimen assigned to lymph node negative patients classified as having an “intermediate prognosis” additionally comprises adjuvant hormonal therapy. In another specific embodiment of this method, said classifying step (c) is carried out by a method comprising: (a) rank ordering in descending order a plurality of breast cancer tumor samples that compose a pool of breast cancer tumor samples by the degree of similarity between the level of expression of said at least five genes in each of said tumor samples and the level of expression of said at least five genes across all remaining tumor samples that compose said pool, said degree of similarity being expressed as a similarity value; (b) determining an acceptable number of false negatives in said classifying step, wherein a false negative is a breast cancer patient for whom the expression levels of said at least five genes in said cell sample predicts that said breast cancer patient will have no distant metastases within the first five years after initial diagnosis, but who has had a distant

metastasis within the first five years after initial diagnosis; (c) determining a similarity value above which in said rank ordered list said acceptable number of tumor samples or fewer are false negatives; (d) selecting said similarity value determined in step (c) as a first threshold similarity value; (e) selecting a second similarity value, greater than said first similarity value, as a second threshold similarity value; and (f) determining the similarity between the level of expression of each of said at least five genes in a breast cancer tumor sample from the breast cancer patient and the level of expression of each of said respective at least five genes in said pool, to obtain a patient similarity value, wherein if said patient similarity value equals or exceeds said second threshold similarity value, said patient is classified as having a “very good prognosis”; if said patient similarity value equals or exceeds said first threshold similarity value, but is less than said second threshold similarity value, said patient is classified as having an “intermediate prognosis”; and if said patient similarity value is less than said first threshold similarity value, said patient is classified as having a “poor prognosis.” Another specific embodiment of this method comprises determining the estrogen receptor (ER) status of said patient, wherein if said patient is ER positive and lymph node negative, said therapeutic regimen assigned to said patient additionally comprises adjuvant hormonal therapy.

5.4.3 IMPROVING SENSITIVITY TO EXPRESSION LEVEL DIFFERENCES

[0091] In using the markers disclosed herein, and, indeed, using any sets of markers to differentiate an individual having one phenotype from another individual having a second phenotype, one can compare the absolute expression of each of the markers in a sample to a control; for example, the control can be the average level of expression of each of the markers, respectively, in a pool of individuals. To increase the sensitivity of the comparison, however, the expression level values are preferably transformed in a number of ways.

[0092] For example, the expression level of each of the markers can be normalized by the average expression level of all markers the expression level of which is determined, or by the average expression level of a set of control genes. Thus, in one embodiment, the markers are represented by probes on a microarray, and the expression level of each of the markers is normalized by the mean or median expression level across all of the genes represented on the microarray, including any non-marker genes. In a specific embodiment, the normalization is carried out by dividing the median or mean level of expression of all of the genes on the microarray. In another embodiment, the expression levels of the markers is normalized by the mean or median level of expression of a set of control markers. In a specific

embodiment, the control markers comprise a set of housekeeping genes. In another specific embodiment, the normalization is accomplished by dividing by the median or mean expression level of the control genes.

[0093] The sensitivity of a marker-based assay will also be increased if the expression levels of individual markers are compared to the expression of the same markers in a pool of samples. Preferably, the comparison is to the mean or median expression level of each the marker genes in the pool of samples. Such a comparison may be accomplished, for example, by dividing by the mean or median expression level of the pool for each of the markers from the expression level each of the markers in the sample. This has the effect of accentuating the relative differences in expression between markers in the sample and markers in the pool as a whole, making comparisons more sensitive and more likely to produce meaningful results than the use of absolute expression levels alone. The expression level data may be transformed in any convenient way; preferably, the expression level data for all is log transformed before means or medians are taken.

[0094] In performing comparisons to a pool, two approaches may be used. First, the expression levels of the markers in the sample may be compared to the expression level of those markers in the pool, where nucleic acid derived from the sample and nucleic acid derived from the pool are hybridized during the course of a single experiment. Such an approach requires that new pool nucleic acid be generated for each comparison or limited numbers of comparisons, and is therefore limited by the amount of nucleic acid available. Alternatively, and preferably, the expression levels in a pool, whether normalized and/or transformed or not, are stored on a computer, or on computer-readable media, to be used in comparisons to the individual expression level data from the sample (*i.e.*, single-channel data).

[0095] Thus, the current invention provides the following method of classifying a first cell or organism as having one of at least two different phenotypes, where the different phenotypes comprise a first phenotype and a second phenotype. The level of expression of each of a plurality of markers in a first sample from the first cell or organism is compared to the level of expression of each of said markers, respectively, in a pooled sample from a plurality of cells or organisms, the plurality of cells or organisms comprising different cells or organisms exhibiting said at least two different phenotypes, respectively, to produce a first compared value. The first compared value is then compared to a second compared value, wherein said second compared value is the product of a method comprising comparing the level of expression of each of said markers in a sample from a cell or organism characterized as

having said first phenotype to the level of expression of each of said markers, respectively, in the pooled sample. The first compared value is then compared to a third compared value, wherein said third compared value is the product of a method comprising comparing the level of expression of each of the markers in a sample from a cell or organism characterized as having the second phenotype to the level of expression of each of the markers, respectively, in the pooled sample. In specific embodiments, the marker can be a gene, a protein encoded by the gene, etc. Optionally, the first compared value can be compared to additional compared values, respectively, where each additional compared value is the product of a method comprising comparing the level of expression of each of said markers in a sample from a cell or organism characterized as having a phenotype different from said first and second phenotypes but included among the at least two different phenotypes, to the level of expression of each of said genes, respectively, in said pooled sample. Finally, a determination is made as to which of said second, third, and, if present, one or more additional compared values, said first compared value is most similar, wherein the first cell or organism is determined to have the phenotype of the cell or organism used to produce said compared value most similar to said first compared value.

[0096] In a specific embodiment of this method, the compared values are each ratios of the levels of expression of each of said genes. In another specific embodiment, each of the levels of expression of each of the genes in the pooled sample are normalized prior to any of the comparing steps. In a more specific embodiment, the normalization of the levels of expression is carried out by dividing by the median or mean level of the expression of each of the genes or dividing by the mean or median level of expression of one or more housekeeping genes in the pooled sample from said cell or organism. In another specific embodiment, the normalized levels of expression are subjected to a log transform, and the comparing steps comprise subtracting the log transform from the log of the levels of expression of each of the genes in the sample. In another specific embodiment, the two or more different phenotypes are different stages of a disease or disorder. In still another specific embodiment, the two or more different phenotypes are different prognoses of a disease or disorder. In yet another specific embodiment, the levels of expression of each of the genes, respectively, in the pooled sample or said levels of expression of each of said genes in a sample from the cell or organism characterized as having the first phenotype, second phenotype, or said phenotype different from said first and second phenotypes, respectively, are stored on a computer or on a computer-readable medium.

[0097] In another specific embodiment, the two phenotypes are good prognosis and poor prognosis. In a more specific embodiment, the two phenotypes are good prognosis and poor prognosis for an individual that is identified as having ER⁻, *BRCA1* status, ER⁻, sporadic status, ER⁺, ER/AGE high status, ER⁺, ER/AGE low, LN⁺ status, or ER⁺, ER/AGE low, LN⁺ status.

[0098] In another specific embodiment, the comparison is made between the expression of each of the genes in the sample and the expression of the same genes in a pool representing only one of two or more phenotypes. In the context of prognosis-correlated genes, for example, one can compare the expression levels of prognosis-related genes in a sample to the average level of the expression of the same genes in a “good prognosis” pool of samples (as opposed to a pool of samples that include samples from patients having poor prognoses and good prognoses). Thus, in this method, a sample is classified as having a good prognosis if the level of expression of prognosis-correlated genes exceeds a chosen coefficient of correlation to the average “good prognosis” expression profile (*i.e.*, the level of expression of prognosis-correlated genes in a pool of samples from patients having a “good prognosis.” Patients whose expression levels correlate more poorly with the “good prognosis” expression profile (*i.e.*, whose correlation coefficient fails to exceed the chosen coefficient) are classified as having a poor prognosis.

[0099] Where individuals are classified on the basis of phenotypic, genotypic, or clinical characteristics into patient subsets, the pool of samples may be a pool of samples for the phenotype that includes samples representing each of the patient subsets. Alternatively, the pool of samples may be a pool of samples for the phenotype representing only the specific patient subset. For example, where an individual is classified as ER⁺, sporadic, the pool of samples to which the individual's sample is compared may be a pool of samples from ER⁺, sporadic individuals having a good prognosis only, or may be a pool of samples of individuals having a good prognosis, without regard to ER status or mutation type.

[0100] The method can be applied to a plurality of patient subsets. For example, in a specific embodiment, the phenotype is good prognosis, and the individual is classified into one of the following patient subsets: ER⁻, *BRCA1* status, ER⁻, sporadic status, ER⁺, ER/AGE high status, ER⁺, ER/AGE low, LN⁺ status, or ER⁺, ER/AGE low, LN⁺ status. A set of markers informative for prognosis for the patient subset into which the individual is classified is then used to determine the likely prognosis for the individual. A sample is classified as coming from an individual having a good prognosis if the level of expression of prognosis-correlated genes for the particular subset into which the individual is classified

exceeds a chosen coefficient of correlation to the average “good prognosis” expression profile (*i.e.*, the level of expression of prognosis-correlated genes in a pool of samples from patients within the subclass having a “good prognosis”). Patients whose expression levels correlate more poorly with the “good prognosis” expression profile (*i.e.*, whose correlation coefficient fails to exceed the chosen coefficient) are classified as having a poor prognosis.

[0101] Of course, single-channel data may also be used without specific comparison to a mathematical sample pool. For example, a sample may be classified as having a first or a second phenotype, wherein the first and second phenotypes are related, by calculating the similarity between the expression of at least 5 markers in the sample, where the markers are correlated with the first or second phenotype, to the expression of the same markers in a first phenotype template and a second phenotype template, by (a) labeling nucleic acids derived from a sample with a fluorophore to obtain a pool of fluorophore-labeled nucleic acids; (b) contacting said fluorophore-labeled nucleic acid with a microarray under conditions such that hybridization can occur, detecting at each of a plurality of discrete loci on the microarray a fluorescent emission signal from said fluorophore-labeled nucleic acid that is bound to said microarray under said conditions; and (c) determining the similarity of marker gene expression in the individual sample to the first and second templates, wherein if said expression is more similar to the first template, the sample is classified as having the first phenotype, and if said expression is more similar to the second template, the sample is classified as having the second phenotype.

[0102] In a specific embodiment of the above method, the first phenotype is a good prognosis of breast cancer, the sample is a sample from an individual that has been classified into a patient subset, and the first and second templates are templates for the phenotype for the particular patient subset. In a more specific embodiment, for example, the first phenotype is a good prognosis, the second phenotype is a poor prognosis, the patient is classified into an ER⁻, sporadic patient subset, an ER⁻, *BRCA1* subset, an ER⁺, ER/AGE high subset, an ER⁺, ER/AGE low, LN⁺ subset, or an ER⁺, ER/AGE low, LN⁺ subset, and said first and second templates are templates derived from the expression of the marker genes in individuals having a good prognosis and a poor prognosis, respectively, wherein said individuals are all of the patient subset into which said patient is classified.

5.5 DETERMINATION OF MARKER GENE EXPRESSION LEVELS

5.5.1 METHODS

[0103] The expression levels of the marker genes in a sample may be determined by any means known in the art. The expression level may be determined by isolating and determining the level (*i.e.*, amount) of nucleic acid transcribed from each marker gene. Alternatively, or additionally, the level of specific proteins encoded by a marker gene may be determined.

[0104] The level of expression of specific marker genes can be accomplished by determining the amount of mRNA, or polynucleotides derived therefrom, present in a sample. Any method for determining RNA levels can be used. For example, RNA is isolated from a sample and separated on an agarose gel. The separated RNA is then transferred to a solid support, such as a filter. Nucleic acid probes representing one or more markers are then hybridized to the filter by northern hybridization, and the amount of marker-derived RNA is determined. Such determination can be visual, or machine-aided, for example, by use of a densitometer. Another method of determining RNA levels is by use of a dot-blot or a slot-blot. In this method, RNA, or nucleic acid derived therefrom, from a sample is labeled. The RNA or nucleic acid derived therefrom is then hybridized to a filter containing oligonucleotides derived from one or more marker genes, wherein the oligonucleotides are placed upon the filter at discrete, easily-identifiable locations. Hybridization, or lack thereof, of the labeled RNA to the filter-bound oligonucleotides is determined visually or by densitometer. Polynucleotides can be labeled using a radiolabel or a fluorescent (*i.e.*, visible) label.

[0105] These examples are not intended to be limiting; other methods of determining RNA abundance are known in the art.

[0106] The level of expression of particular marker genes may also be assessed by determining the level of the specific protein expressed from the marker genes. This can be accomplished, for example, by separation of proteins from a sample on a polyacrylamide gel, followed by identification of specific marker-derived proteins using antibodies in a western blot. Alternatively, proteins can be separated by two-dimensional gel electrophoresis systems. Two-dimensional gel electrophoresis is well-known in the art and typically involves isoelectric focusing along a first dimension followed by SDS-PAGE electrophoresis along a second dimension. *See, e.g.*, Hames *et al.*, 1990, GEL ELECTROPHORESIS OF PROTEINS: A PRACTICAL APPROACH, IRL Press, New York; Shevchenko *et al.*, *Proc. Nat'l Acad. Sci. USA* 93:1440-1445 (1996); Sagliocco *et al.*, *Yeast* 12:1519-1533 (1996); Lander, *Science*

274:536-539 (1996). The resulting electropherograms can be analyzed by numerous techniques, including mass spectrometric techniques, western blotting and immunoblot analysis using polyclonal and monoclonal antibodies.

[0107] Alternatively, marker-derived protein levels can be determined by constructing an antibody microarray in which binding sites comprise immobilized, preferably monoclonal, antibodies specific to a plurality of protein species encoded by the cell genome. Preferably, antibodies are present for a substantial fraction of the marker-derived proteins of interest. Methods for making monoclonal antibodies are well known (*see, e.g.*, Harlow and Lane, 1988, ANTIBODIES: A LABORATORY MANUAL, Cold Spring Harbor, New York, which is incorporated in its entirety for all purposes). In one embodiment, monoclonal antibodies are raised against synthetic peptide fragments designed based on genomic sequence of the cell. With such an antibody array, proteins from the cell are contacted to the array, and their binding is assayed with assays known in the art. Generally, the expression, and the level of expression, of proteins of diagnostic or prognostic interest can be detected through immunohistochemical staining of tissue slices or sections.

[0108] Finally, expression of marker genes in a number of tissue specimens may be characterized using a "tissue array" (Kononen *et al.*, *Nat. Med* 4(7):844-7 (1998)). In a tissue array, multiple tissue samples are assessed on the same microarray. The arrays allow *in situ* detection of RNA and protein levels; consecutive sections allow the analysis of multiple samples simultaneously.

5.5.2 MICROARRAYS

[0109] In preferred embodiments, polynucleotide microarrays are used to measure expression so that the expression status of each of the markers above is assessed simultaneously. Generally, microarrays according to the invention comprise a plurality of markers informative for prognosis, or outcome determination, for a particular disease or condition, and, in particular, for individuals having specific combinations of genotypic or phenotypic characteristics of the disease or condition (*i.e.*, that are prognosis-informative for a particular patient subset).

[0110] The microarrays of the invention preferably comprise at least 2, 3, 4, 5, 7, 10, 15, 20, 25, 30, 35, 40, 45, 50, 75, 100, 150, 200 or more of markers, or all of the markers, or any combination of markers, identified as prognosis-informative within a patient subset. The actual number of informative markers the microarray comprises will vary depending upon the particular condition of interest, the number of markers identified, and, optionally, the number

of informative markers found to result in the least Type I error, Type II error, or Type I and Type II error in determination of prognosis. As used herein, "Type I error" means a false positive and "Type II error" means a false negative; in the example of prognosis of breast cancer, Type I error is the mis-characterization of an individual with a good prognosis as having a poor prognosis, and Type II error is the mis-characterization of an individual with a poor prognosis as having a good prognosis.

[0111] In specific embodiments, the invention provides polynucleotide arrays in which the prognosis markers identified for a particular patient subset comprise at least 50%, 60%, 70%, 80%, 85%, 90%, 95% or 98% of the probes on said array. In another specific embodiment, the microarray comprises a plurality of probes, wherein said plurality of probes comprise probes complementary and hybridizable to at least 75% of the prognosis-informative markers identified for a particular patient subset. Microarrays of the invention, of course, may comprise probes complementary and hybridizable to prognosis-informative markers for a plurality of the patient subsets, or for each patient subset, identified for a particular condition. In another embodiment, therefore, the microarray of the invention comprises a plurality of probes complementary and hybridizable to at least 75% of the prognosis-informative markers identified for each patient subset identified for the condition of interest, and wherein said probes, in total, are at least 50% of the probes on said microarray.

[0112] In yet another specific embodiment, microarrays that are used in the methods disclosed herein optionally comprise markers additional to at least some of the markers identified by the methods disclosed elsewhere herein. For example, in a specific embodiment, the microarray is a screening or scanning array as described in Altschuler *et al.*, International Publication WO 02/18646, published March 7, 2002 and Scherer *et al.*, International Publication WO 02/16650, published February 28, 2002. The scanning and screening arrays comprise regularly-spaced, positionally-addressable probes derived from genomic nucleic acid sequence, both expressed and unexpressed. Such arrays may comprise probes corresponding to a subset of, or all of, the markers identified for the patient subset(s) for the condition of interest, and can be used to monitor marker expression in the same way as a microarray containing only prognosis-informative markers otherwise identified.

[0113] In yet another specific embodiment, the microarray is a commercially-available cDNA microarray that comprises at least five markers identified by the methods described herein. Preferably, a commercially-available cDNA microarray comprises all of the markers identified by the methods described herein as being informative for a patient subset for a

particular condition. However, such a microarray may comprise at least 5, 10, 15 or 25 of such markers, up to the maximum number of markers identified.

[0114] In an embodiment specific to breast cancer, the invention provides for oligonucleotide or cDNA arrays comprising probes hybridizable to the genes corresponding to each of the marker sets described above (*i.e.*, markers informative for ER⁻, sporadic individuals, markers informative for ER⁻, *BRCA1* individuals, markers informative for ER⁺, ER/AGE high individuals, markers informative for ER⁺, ER/AGE low, LN⁺ individuals, and markers informative for ER⁺, ER/AGE low, LN⁻ individuals, as shown in Tables 1-5). Any of the microarrays described herein may be provided in a sealed container in a kit.

[0115] The invention provides microarrays containing probes useful for the prognosis of any breast cancer patient, or for breast cancer patients classified into one of a plurality of patient subsets. In particular, the invention provides polynucleotide arrays comprising probes to a subset or subsets of at least 5, 10, 15, 20, 25 or more of the genetic markers, or up to the full set of markers, in any of Tables 1-5, which distinguish between patients with good and poor prognosis. In certain embodiments, therefore, the invention provides microarrays comprising probes for a plurality of the genes for which markers are listed in Tables 1, 2, 3, 4 or 5. In a specific embodiment, the microarray of the invention comprises 1, 2, 3, 4, 5 or 10 of the markers in Table 1, at least five of the markers in Table 2; 1, 2, 3, 4, 5 or 10 of the markers in Table 3; 1, 2, 3, 4, 5 or 10 of the markers in Table 4; or 1, 2, 3, 4, 5 or 10 of the markers in Table 1. In other embodiments, the microarray comprises probes for 1, 2, 3, 4, 5, or 10 of the markers shown in any two, three or four of Tables 1-5, or all of Tables 1-5. In other embodiments, the microarray of the invention contains each of the markers in Table 1, Table 2, Table 3, Table 4, or Table 5. In another embodiment, the microarray contains all of the markers shown in Tables 1-5. In specific embodiments, the array comprises probes derived only from the markers listed in Table 1, Table 2, Table 3, Table 4, or Table 5; probes derived from any two of Tables 1-5; any three of Tables 1-5; any four of Tables 1-5; or all of Tables 1-5.

[0116] In other embodiments, the array comprises a plurality of probes derived from markers listed in any of Tables 1-5 in combination with a plurality of other probes, derived from markers not listed in any of Tables 1-5, that are identified as informative for the prognosis of breast cancer.

[0117] In specific embodiments, the invention provides polynucleotide arrays in which the breast cancer prognosis markers described herein in Tables 1, 2, 3, 4 and/or 5 comprise at least 50%, 60%, 70%, 80%, 85%, 90%, 95% or 98% of the probes on said array. In another

specific embodiment, the microarray comprises a plurality of probes, wherein said plurality of probes comprise probes complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 1; probes complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 2; probes complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 3; probes complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 4; and probes complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 5, wherein said probes, in total, are at least 50% of the probes on said microarray.

[0118] In yet another specific embodiment, microarrays that are used in the methods disclosed herein optionally comprise markers additional to at least some of the markers listed in Tables 1-5. For example, in a specific embodiment, the microarray is a screening or scanning array as described in Altschuler *et al.*, International Publication WO 02/18646, published March 7, 2002 and Scherer *et al.*, International Publication WO 02/16650, published February 28, 2002. The scanning and screening arrays comprise regularly-spaced, positionally-addressable probes derived from genomic nucleic acid sequence, both expressed and unexpressed. Such arrays may comprise probes corresponding to a subset of, or all of, the markers listed in Tables 1-5, or a subset thereof as described above, and can be used to monitor marker expression in the same way as a microarray containing only markers listed in Tables 1-5.

[0119] In yet another specific embodiment, the microarray is a commercially-available cDNA microarray that comprises at least five of the markers listed in Tables 1-5. Preferably, a commercially-available cDNA microarray comprises all of the markers listed in Tables 1-5. However, such a microarray may comprise at least 5, 10, 15 or 25 of the markers in any of Tables 1-5, up to the maximum number of markers in a Table, and may comprise all of the markers in any one of Tables 1-5, and a subset of another of Tables 1-5, or subsets of each as described above. In a specific embodiment of the microarrays used in the methods disclosed herein, the markers that are all or a portion of Tables 1-5 make up at least 50%, 60%, 70%, 80%, 90%, 95% or 98% of the probes on the microarray.

[00100] General methods pertaining to the construction of microarrays comprising the marker sets and/or subsets above are described in the following sections.

5.5.2.1 CONSTRUCTION OF MICROARRAYS

[0120] Microarrays are prepared by selecting probes which comprise a polynucleotide sequence, and then immobilizing such probes to a solid support or surface. For example, the probes may comprise DNA sequences, RNA sequences, or copolymer sequences of DNA and RNA. The polynucleotide sequences of the probes may also comprise DNA and/or RNA analogues, or combinations thereof. For example, the polynucleotide sequences of the probes may be full or partial fragments of genomic DNA. The polynucleotide sequences of the probes may also be synthesized nucleotide sequences, such as synthetic oligonucleotide sequences. The probe sequences can be synthesized either enzymatically *in vivo*, enzymatically *in vitro* (e.g., by PCR), or non-enzymatically *in vitro*.

[0121] The probe or probes used in the methods of the invention are preferably immobilized to a solid support which may be either porous or non-porous. For example, the probes of the invention may be polynucleotide sequences which are attached to a nitrocellulose or nylon membrane or filter covalently at either the 3' or the 5' end of the polynucleotide. Such hybridization probes are well known in the art (see, e.g., Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989). Alternatively, the solid support or surface may be a glass or plastic surface. In a particularly preferred embodiment, hybridization levels are measured to microarrays of probes consisting of a solid phase on the surface of which are immobilized a population of polynucleotides, such as a population of DNA or DNA mimics, or, alternatively, a population of RNA or RNA mimics. The solid phase may be a nonporous or, optionally, a porous material such as a gel.

[0122] In preferred embodiments, a microarray comprises a support or surface with an ordered array of binding (e.g., hybridization) sites or "probes" each representing one of the markers described herein. Preferably the microarrays are addressable arrays, and more preferably positionally addressable arrays. More specifically, each probe of the array is preferably located at a known, predetermined position on the solid support such that the identity (i.e., the sequence) of each probe can be determined from its position in the array (i.e., on the support or surface). In preferred embodiments, each probe is covalently attached to the solid support at a single site.

[0123] Microarrays can be made in a number of ways, of which several are described below. However produced, microarrays share certain characteristics. The arrays are reproducible, allowing multiple copies of a given array to be produced and easily compared with each other. Preferably, microarrays are made from materials that are stable under

binding (*e.g.*, nucleic acid hybridization) conditions. The microarrays are preferably small, *e.g.*, between 1 cm² and 25 cm², between 12 cm² and 13 cm², or 3 cm². However, larger arrays are also contemplated and may be preferable, *e.g.*, for use in screening arrays. Preferably, a given binding site or unique set of binding sites in the microarray will specifically bind (*e.g.*, hybridize) to the product of a single gene in a cell (*e.g.*, to a specific mRNA, or to a specific cDNA derived therefrom). However, in general, other related or similar sequences will cross hybridize to a given binding site.

[0124] The microarrays of the present invention include one or more test probes, each of which has a polynucleotide sequence that is complementary to a subsequence of RNA or DNA to be detected. Preferably, the position of each probe on the solid surface is known. Indeed, the microarrays are preferably positionally addressable arrays. Specifically, each probe of the array is preferably located at a known, predetermined position on the solid support such that the identity (*i.e.*, the sequence) of each probe can be determined from its position on the array (*i.e.*, on the support or surface).

[0125] According to the invention, the microarray is an array (*i.e.*, a matrix) in which each position represents one of the markers described herein. For example, each position can contain a DNA or DNA analogue based on genomic DNA to which a particular RNA or cDNA transcribed from that genetic marker can specifically hybridize. The DNA or DNA analogue can be, *e.g.*, a synthetic oligomer or a gene fragment. In one embodiment, probes representing each of the markers is present on the array. In a preferred embodiment, the array comprises probes for each of the markers listed in Tables 1-5.

5.5.2.2 PREPARING PROBES FOR MICROARRAYS

[0126] As noted above, the "probe" to which a particular polynucleotide molecule specifically hybridizes according to the invention contains a complementary genomic polynucleotide sequence. The probes of the microarray preferably consist of nucleotide sequences of no more than 1,000 nucleotides. In some embodiments, the probes of the array consist of nucleotide sequences of 10 to 1,000 nucleotides. In a preferred embodiment, the nucleotide sequences of the probes are in the range of 10-200 nucleotides in length and are genomic sequences of a species of organism, such that a plurality of different probes is present, with sequences complementary and thus capable of hybridizing to the genome of such a species of organism, sequentially tiled across all or a portion of such genome. In other specific embodiments, the probes are in the range of 10-30 nucleotides in length, in the range of 10-40 nucleotides in length, in the range of 20-50 nucleotides in length, in the range of 40-

80 nucleotides in length, in the range of 50-150 nucleotides in length, in the range of 80-120 nucleotides in length, and most preferably are 60 nucleotides in length.

[0127] The probes may comprise DNA or DNA “mimics” (*e.g.*, derivatives and analogues) corresponding to a portion of an organism’s genome. In another embodiment, the probes of the microarray are complementary RNA or RNA mimics. DNA mimics are polymers composed of subunits capable of specific, Watson-Crick-like hybridization with DNA, or of specific hybridization with RNA. The nucleic acids can be modified at the base moiety, at the sugar moiety, or at the phosphate backbone. Exemplary DNA mimics include, *e.g.*, phosphorothioates.

[0128] DNA can be obtained, *e.g.*, by polymerase chain reaction (PCR) amplification of genomic DNA or cloned sequences. PCR primers are preferably chosen based on a known sequence of the genome that will result in amplification of specific fragments of genomic DNA. Computer programs that are well known in the art are useful in the design of primers with the required specificity and optimal amplification properties, such as *Oligo* version 5.0 (National Biosciences). Typically each probe on the microarray will be between 10 bases and 50,000 bases, usually between 300 bases and 1,000 bases in length. PCR methods are well known in the art, and are described, for example, in Innis *et al.*, eds., PCR PROTOCOLS: A GUIDE TO METHODS AND APPLICATIONS, Academic Press Inc., San Diego, CA (1990). It will be apparent to one skilled in the art that controlled robotic systems are useful for isolating and amplifying nucleic acids.

[0129] An alternative, preferred means for generating the polynucleotide probes of the microarray is by synthesis of synthetic polynucleotides or oligonucleotides, *e.g.*, using N-phosphonate or phosphoramidite chemistries (Froehler *et al.*, *Nucleic Acid Res.* 14:5399-5407 (1986); McBride *et al.*, *Tetrahedron Lett.* 24:246-248 (1983)). Synthetic sequences are typically between about 10 and about 500 bases in length, more typically between about 20 and about 100 bases, and most preferably between about 40 and about 70 bases in length. In some embodiments, synthetic nucleic acids include non-natural bases, such as, but by no means limited to, inosine. As noted above, nucleic acid analogues may be used as binding sites for hybridization. An example of a suitable nucleic acid analogue is peptide nucleic acid (*see, e.g.*, Egholm *et al.*, *Nature* 363:566-568 (1993); U.S. Patent No. 5,539,083).

[0130] Probes are preferably selected using an algorithm that takes into account binding energies, base composition, sequence complexity, cross-hybridization binding energies, and secondary structure. *See* Friend *et al.*, International Patent Publication WO 01/05935, published January 25, 2001; Hughes *et al.*, *Nat. Biotech.* 19:342-7 (2001).

[0131] A skilled artisan will also appreciate that positive control probes, *e.g.*, probes known to be complementary and hybridizable to sequences in the target polynucleotide molecules, and negative control probes, *e.g.*, probes known to not be complementary and hybridizable to sequences in the target polynucleotide molecules, should be included on the array. In one embodiment, positive controls are synthesized along the perimeter of the array. In another embodiment, positive controls are synthesized in diagonal stripes across the array. In still another embodiment, the reverse complement for each probe is synthesized next to the position of the probe to serve as a negative control. In yet another embodiment, sequences from other species of organism are used as negative controls or as "spike-in" controls.

5.5.2.3 ATTACHING PROBES TO THE SOLID SURFACE

[0132] The probes are attached to a solid support or surface, which may be made, *e.g.*, from glass, plastic (*e.g.*, polypropylene, nylon), polyacrylamide, nitrocellulose, gel, or other porous or nonporous material. A preferred method for attaching the nucleic acids to a surface is by printing on glass plates, as is described generally by Schena *et al.*, *Science* 270:467-470 (1995). This method is especially useful for preparing microarrays of cDNA (See also, DeRisi *et al.*, *Nature Genetics* 14:457-460 (1996); Shalon *et al.*, *Genome Res.* 6 :639-645 (1996); and Schena *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 93:10539-11286 (1995)).

[0133] A second preferred method for making microarrays is by making high-density oligonucleotide arrays. Techniques are known for producing arrays containing thousands of oligonucleotides complementary to defined sequences, at defined locations on a surface using photolithographic techniques for synthesis *in situ* (see, Fodor *et al.*, 1991, *Science* 251:767-773; Pease *et al.*, 1994, *Proc. Natl. Acad. Sci. U.S.A.* 91:5022-5026; Lockhart *et al.*, 1996, *Nature Biotechnology* 14:1675; U.S. Patent Nos. 5,578,832; 5,556,752; and 5,510,270) or other methods for rapid synthesis and deposition of defined oligonucleotides (Blanchard *et al.*, *Biosensors & Bioelectronics* 11:687-690). When these methods are used, oligonucleotides (*e.g.*, 60-mers) of known sequence are synthesized directly on a surface such as a derivatized glass slide. Usually, the array produced is redundant, with several oligonucleotide molecules per RNA.

[0134] Other methods for making microarrays, *e.g.*, by masking (Maskos and Southern, 1992, *Nuc. Acids. Res.* 20:1679-1684), may also be used. In principle, and as noted *supra*, any type of array, for example, dot blots on a nylon hybridization membrane (see Sambrook *et al.*, *MOLECULAR CLONING - A LABORATORY MANUAL* (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989)) could be used. However, as will

be recognized by those skilled in the art, very small arrays will frequently be preferred because hybridization volumes will be smaller.

[0135] In one embodiment, the arrays of the present invention are prepared by synthesizing polynucleotide probes on a support. In such an embodiment, polynucleotide probes are attached to the support covalently at either the 3' or the 5' end of the polynucleotide.

[0136] In a particularly preferred embodiment, microarrays of the invention are manufactured by means of an ink jet printing device for oligonucleotide synthesis, *e.g.*, using the methods and systems described by Blanchard in U.S. Pat. No. 6,028,189; Blanchard *et al.*, 1996, *Biosensors and Bioelectronics* 11:687-690; Blanchard, 1998, in *Synthetic DNA Arrays in Genetic Engineering*, Vol. 20, J.K. Setlow, Ed., Plenum Press, New York at pages 111-123. Specifically, the oligonucleotide probes in such microarrays are preferably synthesized in arrays, *e.g.*, on a glass slide, by serially depositing individual nucleotide bases in "microdroplets" of a high surface tension solvent such as propylene carbonate. The microdroplets have small volumes (*e.g.*, 100 pL or less, more preferably 50 pL or less) and are separated from each other on the microarray (*e.g.*, by hydrophobic domains) to form circular surface tension wells which define the locations of the array elements (*i.e.*, the different probes). Microarrays manufactured by this ink-jet method are typically of high density, preferably having a density of at least about 2,500 different probes per 1 cm². The polynucleotide probes are attached to the support covalently at either the 3' or the 5' end of the polynucleotide.

5.5.2.4 TARGET POLYNUCLEOTIDE MOLECULES

[0137] The polynucleotide molecules which may be analyzed by the present invention (the "target polynucleotide molecules") may be from any clinically relevant source, but are expressed RNA or a nucleic acid derived therefrom (*e.g.*, cDNA or amplified RNA derived from cDNA that incorporates an RNA polymerase promoter), including naturally occurring nucleic acid molecules, as well as synthetic nucleic acid molecules. In one embodiment, the target polynucleotide molecules comprise RNA, including, but by no means limited to, total cellular RNA, poly(A)⁺ messenger RNA (mRNA) or fraction thereof, cytoplasmic mRNA, or RNA transcribed from cDNA (*i.e.*, cRNA; see, *e.g.*, Linsley & Schelter, U.S. Patent Application No. 09/411,074, filed October 4, 1999, or U.S. Patent Nos. 5,545,522, 5,891,636, or 5,716,785). Methods for preparing total and poly(A)⁺ RNA are well known in the art, and are described generally, *e.g.*, in Sambrook *et al.*, *MOLECULAR CLONING - A LABORATORY*

MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989). In one embodiment, RNA is extracted from cells of the various types of interest in this invention using guanidinium thiocyanate lysis followed by CsCl centrifugation (Chirgwin *et al.*, 1979, *Biochemistry* 18:5294-5299). In another embodiment, total RNA is extracted using a silica gel-based column, commercially available examples of which include RNeasy (Qiagen, Valencia, California) and StrataPrep (Stratagene, La Jolla, California). In an alternative embodiment, which is preferred for *S. cerevisiae*, RNA is extracted from cells using phenol and chloroform, as described in Ausubel *et al.*, eds., 1989, CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, Vol. III, Green Publishing Associates, Inc., John Wiley & Sons, Inc., New York, at pp. 13.12.1-13.12.5). Poly(A)⁺ RNA can be selected, *e.g.*, by selection with oligo-dT cellulose or, alternatively, by oligo-dT primed reverse transcription of total cellular RNA. In one embodiment, RNA can be fragmented by methods known in the art, *e.g.*, by incubation with ZnCl₂, to generate fragments of RNA. In another embodiment, the polynucleotide molecules analyzed by the invention comprise cDNA, or PCR products of amplified RNA or cDNA.

[0138] In one embodiment, total RNA, mRNA, or nucleic acids derived therefrom, is isolated from a sample taken from a person afflicted with breast cancer. Target polynucleotide molecules that are poorly expressed in particular cells may be enriched using normalization techniques (Bonaldi *et al.*, 1996, *Genome Res.* 6:791-806).

[0139] As described above, the target polynucleotides are detectably labeled at one or more nucleotides. Any method known in the art may be used to detectably label the target polynucleotides. Preferably, this labeling incorporates the label uniformly along the length of the RNA, and more preferably, the labeling is carried out at a high degree of efficiency. One embodiment for this labeling uses oligo-dT primed reverse transcription to incorporate the label; however, conventional methods of this method are biased toward generating 3' end fragments. Thus, in a preferred embodiment, random primers (*e.g.*, 9-mers) are used in reverse transcription to uniformly incorporate labeled nucleotides over the full length of the target polynucleotides. Alternatively, random primers may be used in conjunction with PCR methods or T7 promoter-based *in vitro* transcription methods in order to amplify the target polynucleotides.

[0140] In a preferred embodiment, the detectable label is a luminescent label. For example, fluorescent labels, bioluminescent labels, chemiluminescent labels, and colorimetric labels may be used in the present invention. In a highly preferred embodiment, the label is a

fluorescent label, such as a fluorescein, a phosphor, a rhodamine, or a polymethine dye derivative. Examples of commercially available fluorescent labels include, for example, fluorescent phosphoramidites such as FluorePrime (Amersham Pharmacia, Piscataway, N.J.), Fluoredit (Millipore, Bedford, Mass.), FAM (ABI, Foster City, Calif.), and Cy3 or Cy5 (Amersham Pharmacia, Piscataway, N.J.). In another embodiment, the detectable label is a radiolabeled nucleotide.

[0141] In a further preferred embodiment, target polynucleotide molecules from a patient sample are labeled differentially from target polynucleotide molecules of a standard. The standard can comprise target polynucleotide molecules from normal individuals (*i.e.*, those not afflicted with breast cancer). In a highly preferred embodiment, the standard comprises target polynucleotide molecules pooled from samples from normal individuals or tumor samples from individuals having sporadic-type breast tumors. In another embodiment, the target polynucleotide molecules are derived from the same individual, but are taken at different time points, and thus indicate the efficacy of a treatment by a change in expression of the markers, or lack thereof, during and after the course of treatment (*i.e.*, chemotherapy, radiation therapy or cryotherapy), wherein a change in the expression of the markers from a poor prognosis pattern to a good prognosis pattern indicates that the treatment is efficacious. In this embodiment, different timepoints are differentially labeled.

5.5.2.5 HYBRIDIZATION TO MICROARRAYS

[0142] Nucleic acid hybridization and wash conditions are chosen so that the target polynucleotide molecules specifically bind or specifically hybridize to the complementary polynucleotide sequences of the array, preferably to a specific array site, wherein its complementary DNA is located.

[0143] Arrays containing double-stranded probe DNA situated thereon are preferably subjected to denaturing conditions to render the DNA single-stranded prior to contacting with the target polynucleotide molecules. Arrays containing single-stranded probe DNA (*e.g.*, synthetic oligodeoxyribonucleic acids) may need to be denatured prior to contacting with the target polynucleotide molecules, *e.g.*, to remove hairpins or dimers which form due to self complementary sequences.

[0144] Optimal hybridization conditions will depend on the length (*e.g.*, oligomer versus polynucleotide greater than 200 bases) and type (*e.g.*, RNA, or DNA) of probe and target nucleic acids. One of skill in the art will appreciate that as the oligonucleotides become shorter, it may become necessary to adjust their length to achieve a relatively uniform

melting temperature for satisfactory hybridization results. General parameters for specific (*i.e.*, stringent) hybridization conditions for nucleic acids are described in Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989), and in Ausubel *et al.*, CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, vol. 2, Current Protocols Publishing, New York (1994). Typical hybridization conditions for the cDNA microarrays of Schena *et al.* are hybridization in 5 X SSC plus 0.2% SDS at 65°C for four hours, followed by washes at 25°C in low stringency wash buffer (1 X SSC plus 0.2% SDS), followed by 10 minutes at 25°C in higher stringency wash buffer (0.1 X SSC plus 0.2% SDS) (Schena *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 93:10614 (1993)). Useful hybridization conditions are also provided in, *e.g.*, Tijessen, 1993, HYBRIDIZATION WITH NUCLEIC ACID PROBES, Elsevier Science Publishers B.V.; and Kricka, 1992, NONISOTOPIC DNA PROBE TECHNIQUES, Academic Press, San Diego, CA.

[0145] Particularly preferred hybridization conditions include hybridization at a temperature at or near the mean melting temperature of the probes (*e.g.*, within 51°C, more preferably within 21°C) in 1 M NaCl, 50 mM MES buffer (pH 6.5), 0.5% sodium sarcosine and 30% formamide.

5.5.2.6 SIGNAL DETECTION AND DATA ANALYSIS

[0146] When fluorescently labeled probes are used, the fluorescence emissions at each site of a microarray may be, preferably, detected by scanning confocal laser microscopy. In one embodiment, a separate scan, using the appropriate excitation line, is carried out for each of the two fluorophores used. Alternatively, a laser may be used that allows simultaneous specimen illumination at wavelengths specific to the two fluorophores and emissions from the two fluorophores can be analyzed simultaneously (*see* Shalon *et al.*, 1996, "A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization," *Genome Research* 6:639-645, which is incorporated by reference in its entirety for all purposes). In a preferred embodiment, the arrays are scanned with a laser fluorescent scanner with a computer controlled X-Y stage and a microscope objective. Sequential excitation of the two fluorophores is achieved with a multi-line, mixed gas laser and the emitted light is split by wavelength and detected with two photomultiplier tubes. Fluorescence laser scanning devices are described in Schena *et al.*, *Genome Res.* 6:639-645 (1996), and in other references cited herein. Alternatively, the fiber-optic bundle described

by Ferguson *et al.*, *Nature Biotech.* 14:1681-1684 (1996), may be used to monitor mRNA abundance levels at a large number of sites simultaneously.

[0147] Signals are recorded and, in a preferred embodiment, analyzed by computer, *e.g.*, using a 12 or 16 bit analog to digital board. In one embodiment the scanned image is despeckled using a graphics program (*e.g.*, Hijaak Graphics Suite) and then analyzed using an image gridding program that creates a spreadsheet of the average hybridization at each wavelength at each site. If necessary, an experimentally determined correction for "cross talk" (or overlap) between the channels for the two fluors may be made. For any particular hybridization site on the transcript array, a ratio of the emission of the two fluorophores can be calculated. The ratio is independent of the absolute expression level of the cognate gene, but is useful for genes whose expression is significantly modulated in association with the different breast cancer-related condition.

5.6 THERAPEUTIC REGIMENS SPECIFIC TO PATIENT SUBSETS

[0148] The benefit of identifying subsets of individuals that have a common condition, followed by identification of sets of genes informative for those particular subsets of individuals, is that such subdivision and identification tends to more accurately identify the subset of genes responsible for, or most closely associated with, a particular form of the condition. For example, breast cancer is a complex condition brought about by several different molecular mechanisms. ER+ individuals, particularly ER+, ER/AGE high individuals, show an increased level of expression of cell cycle-control genes, and the expression of these genes is highly informative for prognosis in this patient subset (*see* Examples). In ER⁻ individuals, however, the expression of these genes is not informative for prognosis.

[0149] The set of informative markers, therefore, can be used to assign a particular course of therapy to an individual, *e.g.*, an individual having breast cancer, depending upon the condition subset into which the individual is classified. In one embodiment, therefore, the invention provides a method of assigning a course of therapy to an individual having a condition, said method comprising classifying the individual into one of a plurality of subsets of a condition, wherein a plurality of informative genes has been identified for at least one of said subsets; and assigning a course of therapy known or suspected to be effective for treating the subset of the condition associated with those genes. In a specific embodiment, said condition is breast cancer, said patient subset is ER+, ER/AGE high status, and said course of therapy comprises the administration of one or more compounds known or suspected to be

effective at arresting the cell cycle. In a more specific embodiment, said one or more compounds comprises taxol or a vinca alkaloid.

[0150] Of course, any course of therapy selected or assigned on the basis of the above phenotypes and gene expression may be supplemented by other treatments or courses of therapy relevant to or known or suspected to be effective in the treatment of the condition. For example, the treatment of breast cancer may additionally comprise surgery, either tissue-preserving or radical, radiation treatment, chemotherapy other than that suggested by gene expression analysis, or any other therapy or treatment known or suspected to be effective.

5.7 CLINICAL TRIALS AND EPIDEMIOLOGICAL STUDIES

[0151] The method of the present invention may also be used to assign individuals to categories within a clinical trial, epidemiological study or the like. For example, individuals may be distinguished according to a characteristic of a condition, such as the presence or absence of specific proteins (*e.g.*, estrogen receptor) or tissue structures (*e.g.*, lymph nodes), and with prognosis, and the results of the trial correlated with prognosis. In a specific example, the condition is breast cancer, the characteristic is the presence of the estrogen receptor, and the outcome is prognosis is the expected reoccurrence or non-reoccurrence of metastases within a given period, for example, five years, after initial diagnosis. In another specific example, the condition is obesity, the characteristics are 24-hour energy expenditure, and the prognosis is the expected occurrence of heart disease or diabetes. In another specific example, the condition is a neurodegenerative disease, the characteristic is exposure to a particular range of concentration of an environmental toxin, and the prognosis is expected occurrence or degree of loss of motor function. In each case, the characteristics and expected outcome are used to assign the individual to a category within a clinical trial or epidemiological study.

[0152] Thus, the invention provides a method for assigning an individual to one of a plurality of categories in a clinical trial, comprising classifying the individual into one of a plurality of condition categories differentiated by at least one genotypic or phenotypic characteristic of the condition; determining the level of expression, in a sample derived from said individual, of a plurality of genes informative for said condition category; determining whether said level of expression of said plurality of genes indicates that the individual has a good prognosis or a poor prognosis; and assigning the individual to a category in a clinical trial on the basis of prognosis.

[0153] In a specific embodiment, the invention provides a method of assigning an individual to a category in a breast cancer clinical trial, said method comprising: (a) classifying said individual as ER⁻, *BRCA1*, ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻; (b) determining for said individual the level of expression of at least two genes for which markers are listed in Table 1 if said individual is classified as ER⁻, *BRCA1*; Table 2 if said individual is classified as ER⁻, sporadic; Table 3 if said individual is classified as ER⁺, ER/AGE high; Table 4 if said individual is classified as ER⁺, ER/AGE low, LN⁺; or Table 5 if said individual is classified as ER⁺, ER/AGE low, LN⁻; (c) determining whether said individual has a pattern of expression of said at least two genes that correlates with a good prognosis or a poor prognosis; and (d) assigning said individual to at least one category in a clinical trial if said individual has a good prognosis, and assigning said individual to a second category in said clinical trial if said individual has a poor prognosis. In a more specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of the classification of said individual as determined in step (a). In another more specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of any other clinical, phenotypic or genotypic characteristic of breast cancer. In another more specific embodiment, the method additionally comprises determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis of breast cancer, and determining from the expression of said second plurality of genes, in addition to said first plurality of genes, whether said individual has a good prognosis or a poor prognosis.

5.8 KITS

[0154] The present invention further provides for kits comprising the marker sets above. The components of the kits of the present invention are preferably contained in sealed containers. In a preferred embodiment, the kit comprises a microarray ready for hybridization to target polynucleotide molecules. In specific embodiments, the kit may comprise any of the microarrays described in detail in Section 5.5.2. Where proteins are the target molecules, the kit preferably comprises a plurality of antibodies for binding to specific condition-related proteins, and means for identifying such binding (e.g., means for performing a sandwich assay, ELISA, RIA, etc.). Such antibodies may be provided, for example, individually or as part of an antibody array. The kit may additionally comprise software for the data analyses described above, as described in detail in Section 5.9. The kit

preferably contains one or more controls. Such a control may be an artificial population of marker-related or marker-derived polynucleotides suitable for hybridization to a microarray, wherein the markers are related to or relevant to the condition of interest (for example, breast cancer). The control may also, or alternatively, be a set of expression values stored on a computer disk or other storage medium.

[0155] The kits of the invention may be primarily diagnostic in nature; that is, they may assist a physician or researcher in determining a characteristic, for example, the prognosis, of a condition of interest, the likely response to a therapeutic regimen, the likely outcome of exposure to an environmental condition, such as toxin exposure, etc. The kits of the invention may also be used to classify individuals, for example, to place individuals into different groups in a clinical trial. The use of each kit is determined by the markers, microarrays, controls, etc. included.

5.9 COMPUTER-FACILITATED ANALYSIS

[0156] The analytic methods described in the previous sections can be implemented by use of the following computer systems and according to the following programs and methods. A computer system comprises internal components linked to external components. The internal components of a typical computer system include a processor element interconnected with a main memory. For example, the computer system can be based on an Intel 8086-, 80386-, 80486-, Pentium™, or Pentium™-based processor with preferably 32 MB or more of main memory. The computer system may also be a Macintosh or a Macintosh-based system, but may also be a minicomputer or mainframe.

[0157] The external components preferably include mass storage. This mass storage can be one or more hard disks (which are typically packaged together with the processor and memory). Such hard disks are preferably of 1 GB or greater storage capacity. Other external components include a user interface device, which can be a monitor, together with an inputting device, which can be a “mouse”, or other graphic input devices, and/or a keyboard. A printing device can also be attached to the computer.

[0158] Typically, a computer system is also linked to network link, which can be part of an Ethernet link to other local computer systems, remote computer systems, or wide area communication networks, such as the Internet. This network link allows the computer system to share data and processing tasks with other computer systems.

[0159] Loaded into memory during operation of this system are several software components, which are both standard in the art and special to the instant invention. These

software components collectively cause the computer system to function according to the methods of this invention. These software components are typically stored on the mass storage device. A software component comprises the operating system, which is responsible for managing computer system and its network interconnections. This operating system can be, for example, of the Microsoft Windows[®] family, such as Windows 3.1, Windows 95, Windows 98, Windows 2000, or Windows NT, or may be of the Macintosh OS family, or may be UNIX, a UNIX derivative such as LINUX, or an operating system specific to a minicomputer or mainframe. The software component represents common languages and functions conveniently present on this system to assist programs implementing the methods specific to this invention. Many high or low level computer languages can be used to program the analytic methods of this invention. Instructions can be interpreted during runtime or compiled. Preferred languages include C/C++, FORTRAN and JAVA. Most preferably, the methods of this invention are programmed in mathematical software packages that allow symbolic entry of equations and high-level specification of processing, including some or all of the algorithms to be used, thereby freeing a user of the need to procedurally program individual equations or algorithms. Such packages include Matlab from Mathworks (Natick, MA), Mathematica[®] from Wolfram Research (Champaign, IL), or S-Plus[®] from Math Soft (Cambridge, MA). Specifically, the software component includes the analytic methods of the invention as programmed in a procedural language or symbolic package.

[0160] The software to be included with the kit comprises the data analysis methods of the invention as disclosed herein. In particular, the software may include mathematical routines for marker discovery, including the calculation of similarity values between clinical categories (*e.g.*, prognosis) and marker expression. The software may also include mathematical routines for calculating the similarity between sample marker expression and control marker expression, using array-generated fluorescence data, to determine the clinical classification of a sample.

[0161] Additionally, the software may also include mathematical routines for determining the prognostic outcome, and recommended therapeutic regimen, for an individual with a condition of interest. In the specific example of breast cancer, the mathematical routines would determine the prognostic outcome and recommended therapeutic regimen for an individual having breast cancer. Such breast cancer-specific software would include instructions for the computer system's processor to receive data structures that include the level of expression of five or more of the marker genes listed in any of Tables 1-5 in a breast

cancer tumor sample obtained from the breast cancer patient; the mean level of expression of the same genes in a control or template; and the breast cancer patient's clinical information, including age, lymph node status and ER status. The software may additionally include mathematical routines for transforming the hybridization data and for calculating the similarity between the expression levels for the marker genes in the patient's breast cancer tumor sample and a control or template. In a specific embodiment, the software includes mathematical routines for calculating a similarity metric, such as a coefficient of correlation, representing the similarity between the expression levels for the marker genes in the patient's breast cancer tumor sample and the control or template, and expressing the similarity as that similarity metric.

[0162] The software preferably would include decisional routines that integrate the patient's clinical and marker gene expression data, and recommend a course of therapy. In one embodiment, for example, the software causes the processor unit to receive expression data for prognosis-related genes in the patient's tumor sample, calculate a metric of similarity of these expression values to the values for the same genes in a template or control, compare this similarity metric to a pre-selected similarity metric threshold or thresholds that differentiate prognostic groups, assign the patient to the prognostic group, and, on the basis of the prognostic group, assign a recommended therapeutic regimen. In a specific example, the software additionally causes the processor unit to receive data structures comprising clinical information about the breast cancer patient. In a more specific example, such clinical information includes the patient's age, estrogen receptor status, and lymph node status.

[0163] The software preferably causes the processor unit to receive data structures comprising relevant phenotypic and/or genotypic characteristics of the particular condition of interest, and/or of an individual having that condition, and classifies the individual into a condition subset according to those characteristics. The software then causes the processor to receive values for subset-specific markers, to calculate a metric of similarity of the values associated with those markers (*e.g.*, level, abundance, activity, *etc.*) from the individual to a control, compare this similarity metric to a pre-selected similarity metric threshold or thresholds that differentiate prognostic groups, assign the patient to a prognostic group, and, on the basis of the prognostic group, assign a recommended therapeutic regimen. In the specific example of breast cancer and a breast cancer patient, the software, in one embodiment, causes the processor unit to receive data structures comprising the patient's age, estrogen receptor status, and lymph node status, and on the basis of this data, to classify the patient into one of the following patient subsets: ER⁻, sporadic; ER⁻, *BRCA1*; ER⁺,

AR/AGE high; ER+, ER/AGE low, LN+; or ER+, ER/AGE low, LN⁻. The software then causes the processor to receive expression values for subset-specific prognosis-informative gene expression in the patient's tumor sample, calculate a metric of similarity of these expression values to the values for the same genes in a patient subset-specific template or control, compare this similarity metric to a pre-selected similarity metric threshold or thresholds that differentiate prognostic groups, assign the patient to the prognostic group, and, on the basis of the prognostic group, assign a recommended therapeutic regimen.

[0164] Where the control is an expression template comprising expression values for marker genes within a group of patients, *e.g.*, breast cancer patients, the control can comprise either hybridization data obtained at the same time (*i.e.*, in the same hybridization experiment) as the patient's individual hybridization data, or can be a set of hybridization or marker expression values stored on a computer, or on computer-readable media. If the latter is used, new patient hybridization data for the selected marker genes, obtained from initial or follow-up tumor samples, or suspected tumor samples, can be compared to the stored values for the same genes without the need for additional control hybridizations. However, the software may additionally comprise routines for updating the control data set, *e.g.*, to add information from additional breast cancer patients or to remove existing members of the control data set, and, consequently, for recalculating the average expression level values that comprise the template. In another specific embodiment, said control comprises a set of single-channel mean hybridization intensity values for each of said at least five of said genes, stored on a computer-readable medium.

[0165] Clinical data relating to a breast cancer patient, or a patient having another type of condition, and used by the computer program products of the invention, can be contained in a database of clinical data in which information on each patient is maintained in a separate record, which record may contain any information relevant to the patient, the patient's medical history, treatment, prognosis, or participation in a clinical trial or study, including expression profile data generated as part of an initial diagnosis or for tracking the progress of the condition, for example, breast cancer, during treatment.

[0166] Thus, one embodiment of the invention provides a computer program product for classifying a breast cancer patient according to prognosis, the computer program product for use in conjunction with a computer having a memory and a processor, the computer program product comprising a computer readable storage medium having a computer program mechanism encoded thereon, wherein said computer program product can be loaded into the one or more memory units of a computer and causes the one or more processor units of the

computer to execute the steps of (a) receiving a first data structure comprising said breast cancer patient's age, ER status, LN status and tumor type; (b) classifying said patient as ER⁻, sporadic; ER⁻, *BRCA1*; ER+, ER/AGE high; ER+, ER/AGE low, LN+; or ER+, ER/AGE low, LN⁻; (c) receiving a first data structure comprising the level of expression of at least two genes in a cell sample taken from said breast cancer patient wherein markers for said at least two genes are listed in Table 1 if said patient is classified as ER⁻, sporadic; Table 2 if said patient is classified as ER⁻, sporadic; Table 3 if said patient is classified as ER+, ER/AGE high; Table 4 if said patient is classified as ER+, ER/AGE low, LN+; or Table 5 if said patient is classified as ER+, ER/AGE high, LN⁻; (d) determining the similarity of the level of expression of said at least two genes to control levels of expression of said at least two genes to obtain a patient similarity value; (e) comparing said patient similarity value to selected first and second threshold values of similarity of said level of expression of said genes to said control levels of expression to obtain first and second similarity threshold values, respectively, wherein said second similarity threshold indicates greater similarity to said control levels of expression than does said first similarity threshold; and (f) classifying said breast cancer patient as having a first prognosis if said patient similarity value exceeds said first and said second threshold similarity values, a second prognosis if said patient similarity value exceeds said first threshold similarity value but does not exceed said second threshold similarity value, and a third prognosis if said patient similarity value does not exceed said first threshold similarity value or said second threshold similarity value. In a specific embodiment of said computer program product, said first threshold value of similarity and said second threshold value of similarity are values stored in said computer. In another more specific embodiment, said first prognosis is a "very good prognosis," said second prognosis is an "intermediate prognosis," and said third prognosis is a "poor prognosis," and wherein said computer program mechanism may be loaded into the memory and further cause said one or more processor units of said computer to execute the step of assigning said breast cancer patient a therapeutic regimen comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or comprising chemotherapy if said patient has any other combination of lymph node status and expression profile. In another specific embodiment, said computer program mechanism may be loaded into the memory and further cause said one or more processor units of the computer to execute the steps of receiving a data structure comprising clinical data specific to said breast cancer patient. In a more specific embodiment, said single-channel hybridization intensity values are log transformed. The computer implementation of the method, however,

may use any desired transformation method. In another specific embodiment, the computer program product causes said processing unit to perform said comparing step (e) by calculating the difference between the level of expression of each of said genes in said cell sample taken from said breast cancer patient and the level of expression of the same genes in said control. In another specific embodiment, the computer program product causes said processing unit to perform said comparing step (e) by calculating the mean log level of expression of each of said genes in said control to obtain a control mean log expression level for each gene, calculating the log expression level for each of said genes in a breast cancer sample from said breast cancer patient to obtain a patient log expression level, and calculating the difference between the patient log expression level and the control mean log expression for each of said genes. In another specific embodiment, the computer program product causes said processing unit to perform said comparing step (e) by calculating similarity between the level of expression of each of said genes in said cell sample taken from said breast cancer patient and the level of expression of the same genes in said control, wherein said similarity is expressed as a similarity value. In more specific embodiment, said similarity value is a correlation coefficient. The similarity value may, however, be expressed as any art-known similarity metric.

[0167] Of course, the above breast cancer-specific examples are not limiting; analogous computer systems, software, and data analysis methods may be utilized for any condition of interest. For example, analogous software may be used to determine the prognosis of any other type of cancer, or of any other non-cancer diseases or conditions, using markers, expression level data and controls specific for that cancer, non-cancer disease or condition.

[0168] In an exemplary implementation, to practice the methods of the present invention, a user first loads experimental data into the computer system. These data can be directly entered by the user from a monitor, keyboard, or from other computer systems linked by a network connection, or on removable storage media such as a CD-ROM, floppy disk (not illustrated), tape drive (not illustrated), ZIP® drive (not illustrated) or through the network. Next the user causes execution of expression profile analysis software which performs the methods of the present invention.

[0169] In another exemplary implementation, a user first loads experimental data and/or databases into the computer system. This data is loaded into the memory from the storage media or from a remote computer, preferably from a dynamic geneset database system, through the network. Next the user causes execution of software that performs the steps of the present invention.

[0170] Additionally, because the data obtained and analyzed in the software and computer system products of the invention may be confidential, the software and/or computer system preferably comprises access controls or access control routines, such as password protection and preferably, particularly if information is to be transmitted between computers, for example, over the Internet, encryption of the data by a suitable encryption algorithm (e.g., PGP).

[0171] Alternative computer systems and software for implementing the analytic methods of this invention will be apparent to one of skill in the art and are intended to be comprehended within the accompanying claims. In particular, the accompanying claims are intended to include the alternative program structures for implementing the methods of this invention that will be readily apparent to one of skill in the art.

6. EXAMPLE: IDENTIFICATION OF PHENOTYPIC SUBSETS AND INFORMATIVE GENESETS FOR EACH

Materials and Methods

Tumor Samples:

[0172] 311 cohort samples were collected from breast cancer patients. Selection criteria for sporadic patients (i.e., those not identified as having a *BRCA1*-type tumor; $n = 291$) included: primary invasive breast carcinoma less than 5 cm (T1 or T2); no axillary metastases (N0); age at diagnosis of less than 55 years; calendar year of diagnosis 1983-1996; and no previous malignancies. All patients were treated by modified radical mastectomy or breast-conserving treatment. See van't Veer *et al.*, *Nature* 415:530 (2002). Selection criteria for hereditary (i.e., *BRCA1*-type; $n = 20$) tumors included: carriers of germline mutation in *BRCA1* or *BRCA2*, and primary invasive breast carcinoma. van't Veer, *supra*. Additionally, for development of a classifier for the *BRCA1* group, 14 *BRCA1* samples previously identified (see van't Veer, *supra*) were added to the 20 *BRCA1* type samples to increase sample size. Those 14 samples also satisfy the conditions that they are ER negative and age less than 55 years old.

Data analysis:

[0174] Sample sub-grouping: As shown in FIG. 1, tumor samples were first divided into ER+ and ER⁻ branches since this is the dominant gene expression pattern. In the ER⁻ branch, the samples were further divided into "BRCA1 mutation like" and "Sporadic like" categories using the expression templates and 100 genes previously identified as optimal for determining *BRCA1* status. See van't Veer *et al.*, *Nature* 415:530 (2002). In the ER+

category, samples were divided by ER vs. age distribution (see below) into two groups, “ER/AGE low” and “ER/AGE high.” Within the “ER/AGE low” group, samples were further divided according to the lymph node status into two sub-groups: lymph node negative (0 lymph nodes; LN-) and positive (> 0 lymph nodes; LN+) group.

[0175] The result of these divisions was five distinctive sub-groups: “ER⁻, sporadic” ($n = 52$), “ER⁻, BRCA1” ($n = 34$), “ER+, ER/AGE high” ($n = 83$), “ER+, ER/AGE low, LN⁻” ($n = 81$), and “ER+, ER/AGE low, LN+” ($n = 75$). A few samples with a specific ER vs. age distribution in “ER+, ER/AGE low, LN+” group were further excluded to develop a classifier, see below for details.

[0176] Estrogen receptor level: Estrogen receptor gene expression level was measured by a 60mer oligo-nucleotide on a microarray. Since every individual sample was compared to a pool of all samples, the ratio to pool was used to measure the relative level. A threshold of -0.65 on $\log_{10}(\text{ratio})$ was used to separate the ER+ group from ER⁻ group. See van't Veer *et al.*, *Nature* 415:530 (2002).

[0177] Grouping by ER vs. age distribution: Samples were not uniformly distributed in ER vs. age space among the ER+ samples (FIG. 2). First, it appeared that the ER level increases with age, as there were few samples from young individuals having a high ER expression level. For example, in the 35 to 40 years age group, samples having a $\log(\text{ratio})$ of $\text{ER} > 0.2$ are relatively few as compared to the 40 to 45 age group. In the set of samples used, the $40 < \text{age} \leq 45$ group contains 30 samples having $\log(\text{ratio})$ ER values between -0.2 to 0.2 , and 28 samples having values greater than 0.2 , whereas the $35 < \text{age} \leq 40$ group includes 24 samples with values between -0.2 to 0.2 , but only 6 samples with values of greater than 0.2 (Fisher's exact test P-value: 1%). The increasing ER level with age may simply due to the fact that estrogen levels decrease with age, and the estrogen receptor level rises in compensation.

[0178] There also appear to be at least two groups of patients, as indicated by the solid line separating the two in FIG. 2A. A bimodality test of the separation indicated by the solid line yielded P-value $< 10^{-4}$. Each of these two groups has its own trend between the ER level and age. The solid line can be approximated by $\text{ER} = 0.1(\text{age} - 42.5)$. Patients having values above the solid line are referred to as the “ER/AGE high” group, and the patients below the line as the “ER/AGE low” group.

Prognosis in each group:

[0179] Feature selection and performance evaluation: For the prognosis in each group, non-informative genes were filtered in each group of patients. Specifically, only genes with

$|\log_{10}(\text{ratio})| > \log_{10}(2)$ and P-value (for $\log(\text{ratio}) \neq 0$) < 0.01 in more than 3 experiments were kept. This step removed all genes that never had any significant change across all samples. The second step used a leave-one-out cross validation (LOOCV) procedure to optimize the number of reporter genes (features) in the classifier and to estimate the performance of the classifier in each group. The feature selection was included inside the loop of each LOOCV process. The final “optimal” reporter genes were selected using all of the “training samples” as the result of “re-substitution” because one classifier was needed for each group.

[0180] Selection of training samples: Only the samples from patients who had metastases within 5 years of initial diagnosis (3 years for “ER⁻, sporadic” samples; *i.e.*, the “poor outcome” group), or who were metastases-free with more than 5 years of follow-up time (*i.e.*, the “good outcome” group), were used as the training set. Because the average expression levels for informative genes among patients who were metastasis-free, or who had early metastases, were used as expression templates for prediction, the training samples for the ER⁺ samples were further limited to those samples that could also be correctly classified by the first round of LOOCV process. For the “ER⁻, sporadic” samples, no such iteration was done because no improvement was observed. For the “ER⁻, BRCA1” samples, an iteration was done, but the training samples in the second iteration were limited to the correctly predicted good outcome samples from the first round of LOOCV, and all the poor outcome samples with metastases time less than 5 years. Further limitation of the poor outcome samples was not performed because of the small number of poor samples and the absence of improvement by such limitation. In the first round of LOOCV, except for the “ER⁻, sporadic” group, the number of features was fixed at 50 genes. A patient was predicted to have a favorable outcome, that is, no metastases within five years of initial diagnosis, if the expression of the reporter genes in a sample from the individual was more similar to the “average good profile” than the “average poor profile”, and a poor outcome, that is, a metastasis within five years, if the expression of the reporter genes in the sample was more similar to the “average poor profile” than the “average good profile”.

[0181] The justification for such an iteration operation is threefold. First, biologically, there are always a few individuals with specific reasons (different from the vast majority) to stay metastases free or to develop metastases. Second, statistically, most groups of patients include outliers that don’t follow the distribution of the majority of samples. Third, methodologically, the iteration operation is very similar to the idea of “boosting”, but instead of increasing the weights of the samples predicted wrong, emphasis is placed on the well

behaved samples for selecting features and training the classifier. Since this process was used to select “training samples”, and the performance was evaluated using the LOOCV (including the feature selection) after the training sample being fixed, there is no issue of over-fitting involved in our procedures. This method of iteration is thus more likely to reveal the dominant mode to metastases within each group.

[0182] Error rate and odds ratio, threshold in the final LOOCV: Unless otherwise stated, the error rate is the average error rate from two populations: (1) the number of poor outcome samples misclassified as good outcome samples, divided by the total number of poor outcome samples; and (2) the total number of good outcome samples misclassified as poor outcome samples, divided by the total number of good samples. Two odds ratios are reported for a given threshold: (1) the overall odds ratio and (2) the 5 year odds ratio. The 5 year odds ratio was calculated from samples from individuals that were metastases free for more than five years, and who experienced metastasis within 5 years. The threshold was applied to **cor1 – cor2**, where “cor1” stands for the correlation to the “average good profile” in the training set, and “cor2” stands for the correlation to the “average poor profile” in the training set.

[0183] The threshold in the final round of LOOCV was defined using the following steps: (1) For each of the N sample *i* left out for training, features based on the training set were selected. (2) Given a feature set, an incomplete LOOCV with N-1 samples was performed (only the “average poor profile” and “average good profile” is varied depending on whether the left out sample is in the training set or not). (3) The threshold based on the minimum error rate from N-1 samples was determined, and that threshold was assigned to sample *i* in step (1). (4) The median threshold from all N samples was taken, and designated the final threshold. FIGS. 3-7 present detailed information about classifiers for the 5 groups: “ER⁻, sporadic”, “ER⁻, BRCA1”, “ER⁺, ER/age high”, “ER⁺, ER/age low, LN⁻”, “ER⁺, ER/age low, LN⁺”. Tables 1-5 (see Section 5.3) list the final optimal reporter genes for each of the 5 classifiers for each of the five patient subsets. Table 6, below, summarizes the performance of each of the five classifiers together with thresholds used in each classifier.

Table 6. Performance of classifiers for each patient subset.

Classifier	Optimal # of Genes	(C1-C2) Threshold	Metastasis Free	# of Samples	TP	FP	FN	TN	Odds Ratio	95% C.I.
ER ⁺ , ER/AGE high	50	1.22	Overall	83	31	14	5	33	14.61	4.71-45.36
			5 year	71	24	11	3	33	24.00	6.03-95.46

ER+, ER/AGE low, LN-	65	0.38	Overall	81	14	6	6	55	21.39	5.98-76.52
			5 year	73	11	4	5	53	29.15	6.73-126.33
ER+, ER/AGE low, LN+	50	-0.12	Overall	56	7	4	6	39	11.38	2.54-50.94
			5 year	48	5	4	3	36	15.00	2.57-87.64
ER-, sporadic	20	-0.01	Overall	52	18	7	7	29	7.35	2.16-25.04
			5 year	45	16	5	6	18	9.60	2.45-37.58
ER-, BRCA1	10	-0.37	Overall	34	6	3	3	22	14.67	2.34-92.11
			5 year	22	6	1	3	12	24.00	2.04-282.68

TP: True positive
 FP: False positive
 FN: False negative
 TN: True negative

[0184] Classification method: All classifiers described herein, feature selection and optimization were included inside the LOOCV loop. Classifier performance was based on the LOOCV results. The profile based on the selected features from each patient was compared to the “average good profile” and “average poor profile” (by correlation) to determine its predicted outcome.

[0185] Correlation calculation: The correlation between each gene’s expression log(ratio) and the endpoint data (final outcome) was calculated using the Pearson’s correlation coefficient. The correlation between each patient’s profile and the “average good profile” and “average poor profile” is the cosine product (no mean subtraction).

Results:

[0186] We employed the comprehensive prognosis strategy on microarray expression profiles of 311 patients diagnosed before age 55 that were all part of previous studies establishing and validating a 70-gene prognosis profile. See van’t Veer *et al.*, *Nature* 415:530 (2002); van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002). In addition, 14 known *BRCA1* samples from the *Nature* study were included in defining the prognosis classifier for the *BRCA1* group. The overview of the stratifications is shown in FIG. 1. In each of the patient subsets, prognosis classifiers were developed and performance was evaluated by leave-one-out cross-validation. The biological make up of each of the classifiers was also examined.

[0187] During the process to decide whether a particular clinical parameter should be used for the next stratification, our objectives were twofold: (1) identification of homogeneous

prognosis patterns; and/or (2) improved prognosis in the subsets. There is a subtle balance between these two objectives because smaller groups will likely lead to uniform patterns within the group but have increasingly limited predictive power. With the exception of the *BRCA1* subset, each group in our stratification contained 50 or more samples.

[0188] The first layer of stratification was based on the estrogen receptor level. We and others previously observed that estrogen receptor expression has a dominant effect on overall gene expression in breast cancer as seen in hierarchical clustering. van 't Veer *et al.*, *Nature* 415:530 (2002); Perou *et al.*, *Nature* 406:747 (2000); Gruvberger *et al.*, *Cancer Res.* 61:5979 (2001). In our previous analysis up to 2500 genes are significantly correlated with ER expression levels in tumor. van 't Veer *et al.*, *Nature* 415:530 (2002). According to the threshold defined previously (van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002)), samples were first divided into two groups according to the estrogen receptor level as measured by the oligo probe (accession number: NM_000125) on the array; samples with $\log(\text{ratio}) > -0.65$ belong to the ER+ group, and the rest belong to ER⁻ group). This resulted in 239 samples in the ER+ group and 72 samples in the ER⁻ group.

[0189] In the ER+ branch we observed that when displaying ER expression level as a function of age, at least two subgroups appear to exist. (In general, any bimodality in the clinical data is useful.) We therefore decided to stratify the tumors according to this bimodality (see FIG. 2). The group of ER+ patients having a high ER/AGE ratio was designated the "ER/AGE high" group (83 samples), and the remaining group of patients was designated "ER/AGE low" group (156 samples).

[0190] Within the "ER/age high" group, we identified a group of prognosis reporter genes that highly correlated with the outcome (see Table 3). Moreover, the expression of these genes appeared to be very homogeneous, as indicated by high similarity in expression among those genes. See FIG 2A. Leave-one-out cross validation including reporter selection yielded an odds ratio of 14.6 (95%CI: 4.7-45.4) and 5 year odds ratio of 24.0 (95%CI: 6.0-95.5). Examination of those reporter genes reveals they are mostly the cell cycle genes which are highly expressed in the poor outcome tumors. It is worth noting that even though this group includes LN+ and LN- individuals, and mixed treatment, the incidence of distant metastases is predicted by a biologically uniform set of genes, possibly indicating that proliferation is the prime driving force for disease progression. Also even though variation in these genes is observed in other tumor subgroups this is generally not correlated with outcome in those settings (see below).

[0191] In the “ER/age low” group, no predictive pattern was found in the whole group; thus, the samples were further stratified into LN⁻ (81 samples, referred to as “ER/age low LN⁻”) and LN⁺ (75 samples, referred to as “ER/age low LN⁺”) group.

[0192] Within the “ER/age low LN⁻” group, a group of genes was identified that was uniformly co-regulated, and which correlated with the outcome. Leave-one-out cross-validation (including feature selection) yielded an odds ratio of 21.4 (95% CI: 6.0-76.5) and 5 year odds ratio of 29.2 (95% CI: 6.7-126.3). This group of genes is also enriched for individual biological functions (see below).

[0193] For the “ER/age low LN⁺” subset, an informative set of genes (see Table 4) was obtained after exclusion of several samples from older individuals having low ER levels. These samples are indicated in FIG. 2A as those lying below the dashed line (approximated as $ER < 0.1 * (age - 50)$). 56 samples remained after the exclusion. This sample set allowed the identification of a group of genes with a highly homogeneous pattern that is useful for prognosis (overall odds ratio: 11.4 (2.5-50.9), 5 year odds ratio: 15.0 (2.6-87.6)). This suggests again that ER vs. age is an important combination for stratifying breast cancer patients. The reporter genes involved in this classifier also correlated with the clinical measure of the degree of lymphocytic infiltration (data not shown). The prediction in this group is not as strong as other positive groups, which may indicate the primary tumor carries weaker information about the metastases for this group of patients, and the metastases may be started from or influenced by tumors already in lymph nodes.

[0194] In the ER⁻ branch, because a portion of the samples are “BRCA1-like,” it is natural to divide the samples into “BRCA1-like” and “sporadic like”. To perform the classification, the BRCA1/sporadic tumor type classifier described in Roberts *et al.*, “Diagnosis and Prognosis of Breast Cancer Patients,” International Publication No. WO 02/103320, which is hereby incorporated by reference in its entirety, to segregate the ER⁻ cohort samples. 52 out of the 72 ER⁻ samples were found to be “sporadic like” and 20 were found to be “BRCA1-like”. Interestingly, the “sporadic like” group is enriched for *erbb2* mutations (data not shown).

[0195] Within the “ER⁻, sporadic” group, no homogeneous prognosis pattern was identified; however, 20 genes were identified that are highly predictive of the tumor outcome (see Table 2). Leave-one-out cross-validation including feature selection yielded an odds ratio of 7.4 (95% CI 2.2-25.0) and 5 year odds ratio 9.6 (2.5 – 37.6). This result represents a significant improvement in prognosis compared to the previously-identified 70 gene prognosis classifier (see Roberts *et al.*, International Publication No. WO 02/103320; van 't

Veer *et al.*, *Nature* 415:530 (2002)) which has no within-group prognostic power for the ER⁻ patient subset. The fact that 20 genes predict outcome and that there is no homogeneous (and apparent biological) pattern in this group probably indicates multiple mechanisms of metastasis in this group. Gene annotation indicates that genes included may be involved in invasion, energy metabolism and other functions.

[0196] For the “ER⁻, *BRCA1*-like” group, we added 14 *BRCA1* mutation carrier samples from our previous study to increase the number of samples. Those 14 extra samples also satisfy our selection criteria: ER negative and age less than 55 years. The leave-one-out cross validation process identified 10 genes that are predictive of final outcomes. The overall odds ratio is 14.7 (95% CI: 2.3-92.1) and the 5 year odds ratio is 24.0 (95% CI: 2.0-282.7).

[0197] Because no homogeneous gene expression patterns were found in ER⁻ branch, the predictive power of those genes was further validated. One means of further validation was to review the different classifier gene sets for biological interpretations and to identify genes within each classifier that gave indications as to the origins of the tumors.

[0198] The “ER⁺, ER/AGE high” group yielded a classifier highly enriched for cell cycle genes with both G1/S and G2/M phases represented. In this group, over-expression of 46 of the 50 genes is associated with disease progression including all the known cell cycle genes. This is consistent with rapid growth being the determinant of metastatic potential. Four genes in this classifier are anti-correlated with outcome and cell cycle. One of these genes encodes follistatin, which binds to and inhibits activin and other members of the TGF β family (Lin *et al.*, *Reproduction* 126:133 (2003)), the members of which have many functions, including growth stimulation. Tumor grade also accurately predicts metastatic potential in this group (overall odds ratio: 5.9, 95% CI: 2.0-18.0, 5 year odds ratio: 12.5, 95% CI: 2.6-59.3) and is also correlated with the expression level of these genes, which is consistent with rate of growth being the primary determinant of disease progression. This set of genes has a significantly lower correlation with outcome in the other patient subsets, even though coordinate and similarly variable expression is seen. For example, many tumors in the “ER⁻, sporadic” group have high cell cycle and low FST expression, but the expression of these genes in these groups is minimally correlated with outcome, indicating that growth is not the primary determinant of outcome here (see FIGS. 8A and 8B).

[0199] The ER⁺, ER/AGE low, LN⁻ group yielded a classifier rich in both genes for glycolytic enzymes (12 of 56) and genes induced by hypoxia and/or angiogenesis (14 of 56) with 5 genes falling into both categories. These genes are positively correlated with poor outcome, implying that energy metabolism (glycolysis), angiogenesis and adaptation to

hypoxia are critical pathways in this subgroup of tumors. None of these genes appear in the classifiers for the other patient subsets, and there is a much reduced predictive value of these genes in the other tumors, even though coordinate and similarly variable expression is seen (see FIG. 8C and 8D).

[0200] The implication of the above analyses is that certain well known functions (growth, angiogenesis, energy metabolism) are important in certain tumor types and not in others, and therefore therapies that target these functions will be likely be similarly effective in some tumor subgroups and not in others. For example therapies that target cell cycle progression, such as taxol or the vinca alkaloids, may be optimally effective in the ER+, ER/AGE high group, where overexpression of cell cycle genes predominates in the classifier. In contrast, tumor subgroups in which variation in cell cycle expression is not correlated with outcome may be less sensitive to taxol or the vinca alkaloids.

[0201] The "comprehensive prognosis" approach significantly improves the prediction error rate when compared with 70 gene classifier (Table 7). To make the comparison fair, we listed two sets of results from the 70 gene classifier. The first results from the use of the same threshold applied to all the patient subsets (threshold previously optimized for false negative rate); the second one results from the use of a threshold optimized for each patient subset (optimized for average error rate). The comprehensive approach lowered the error rate by at least 6%.

Table 7. Average error rate for the patient subset approach compared with the previously-described 70 gene classifier.

Prognosis method	over all error rate	5 year error rate
70 gene, fix thresh	30.90%	25.70%
70 gene, opt thresh	28.60%	27.60%
Comprehensive	21.50%	19.30%

Fix thresh: use of a fixed threshold in the classifier as previously determined.

Opt threshold: use of a threshold optimized for each sub-group. For the "ER/Age low, LN+" subgroup, 56 samples used for developing the classifier were included here, resulted in 306 samples in total.

7. REFERENCES CITED

[0202] All references cited herein are incorporated herein by reference in their entirety and for all purposes to the same extent as if each individual publication or patent or patent

application was specifically and individually indicated to be incorporated by reference in its entirety for all purposes.

[0203] Many modifications and variations of the present invention can be made without departing from its spirit and scope, as will be apparent to those skilled in the art. The specific embodiments described herein are offered by way of example only, and the invention is to be limited only by the terms of the appended claims along with the full scope of equivalents to which such claims are entitled.

What is claimed is:

1. A method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising:
 - (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics of said condition into a plurality of first classes; and
 - (b) identifying within each of said first classes a first set of genes or markers informative for said conditionwherein said first set of genes or markers within each of said first classes is unique to said class relative to other first classes.
2. The method of claim 1, which further comprises additionally classifying into a plurality of second classes said samples or individuals in at least one of said first classes on the basis of a phenotypic or genotypic characteristic different than that used in said classifying step (a); and identifying within at least one of said second classes a second set of informative genes or markers, wherein said second set of informative genes or markers within each of said second classes is unique to said second class relative to other first and second classes.
3. A method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising:
 - (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics into a plurality of first classes;
 - (b) classifying at least one of said first classes into a plurality of second classes on the basis of phenotypic or genotypic characteristic different than that used in said classifying step (a); and
 - (c) identifying within at least one of said first classes or said second classes a set of genes or markers informative for said condition,wherein said second set of genes or markers is unique to said class relative to other first and second classes.
4. A method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising:
 - (a) selecting a first characteristic from said plurality of phenotypic or genotypic characteristics;
 - (b) identifying at least two first condition classes differentiable by said first characteristic;

(c) selecting a plurality of individuals classifiable into at least one of said first condition classes; and

(d) identifying in samples derived from each of said plurality of individuals a set of genes or markers informative for said condition within said at least one of said first condition classes.

5. A method of classifying an individual with a condition as having a good prognosis or a poor prognosis, comprising:

(a) classifying said individual into one of a plurality of patient classes, said patient classes being differentiated by one or more phenotypic, genotypic or clinical characteristics of said condition;

(b) determining the level of expression of a plurality of genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins informative for prognosis of the patient class into which said individual is classified; and

(c) classifying said individual as having a good prognosis or a poor prognosis on the basis of said level of expression.

6. The method of claim 5, wherein said condition is cancer, said good prognosis is the non-occurrence of metastases within five years of initial diagnosis, and said poor prognosis is the occurrence of metastases within five years of initial diagnosis.

7. The method of claim 5, wherein said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a poor prognosis.

8. The method of claim 7, in which said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a poor prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance.

9. The method of claim 5, wherein said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a good prognosis.

10. The method of claim 9, in which said classifying in step (c) is carried out by a method comprising comparing the level expression of each of said plurality of genes or their

encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a good prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance.

11. The method of claim 5, wherein said plurality of patient classes comprises ER⁻, *BRCA1* individuals; ER⁻, sporadic individuals; ER⁺, ER/AGE high individuals; ER⁺, ER/AGE low, LN⁺ individuals; and ER⁺, ER/AGE low, LN⁻ individuals.

12. A method of classifying a breast cancer patient as having a good prognosis or a poor prognosis comprising:

(a) classifying said breast cancer patient as ER⁻, *BRCA1*; ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻;

(b) determining the level of expression of a first plurality of genes in a cell sample taken from said breast cancer patient relative to a control, said first plurality of genes comprising two of the genes corresponding to the markers in Table 1 if said breast cancer patient is classified as ER⁻, *BRCA1*; in Table 2 if said breast cancer patient is classified as ER⁻ sporadic; in Table 3 if said breast cancer patient is classified as ER⁺, ER/AGE high; in Table 4 if said breast cancer patient is classified as ER⁺, ER/AGE low, LN⁺; or in Table 5 if said breast cancer patient is classified as ER⁺, ER/AGE low, LN⁻; and

(c) classifying said breast cancer patient as having a good prognosis or a poor prognosis on the basis of the level of expression of said first plurality of genes, wherein said breast cancer patient is "ER/AGE high" if the ratio of the log₁₀(ratio) of ER gene expression to age exceeds a predetermined value, and "ER/AGE low" if the ratio of the log₁₀(ratio) of ER gene expression to age does not exceed said predetermined value.

13. The method of claim 12, wherein said control is the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, *BRCA1* individuals, if said breast cancer patient is ER⁻, *BRCA1*; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, sporadic individuals if said breast cancer patient is ER⁻, sporadic; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁺, ER/AGE high individuals, if said breast cancer patient is ER⁺, ER/AGE high; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁺, ER/AGE low, LN⁺ individuals where said breast cancer patient is ER⁺, ER/AGE low, LN⁺; or the average level of expression of each of said plurality of genes in a plurality of

samples derived from ER⁺, ER/AGE low, LN⁻ individuals where said breast cancer patient is ER⁺, ER/AGE low, LN⁻.

14. The method of claim 13, wherein each of said individuals has a poor prognosis.

15. The method of claim 13, wherein each of said individuals has a good prognosis.

16. The method of claim 14, wherein said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins in a sample from said breast cancer patient to said control, and classifying said breast cancer patient as having a poor prognosis if said level of expression correlates with said average level of expression of the corresponding genes or their encoded proteins in said control more strongly than would be expected by chance.

17. The method of claim 12, wherein said predetermined value of ER is calculated as $ER = 0.1(AGE - 42.5)$, wherein AGE is the age of said individual.

18. The method of claim 12, wherein said individual is ER⁻, *BRCA1*, and said plurality of genes comprises two of the genes for which markers are listed in Table 1.

19. The method of claim 12, wherein said individual is ER⁻, *BRCA1*, and said plurality of genes comprises all of the genes for which markers are listed in Table 1.

20. The method of claim 12, wherein said individual is ER⁻, sporadic, and said plurality of genes comprises two of the genes for which markers are listed in Table 2.

21. The method of claim 12, wherein said individual is ER⁻, sporadic, and said plurality of genes comprises all of the genes for which markers are listed in Table 2.

22. The method of claim 12, wherein said individual is ER⁺, ER/AGE high, and said plurality of genes comprises two of the genes for which markers are listed in Table 3.

23. The method of claim 12, wherein said individual is ER⁺, ER/AGE high, and said plurality of genes comprises all of the genes for which markers are listed in Table 3.

24. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁺, and said plurality of genes comprises two of the genes for which markers are listed in Table 4.

25. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁺, and said plurality of genes comprises all of the genes for which markers are listed in Table 4.

26. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁻, and said plurality of genes comprises two of the genes for which markers are listed in Table 4.

27. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁻, and said plurality of genes comprises all of the genes for which markers are listed in Table 4.

28. The method of claim 12, further comprising determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis.

29. A method for assigning an individual to one of a plurality of categories in a clinical trial, comprising:

(a) classifying said individual as ER⁻, *BRCA1*, ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻;

(b) determining for said individual the level of expression of at least two genes for which markers are listed in Table 1 if said individual is classified as ER⁻, *BRCA1*; Table 2 if said individual is classified as ER⁻, sporadic; Table 3 if said individual is classified as ER⁺, ER/AGE high; Table 4 if said individual is classified as ER⁺, ER/AGE low, LN⁺; or Table 5 if said individual is classified as ER⁺, ER/AGE low, LN⁻;

(c) determining whether said individual has a pattern of expression of said at least two genes that correlates with a good prognosis or a poor prognosis; and

(d) assigning said individual to one category in a clinical trial if said individual has a good prognosis, and assigning said individual to a second category in said clinical trial if said individual has a poor prognosis.

30. The method of claim 29, wherein said individual is additionally assigned to a category in said clinical trial on the basis of the classification of said individual as determined in step (a).

31. The method of claim 29, wherein said individual is additionally assigned to a category in said clinical trial on the basis of any other clinical, phenotypic or genotypic characteristic of breast cancer.

32. The method of claim 29, further comprising determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis of breast cancer, and determining from the expression of said second plurality of genes, in addition to said first plurality of genes, whether said individual has a good prognosis or a poor prognosis.

33. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in any of Tables 1-5.
34. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 1.
35. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 1.
36. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 2.
37. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 2.
38. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 3.
39. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 3.
40. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 4.
41. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 4.
42. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 5.
43. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 5.
44. The microarray of any of claims 33-43, wherein said probes are at least 50% of the probes on said microarray.
45. The microarray of any of claims 33-43, wherein said probes are at least 90% of the probes on said microarray.
46. The microarray of claim 33, wherein said probes are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 1; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 2; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 3; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 4; and are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 5, wherein said probes, in total, are at least 50% of the probes on said microarray.

47. A kit comprising the microarray of claim 33 in a sealed container.
48. A kit comprising the microarray of claim 40 in a sealed container.
49. A kit comprising the microarray of claim 42 in a sealed container.
50. A method of identifying a set of genes informative for a condition, said condition having a plurality of phenotypic or genotypic characteristics such that samples may be categorized by at least one of said phenotypic or genotypic characteristics into at least one characteristic class, said method comprising:
- (a) selecting a plurality of samples from individuals having said condition;
 - (b) identifying a first set of genes informative for said characteristic class using said plurality of samples;
 - (c) predicting the characteristic class of each of said plurality of samples;
 - (d) discarding samples for which said characteristic class is incorrectly predicted;
 - (e) repeating steps (c) and (d) at least once; and
 - (f) identifying a second set of genes informative for said characteristic class using samples in said plurality of samples remaining after step (e).
51. The method of claim 6, wherein said cancer is breast cancer.
52. A method for assigning an individual to one of a plurality of categories in a clinical trial, comprising:
- (a) classifying the individual into one of a plurality of condition categories differentiated by at least one genotypic or phenotypic characteristic of the condition;
 - (b) determining the level of expression, in a sample derived from said individual, of a plurality of genes informative for said condition category;
 - (c) determining whether said level of expression of said plurality of genes indicates that the individual has a good prognosis or a poor prognosis; and
 - (d) assigning the individual to a category in a clinical trial on the basis of prognosis.

ABSTRACT

[0204] The present invention provides prognostic methods for conditions such as cancer, for example, breast cancer, comprising classifying an individual by a plurality of phenotypic, genotypic or clinical characteristics of the condition into a plurality of patient subsets, and analyzing the pattern of expression of prognosis-informative genes identified for that subset in a sample from the individual. The present invention also provides methods for constructing such patient subsets and of identifying prognosis-informative genesets for such subsets. The invention further provides methods of assigning a therapeutic regimen to an individual, microarrays useful for performing prognosis, kits comprising these microarrays, and computer-implementations of the methods of the invention.




FIG. 1







FIG. 2A




FIGS. 2B-D




FIGS. 3A-C




FIGS. 4A-C




FIGS. 5A-C





FIGS. 6A-C



FIGS. 7A-C





Cell cycle subset



FIGS. 8A, 8B

Glycolysis subset



FIGS. 8C, 8D

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☒ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

<110> Dai, Hongyue
 Van't Veer, Laura
 Lamb, John
 Stoughton, Roland
 Friend, Stephen
 Yudong He

<120> Classification of Breast Cancer Patients Using a Combination
 of Clinical Criteria and Informative Gene Sets

<130> 9301-238-888

<160> 366

<210> 1
 <211> 4946
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AB032969

<400> 1
 cagcctcagc ccccgatga agatggggat cacagtgaca aagaagatga acagcctcaa 60
 gtgggtggtt taaaaaagg agacctgtca gttgaagaag tcatgaaaat taaagcagaa 120
 ataaaggctg ccaaaagcaga tgaagaacca actccagccg atggaagaat catatatacga 180
 aaaccagtca agcatccctc agatgaaaaa tattcagggt taacagcaga ctcaaaaaag 240
 aagaagccaa atgaagatga agtaaatcag gactcgggtca aaaagaacct acaaaaaacaa 300
 attaaaaata gtacgctcct ttcttttgac aacgaagatg aaaaatgagta agtgtaataa 360
 ttttgaattt agtctacttt gaaagtatat ggagtggtca ttaaaaatcac attttttcct 420
 attataaaga tactacaagt tctttataga aagtttagga aatagagaaa aaaattttaat 480
 aaactacatc tattcatcaa taccctctcg acttaaaatg ccaactctat agaaatttagc 540
 tagtattaac attttgttat ttcccttggt tgggtgtata tatatgtaaa ttatatTTTT 600
 aagcaaaaaa catTTTTTgt gtgtaaacaa aattttataa atacaactgt attgcaaatg 660
 ttctttgtcc tgctctccac ttgacattgc attatgagta ttctccagg tcagtaaat 720
 tcaaaaacct gacattaata gctacagata atttcataaa catctcattg tatcttttcc 780
 attagcaata gctccacttt ggggtggggga gatgataatg tgccttggtta aaaataacct 840
 cccaactcct gctaagggtg gccatgagac tcagctctgg caagttaaga aatacagggt 900
 gaattctgct tgataaagct gctgggtttt ttgttacaaa aggacagact tggcaaacat 960
 gagcctttgc tcttatcttt tcatctact tggagtgtag agataaaacc tgagtaccag 1020
 agccaacttt aggcataaag aaggcagcca tgtgctttgg gtcatgttag taaaaagact 1080
 cagagcttgg ctcccttgctg acatgcctgg agggagctgt acaccagctt ggaattgctga 1140
 ctctgtagtg ctgtgtagtg agaagaataa acactgtgct taattagccc ttggtcagggt 1200
 ttcttttata tgcagccaaa tgcagctccta agtaatacaa taaataactg gccaactgt 1260
 tactgtggga ggggtgtccag gtctctggca ttttggacaa ataatggaac aaaaacgaca 1320
 aagcaatgaa tatctctcag aggtttgccca ttggttactt ggcgtacacc ctgtgtaaat 1380
 gaagtgtgga ccggtgaact gtctgattgg tgcagaaagt gaccaatcac aggcctgaagt 1440
 gaagttacaa agttataact ctgtgtaaat gaggacttgg cctatgacca gtctgattgg 1500
 tgcaggagg ggacaaatca gaggcacttt catTTTTcat ctgcaatgca gaaaaggcaa 1560
 ggggattgca aagggagtag cctctgatcc ttttgttact taggtatgga gaggtgggggt 1620
 ttctcttttg attcagttct aggaagtcac tgtgaatcag ccttaggttc cctgtctcca 1680
 gagcctattg tctctccctca ttttccctct gagagacgtg atctcgttaa atctttatgg 1740
 gaggtcgtgag gactgaggggt ctctctctctg taactgtctc atgctaactt gggacacagt 1800
 ccttacctat ttgagatcac gtaactctca cctctcttg tctaggggag acagggttagc 1860
 ttcttgatgg ccggtgggtg ctctctcctga aactggctag aaatctgttc acatgatcat 1920
 ctaactctggt ggtctctcag caaaaggaaa tggatttgggt taaaagattt aacagatatt 1980
 gtccaaaaaac caaggcaaat ataataatta ataattggct ggcgaaggga gggagccatg 2040
 aaacccaact tagtgccctt tagtgcccc agctgttgc atattttaga ggccagtc 2100

gctagttttc	aggtgggtgc	ccttactaat	cctgattggt	tgacatcaaa	acagcattct	2160
tcttttagga	aaatacataa	gccacctgtt	tcagcagtta	ggagatctag	tccccttcga	2220
ttttccaaag	cgaccactgc	caaggagcct	atccgaattt	gtaagggtgac	aatactttga	2280
gcaatgttat	ccaggctttc	cataaaatcc	ttggacaagc	gttggttaata	ggatagggaa	2340
gttgcaatcc	cgctaactcc	cattcctacc	ctgctgttta	ttcctagccg	ttgtgtctgg	2400
tgggtgcagt	taaagggtata	atgagggatt	gggtgttggg	agctatatata	atttagggac	2460
atacaatatt	ctctgtctcca	gtctaccact	tcaccacaag	acaaatccaca	gcagaaccga	2520
cttaacttca	aaataaactg	cagtcgccata	tactgggcct	gattaccacac	acaaagtcca	2580
acaagaatca	ttgtccatat	agactctcct	agattggcct	tgctgaacaa	ttccacaagg	2640
ccatttcagt	caaaagtccg	agaaagtaac	cggtttcact	tgctgccatt	tcacaaaaga	2700
aacgtgtgta	tttaactttat	acagacaaat	gccatgaatt	aaagatatct	ataaatagtt	2760
tacaaattct	ggagaataat	gaatactcaa	tacacttaaa	gtgtatttca	aggtctaaaa	2820
tagctcaaaa	taaaaagatt	attcagactc	tgaaaaaaca	aaaagaagta	gcaatatttc	2880
aaacaacaaa	agccatacaa	attattttcag	ctctccatta	gttcatttca	gtccatgtaa	2940
tcaactcctg	ctctacttca	tattcatctt	tatgaacaca	tcagcctttc	aatttagtgc	3000
ttggaaagtt	ctctgtcta	ccaatggcac	actctccaaa	gttaccagaa	acctgcattc	3060
aagagtctct	ttcatgaaat	ccaaagaagt	aagccttggg	ctgtagctga	tttaaatgta	3120
cttttttttt	ttgagaagga	tcaaaagcaa	acatacaatt	ttgtagacaa	aagtcttaag	3180
acagccataa	agacacagtt	gacaaatgtg	gctattttctg	ttgcttcaaa	ccataacga	3240
taatcattac	aacatataat	aagacataatc	agaattttag	aactctcata	caatcctgga	3300
acacataatc	acaacaaaatc	ttctatcagta	taaccacaaag	gaagctaaac	accacctcac	3360
acttgacaat	gtttcctgta	taattcaaac	attacaaata	agcctaatat	aagcctaata	3420
tgctactctt	gaactctcag	aagcctaata	tccaaaaagt	tagttttaagg	tcaaaaagtt	3480
ttgaattaac	ttttttccat	tagtatggtc	atatctttct	tactaatttg	taagtattgt	3540
aaatttatca	tttttttttg	ttgttctgtt	tcaccaacctc	tatgtcagat	aaagaatcac	3600
ccaggccaga	cacagtggct	catgctttgt	gtcccagcac	tttgggaagc	caaggtggga	3660
gaattgtctg	aagccaggaa	cttgagccca	gcctgggcga	caaaagcaata	cccttatctc	3720
tacaaaaaat	aaaaaatagc	caggtgtggc	gacacacacc	tgtgttccca	gtgctcggg	3780
agggctgagc	ggagatggc	ttgggcccag	gggttcaagc	ctgcagtgag	ctgtgaattg	3840
gccactgcac	tccagctcgg	gcaacagagt	aagaactgtc	tcacaaaagt	taaaagaatg	3900
aaataaaatt	taaaaaaaga	attaccata	ttctctttgt	ttttgtttat	tcacattaac	3960
ctttatttct	cttggaaatt	atttgagtat	acttttttct	caaaatactc	attgtcctag	4020
aacctatgtg	ttctcattta	tttgaaggc	catctagtga	gagattttctc	caaatgttgg	4080
ggtaggggaag	ggagggggaag	cactttaaag	ctgagccctt	tagaggtgat	ctctcaagac	4140
cctgcttaaa	cctaacaatt	ttcctcatta	gtaaaaagtc	gcccaaaactg	ggggctttgt	4200
aagatcctta	ccagccacat	ccatctgaaa	ttatgaattt	caaagtatct	tacaaaattg	4260
gtgccacatt	atcttttttta	agtttggttt	gttttggttt	tttgagacag	agtctcgctc	4320
tgtaaccggc	gtctggagtc	agtggcgcca	ctcagctcca	ctgcaagctc	cgccctcctg	4380
gttcacacca	gtctcttgcc	tcggcctccc	aagtatctgg	gactgcagct	gcccgcacc	4440
acgcccggct	aatttttttg	tatttttaac	agagacgggg	tttcaacttg	ttagccaggga	4500
tggtctcaat	ctctcgacct	catgatccac	ctgcctcgcc	ctcccagaat	ctgtgggatta	4560
caggcaggag	ccaccgcgcc	tgggcctttt	tttaagtttt	aagtacctat	aaagaacct	4620
gaaaggtgat	gtgtgtggat	gagctaggaa	gacctgaatt	agggctctctc	taaatatact	4680
aaataatacc	tgaagccatt	ctgcaatact	gtctttaatg	tatactactc	tggtatagaa	4740
gccagggttt	tttcccttaa	tttgtatcat	tgctatatgt	gttatgtgat	caaaactaac	4800
tgttttaatt	gctgttaatt	tttaatatgc	ttagtatctg	ggtgtgggaa	ctctgaaagc	4860
atggagtttg	tgttattcac	cactgtattc	tcaaatatca	gaagagtatc	tgccctacta	4920
agtcacacaa	aaactagtt	aaaaatg	4946			

<210> 2
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AB032969

<400> 2
 taactctgaa gccattctgc aatactgtct ttaatgtata ctcaactgtt atagaagcca 60

<210> 3

<211> 1007
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF005487

<400> 3
 gaatacagaa tgtgggcaaa ctccgttctg tgccggccgc cagaagggtt gctgagggca 60
 atcactccct ggtgccgggc tccttgaggt tatgactgg gacatctaga gcctattgtt 120
 tgaggaaatgc agtcttgcaa gccctgctctg gatcaagcca cagactgaaa cccccccgaa 180
 gagcaagcac gtttcttgga gcaggctaag tgtgagtgtc atatcttcaa tgggatgaag 240
 cgggtgcagt acctgaacag atacatccat aaacgggagg agaacctgcg ctccgacagc 300
 aacgtggagg agttccaggc agttacggaa ctggggcgcc ctgtcgagga gaactggaac 360
 agccagaagg gcatcccggg ggagaagcgg gacaagatgg acgactactg cagatacaat 420
 tcagggggttt tttgagagct tcacagtcca gccgcgagtc catcctaagg tgactgtgta 480
 tcctgcaaaag acccagcccc tgcatcacgc caacccctcg gtcggtctcg tgagtgtgtt 540
 ctatccaggc agcattaaag tcaggtggtt ccagaatggt cagggaagaga aggctcggtt 600
 ggtctccata ggcttgatcc agaattggaga ttggaccttc cagacctggt tgatgctgga 660
 aacagtctct cggagtgagg aggtttacac ctgccaaagt gagactccaa gcgtgacgag 720
 ccctctcaca gtggaatgga gtacacggac tgaatctgca cagagcaaga tgctgagtgg 780
 agtcggggggc tttgtgctgg gccctgctctt ccttgggaca gggctgttca tctacttcag 840
 gaatcagaaa ggacactctg gacttcagcc aacaggactc ctgccttgga ctcttgagct 900
 gaagtgcaca tgaccacatt caaggaagaa ccttctgcca cagctttgca ggaatgaaa 960
 ctttcccaact tggctcttat ttttccaaa gagctctctc agggacca 1007

<210> 4
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF005487

<400> 4
 tttgcaggat gaaaagcttt ccacttggc tcttattctt ccacaagagc tctctcagga 60

<210> 5
 <211> 3200
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF026941

<400> 5
 caggaaagggc catgaagatt aataaagatt tggactcagg gcaaatattt acttagtagc 60
 aataactcaa agaattactg ttgaataaat aagccaatta agcagccaat caggtactat 120
 gcggatgcac acaaatgaaa ccctcacttc aaactgaaga cattcgcaaa tgagttacgt 180
 agagggacct gcaggaagcg gttagagaaa cataaggctt atgcgtttaa ttccacacc 240
 aatttcagga tctttgtcac tgacagcagc actaagactt gttaaactta tatagttaag 300
 aagaacaagc ctgagcggga tgaactcacgc ctgtaagcct agaacttttg gaggccaaag 360
 caggcagact gcttgagccc aggagttcca gaccagcctg ggcaacctat caacacccca 420
 tctctacaaa aaaatacaag aatcagctgg gcgtggtgat gtgttctgtt aatctcagct 480
 actcggggag cagagggcagg aggattgctt gaacccggga ggcagaggtt gtagttagcc 540
 gagatctcgc cactgcactc cagctctggac gacagagtga gactcagctc caaataaata 600
 aataaataca taaataaag gaaaaaataa aagctgcttt ctctcttcc tctcttttgg 660
 tctcatctgg ctctgctcca gccatctgcc acaatgtggg tgcttacacc tgctgctttt 720
 gctgggaagt tcttgagtgt gttcaggcaa cctctgagct ctctgtggag gacgttggtc 780
 ccgctgttct gctggtctag ggcaaccttc tggctgctag ctaccaagag gagaaagcag 840
 cagctggttc tgagaggggc agatgagacc aaagaggagg aagaggagacc tctctgccc 900

accaccccaa	ccagcgctca	ctatcacttc	actcgccagt	gcaactacaa	atgcggcttc	960
tgtttccaca	cagccaaaac	atcctttgtg	ctgcccttgg	aggaaacaaa	gagaggattg	1020
cttttgccta	aggaagctgg	tatggagaag	atcaactttt	caggtggaga	gccatttctt	1080
caagaccggg	gagaatacct	gggcaagtgt	gtgaggttct	gcaaaagtaga	gttgcggctg	1140
ccagcgtgta	gcacgtgtg	caatggaagc	ctgatccggg	agaggtgggt	ccagaattat	1200
ggtgagtatt	tggacattct	cgctatctcc	tgtgacagct	ttgacagaga	agtcaatgtc	1260
cttatgtggc	gtggccaagg	aaagaagaac	catgtgtgaa	accttcaaaa	gctgaggagg	1320
tgtgtatagg	attatagaat	ccctttcaag	ataaatctgt	tcattaatcg	tttcaacgtg	1380
gaagaggaca	tgcagggaaca	gatcaaaagc	ctaaaccctg	tccgctggaa	agtgttccag	1440
tgccctctaa	ttgaagggtga	gaattgtgga	gaagatgctc	taagagaagc	agaaagattt	1500
gtttattgtg	atgaagaatt	tgaagaattc	ttggagcgcc	acaaagaagt	gtcctgcttg	1560
gtgctgta	ctaacccaga	gatgaaagac	tccatcctta	ttctggatga	atatatgcgc	1620
tttctgaact	gtagaaaagg	acgggaaggac	ccttccaagt	ccatcctgga	tgttgggtga	1680
gaagaagcta	taaaattcag	tggatttgat	gaaaagatgt	ttctgaagcg	aggaggaaaa	1740
tacatatgga	gtaaggctga	tctgaagctg	gattggtaga	gcggaaaagt	gaacgagact	1800
tcaacacacc	agtgggaaaa	ctcctagagt	aactgccatt	gtctgcaata	ctatcccggt	1860
ggtattttcc	agtggctgaa	aacctgattt	tctgctgcac	gtggcatctg	attacctgtg	1920
gtcactgaac	acacgaataa	cttgatagc	aaatcctgag	acaatggaaa	accattaaat	1980
ttacttcatt	ggcttataac	cttgttgtta	ttgaaacagc	actctgtgtt	ttgagtttgt	2040
tttagctaaa	agaaggaatt	acacacagga	ataatgaccc	caaaaatgct	tagataaggc	2100
ccctatacac	aggacctgac	atttagctca	atttagcgtt	tgagagaagt	gacatactgt	2160
gatattctgt	ggggcaatat	ttaatttgga	ttgatttttt	taaaacaaat	tttactgoga	2220
tttctatatt	tccattttga	aactatttct	tgttccaggt	ttgttcattt	gacagagtca	2280
gtattttttg	ccaaaatctc	agataaccag	ttttcacatc	tgagacatta	caaatgtatc	2340
gocctcaatta	tttctgctgg	ttataatgct	tttttttttt	tttgccttta	tgccatttga	2400
gtcttgtact	ttttactgtg	atgtacagaa	atagtcaaca	gatgtttcca	agaacatagt	2460
atatgataat	cctacccaatt	ttcaagaagt	ctctagaag	agataacaca	tggaaagacg	2520
gcgtggtgca	gccccagccca	cggtgcctgt	tccatgaatg	ctggctacct	atgtgtgtgg	2580
tacctgttgt	gtccctttct	cttcaaaagt	ccctgagcaa	aacaaagata	cgctttccat	2640
ttgatgatgg	agttgacatg	gaggcagctg	ttgcattgct	ttgttgcctc	atcatctggc	2700
ccatgagggc	gttcaagcaa	agaatatgga	gtgagtgtga	gtagctggtt	ggccctacat	2760
ttctgagaag	tgcagttaca	ctgggttggc	ataagatatc	ctaaaaatcac	gttggaaacct	2820
tgggcaagga	agaatgtgag	caagagttaga	gagagtgcct	ggatttcatg	tctgtgaagc	2880
catgtcacca	tatcatattt	ttgaatgaac	tctgagtcag	ttgaaatagg	gtaccattca	2940
ggtcagttta	agaagagtca	gctcagagaa	acgaagcata	agggaaaaatg	gtcgttaaac	3000
tagatcaggg	aacaaaaatc	tctcctgtgt	gaaatatccc	atgcagtttg	ttgatataac	3060
ttagtatctt	attgcctaaa	aaaaaatttc	ttatcattgt	ttcaaaaaag	caaataatcg	3120
aaaaattttt	gtgttccagg	caaataaaaa	gtcattttta	tttaaaaaaa	aaaaaaaaaa	3180
aaaaaaaaaa	aaaaaggcca	3200				

<210> 6
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF026941

<400> 6
 atttttgaat gaactctgag tcagttgaaa tagggtagca tctaggtcag tttaagaaga 60

<210> 7
 <211> 1799
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF035284

<400> 7
 gcttgaaccg gggagggtga ggttgacgtg agctgagatc acgccattgt actccagcct 60

gggcacaga	gcaagactcc	atttcaaaaa	aaaaaaaaaa	aaaaaaaaatc	cactcatata	120
aaaggtgagc	tcagctcact	ggtccatttc	tcagtggtct	ctccatcctc	atttgcacac	180
tcacagagga	taaggcagtt	gaacctgatg	agcaagaatt	ataacagcaa	ggaacatta	240
atgcttagaa	ttctgagatc	cagcacaaact	cagttctgtg	gagctcagct	cgctgccag	300
ggataggtat	gacctatgtc	tgcttaggc	tgctgggaga	tgccattctc	cagtttcaga	360
agcaggcagg	gcaaaagtc	agactgtggt	attgggtct	ttggctctg	aaggatcctg	420
gaaccactga	ttttggttta	ttccctccag	ggtctaaaga	gaacaagagg	tgctagctct	480
tacaaaaaca	gatggtagag	agagtgtctg	gctattttaa	aagctcttcc	attctttaat	540
tcacctcttc	ttttcacctc	tttaaccact	cctcaggaa	agaacacttc	taggactggg	600
ggctcttttag	tcacataagc	aagttagcag	atgggacaa	ttagttcttt	ctccctagaa	660
acaaaggagg	tgcccagttg	tttccctttg	cttcccaacc	tataatttca	agtttaataa	720
aatagcaatt	agcagaagtg	accaaattgg	gagataatta	tcagctatga	ggaagacac	780
agatttcggt	cataaagaat	gtaagggtc	taagtagaaa	ctttctataa	cctaataatg	840
gttatagaat	tatttttgag	caggagcaga	aagattaaat	atgatcactt	catacttcta	900
aatcagaat	aggaagatta	aaaccacaga	acagtttgtg	atttctattg	ctggtagcta	960
ggtatcttat	tcgtgccact	cttgttcaag	tatctaactc	ttctggaaac	caaataggct	1020
ttagaagaga	ttatctata	ttcctatcag	tataatacta	aaatgtatac	ttttaatcat	1080
ctggtttttt	aaagataaac	agtttagccc	atctctccag	agagcaaaac	taggaatatg	1140
actcaggagc	ctcctagggc	ttatcatcag	ccctcacacc	cgcttccccc	tccaaccacc	1200
agcctttgct	tcagggtggc	aggattacta	ctttgctctc	tcagcagcat	ctactctagg	1260
catatttgat	atttttagaca	ctgggagaga	agaaacctca	actaggagga	aaagacagag	1320
cctccactta	gttttgggag	gggtaggcag	acagtcaagg	agatgagcgt	cctaaggcat	1380
gttgggatag	ggtcagatgc	accaccatg	gagaggtttg	tcaacacaaa	gacatggga	1440
gttagagggt	gttcaacaaa	aagacatgga	aggttagtgt	gtgcaacaca	aagacatgga	1500
agatttagag	tttgtcaaca	caaaagatac	ggaagaatgg	gctgcagaag	atttagatgt	1560
tttccatttg	ggcacatttt	acttagctgg	agaaactagg	ttaaaacacg	ctgggttaga	1620
aaattagaag	caagctggat	cgagtggtc	atgcctgtaa	tcccaacact	ttggggaggt	1680
ccaggcagga	ggatcacttg	ggccaggag	gtcaagcctg	cagcagagct	agatcacacc	1740
actgcactcc	agcctggggt	gatagaacaa	gacctgtctc	caaaaaaa	aaaaaa	1799

<210> 8
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF035284

<400> 8
 caaaaagaca tggaaggtta ggtttgtcaa cacaagaca tggaagatta gaggtttgtc 60

<210> 9
 <211> 1380
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF052162

<400> 9
 gtcaaaagat atttatttat aggccttttt ttttttaata tagaatctga ggctgtttgg 60
 gctttgactt aaatttcact caggctctc tcacagcagg atccctctc tttccgctgg 120
 gtccctctgg gaggtgtgaa ctcaagggcc tagcccaaaa acacttttct gctttttctt 180
 aatccttttc cagtcctctc tttttttata aacgttggca gtttgatgt tctgtttcgg 240
 caataacgta tcactttcac tgtagcctaa actccagtc gaggttggat attgttcaaa 300
 tgagcagggc ccgagctgga agcgcaaggc agcccgccgc gtcccgctcc tcccttgccc 360
 tcaggccagg tccctgctgg aagcggctgc atcttctgt cagcctgggt ttccatgggt 420
 actggcgctc cgcagccacc cgagtatggc tgacctctct gcagagagag gaggccaggt 480
 cttttgcttg tggaaggaga cgtcgggctg tgcggtgcgg aggtgatga ggtgtctgg 540
 tgacagccgt gcggacacca ctctctctcg cagcactgcc tccagcgccc aggtgcggg 600
 gcacatccca ctgagagcgg ggtcctgcc ccatcttaga gtcaaggcca gaggggcttc 660

caggcccttg	atgggggtatt	ttgggtgtcac	ctgaagctccc	tctgacatca	ccttgttttca	720
tcattttttta	tgacagaatt	agaaacccat	ccttcaagca	caataatcat	cacagacttg	780
agtttgccttc	ctaaaagcaa	ggctccgggt	ttgtttggaa	aatttttttg	atttctgaaa	840
tgaattgatt	tttatatttg	gggcatctct	atagaagtg	accaccaag	ccagtaagta	900
cgggaaaaaaa	tgtttactaa	cttctcaga	gattcgtgat	acgcgtttct	ccactgacag	960
acatttaaaa	acaaccttca	gctccgtttc	aatcaatcac	ctcgacttgt	tttttagcat	1020
ggacactgcc	agcaggagac	acagggatgg	agtaaaccca	agtcaatttc	agggtctctg	1080
cgtgtgttg	cacagaagaa	atcctagtgc	agcctttggt	agctaacagt	cactgatttt	1140
ataattggag	aatgcgtaaa	gattcatttt	tcaaggagaa	gagcctgcga	atggccaagt	1200
aaggaggtta	ataaactaag	atattccgag	ggaaggagcc	cagccacact	cccttccgca	1260
gctctgcaga	tgaagggttt	tttgaatgaa	atgccactgt	gcattttcag	aaaaaaaaat	1320
ctctgataaa	cagactttga	atggaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	1380

<210> 10
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF052162

<400> 10
 cagtaagtac gggaaaaaat gtttactaac ttctcagag attcgtgata cgcgtttctc 60

<210> 11
 <211> 1722
 <212> DNA
 <213> Homo sapiens

<300>

<308> AF055033

<400> 11						
gggaaaaaga	gctaggaag	agctgcaaag	cagtggtggc	tttttccctt	tttttgcctc	60
ttttcattac	ccctcctccg	ttttcaccct	tctccggact	tccgctagaa	cctgcgaatt	120
tcgaagagga	gggtggcaaag	tgggagaaaa	gaggtgttag	ggtttggggg	ttttttgttt	180
ttgtttttgt	tttttaattt	cttgatttca	acattttctc	ccaccctctc	ggctgcagcc	240
aacgctattt	acctgtttctg	cggcgccgcg	caccgctggc	agctgagggt	tgaagaagcg	300
gggtgtattt	agatttttaag	caaaaatttt	aaagataaat	ccatttttct	ctcccccccc	360
caacgccatc	tcocactgct	cagatctcat	tatttcggtg	gttgctgggg	gggtgaacaat	420
tttgtggctt	tttttccctc	ataattctga	cccgctcagg	cttgagggtt	tctccggcct	480
ccgctcactg	cgtgcacctg	gcgctgcctc	gcttccccca	acctgttgca	aggctttaat	540
tttgcgaact	gggaacctgt	cgcaggcacc	ccagccctcc	acctctctct	acatttttgc	600
aagtgtctg	gggagggcac	ctgctctacc	tgcagaaaat	tttaaaacaa	aaacaaaaaa	660
aaaaaaatct	ccggggggccc	tcttggcccc	tttatccctg	cactctcgct	ctcctgcccc	720
cccccgaggt	aaagggggcg	actaagagaa	gatggtgttg	ctcacgcgct	tctctctgct	780
gctggccgce	tatgcggggc	cgagccagag	ctgggctctc	ttcgtgcagc	ggagccctgc	840
gcagcagaaa	gccctctcca	tgtccccccc	cagccccctg	ggctgcgagc	tggtcaaggga	900
gccggctctc	ggctgctgca	tgaactgcgc	ctggcccgag	gggcagctgc	gcggcgctca	960
caccgagcgc	tgcgcccaag	ggctgcgctg	cctcccccg	caggacgagg	agaagccgct	1020
gcacgcctct	ctgcacggcc	gcgggggttg	cctcaacgaa	aagagctacc	gcgagcaagt	1080
caagatcgag	agagactccc	gtgagcacga	ggagccccac	acctctgaga	tggccgagga	1140
gacctactcc	cccaagatct	tccggcccaa	acacacccgc	atctctcgag	tgaaggctga	1200
agcagtgaag	aaggaccgca	gaagaagaat	gaccacagtc	aagtttgcgc	ggggagccga	1260
agacactgcc	cacccccgga	tcatctctgc	acctgagatg	agacagaggt	ctgacgaggg	1320
ccccctggcc	agacacatgg	aggcttccct	gcaggaagctc	caacgcagcc	cacgcatggt	1380
gcccgctgtc	gtgtacctgc	ccaatgttga	ccgcaaaagg	ttctacaaga	gaaagcagtg	1440
caaaaccttc	cgtggccgca	agcgtggcat	ctgctgggtg	gtggacaagt	ctggagagaa	1500
gctgccaggg	atggagtaac	ttgacgggga	ctttcagtg	cacacctctg	acagcagcaa	1560
cgttgagtga	tgcgtccccc	cccaaccttt	ccctcaccct	ctcccccccc	cagccccgac	1620

tccagccagc gcctccctcc accccaggac gccactcatt tcattctcatt taagggaataa 1680
 atatatactct atctattttga ggaataaaaaa aaaaaaaaaa aa 1722

<210> 12
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF055033

<400> 12
 tccacccagc gacgccactc atttcattctc atttaaggga aaaaatatata tctattctatt 60

<210> 13
 <211> 1411
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AK001166

<400> 13
 aaacaaagag atgccacccc tgtgtgatgg ctttggtacc cgaacactga tgggttcagac 60
 attttcccggt tgcattcttgt gttccaagga tgaagtggac ttggatgagt tatttagctgc 120
 tagatttggtga acgtttcttga tggacaatta ccaggaaatt ctgaaagtcc ctttggcctt 180
 gcagacctctc atagaggagc gtgtgggtcca tctacgaaga gtccagataa aataccacagg 240
 agctgatatg gatatacactt tatctgctcc atcatttttg cgctcaaatga gtccagagga 300
 atttgaaatat caaagatcat atggtctctca ggaacctctg gcagccttgg tggaggaaagt 360
 cataacagatg gccaaactct ccaacaaaga gaaaaagaag aaactgaagc agtttcagaa 420
 atcctatctct gaagtctatc aagaacgatt tctacaccca gaaagtgcag cacttctggt 480
 tctgaaaaaa cccaaaccga aaccacagct gctaattggt gcactaaaga agcctttcca 540
 accatttcaa agaactagaa gttttcgaat gtaataatc ttccacagca acaggtgcta 600
 gagaccactg ttgtgtgttt gagtgaatgg ttggttaggag aaagactttg gtggtggaag 660
 aaagaaaagc ataaaaacaa gactactgaa atatagataa agattgcctt agtttttaaa 720
 aatgtttggc cattagtatt ttataaaac tcaatgctag ttttaagtgt ataaatttgt 780
 taaaatttat gagtcaata tatagtata atgttaacat gtttgtaatt gctacagaat 840
 ttaaggggtat ttttatctct gtgctttctt ttctatgagt tttattaaat aattgtgtat 900
 atacatccta gctactgata tctttattat agccttaaga cttaatttta agtcttaaaa 960
 atagcgtgta tacttgaata agaaagacac tgggtactgt tactgtgatg ctattgactt 1020
 agtagccaat tatcatttct cctgtataaa ttccagtttt tattgtctga cataaatttt 1080
 ttaattgtct atattgtgat agctatgtct ttatttgagc atttatttga tgttatgaca 1140
 gatatttacta aaagctagtgt ttttataaca tatataatga ttgatgttta cctataagtg 1200
 gagtagatttt tcatctgctt gcaatgggat aatttcagtc tttagctaaaa atggaaagt 1260
 gaactggata aattctttgg gtacccttag accctctgatt ctaagctaaa tgcataatgg 1320
 taaaataaaa tgagactact tcttttataa atatattttc atccttttga aagtaagtga 1380
 aatgtaaata aacttatttt ttttaaaat g 1411

<210> 14
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AK001166

<400> 14
 acccttagac ctctgattct aagtcataatg caaatgggtt aaataaaatg agactacttc 60

<210> 15
 <211> 2352

<212> DNA
<213> Homo sapiens

<300>
<308> AL049367

<400> 15
ggcaaacccc tttttaaactc taatgtctgg gctttgagta tttagtcatt taggggtggac 60
aaatgcattt cgtgttttcaa actgctcaca tttattcagt atttctccaa gtgtctatct 120
actcagcctt atgaatgcc cctcgttttc taaggccatg tgaaaaatca ggcactggcc 180
ttagcctgtt gcatctctct ttttcgttct gcgatatgcc cagttcccaa atcaattata 240
ggtacctgtt taggagagag gaagatttta cctctcaaa ggtgagattt gaaatttaca 300
ctaaaaagac aactttacat ttaatgtctc acttaaatgag acattctttt ttttataagt 360
ctatttttct actcagtttc agaacactaa tctgatttcc actctgattt ttaacgtttc 420
ttlaaatatt tataatgtag cttctttcaa aatattttca tgaaaaatta cttttattat 480
accattattt gcatgttatt ggtagcaggc atagtttatt atttagtact gaacatgct 540
ctttttacata acagtaaaaca agtatgtttt gatataatc tgtttaatatg cttatagtgg 600
taagaaatgg acttgaggct ccaggagatt tcatattatt caccctggct agatataata 660
aaggctaatg gtataaaatc ataacttctt aaccagggtg agggcattt catgaatatc 720
aaatcttttt atgtcggacc caagagagga aaagtgttag ctataatgtt atttacttat 780
aactagacgt ctatgtgaga aaatatatgt atacatatat atgatatgca gaagtcaact 840
tttttatcag gctttattct ccttacaagg ccacagttta actgtctgca acagttgggt 900
tatgttaaag atagacaaat acccagtggt tgttactttt tccaactacc actgtaataga 960
taatctttct cagctatata catgcaactt ctgggttcca ttccatgaa cgtgtttcaa 1020
tatattcagt atactttgtc cttaatgctg cttctgttaa cagtgtatct tttcttttt 1080
tcattcttat actctcatta gttcatcata aatctgtcca gttgaggctc caggaccag 1140
gcatgatttc atgactccga agtattttac agaaacattt ttaaaaaag ggaatattt 1200
tatataccag atggttcaca agtgatggct catagctagt tttttttttt tcttctaaaa 1260
aaatgcaggt tttttaaactc atttaacctt ttaaaatgaa aagtgccata cttaactttt 1320
aaaggaaaaga cctgacttgc tttttctcta tttagactgt tttgtactt tactaatctt 1380
taaaactatac ggaaaaaaaa caaaacttta taccatgat ttagtaattt tgaggcatag 1440
ggtagcttacc gtatgtggag agtgccaaa tattctcttc aaatgccacc tcttcaattt 1500
ataactaaaa tagtgttacc tgactaatc ctctgaattt tgatgtaaga tctatatagg 1560
cccccaaaat gatcgtatga catgccagtc atttctcagt gaaataaata caataccaga 1620
gtacattatg ggtttttatt ctttctttta tggtagacct gttaatgggg aaaaaataca 1680
tcaaatcaaa tagaatctta tatctgtatg ttaaaaataga gcacttacct gaagtcagtg 1740
gcctggatca tagccctgga tcaattccca gtcgtctctg tgcgtgtgta ccttggacaa 1800
ggcgtcttca ctctctgggc ctctatttct ccatttgtaa acaacagttgc tgcagtagat 1860
gatggctgag agcccttctt gttcccagat gccttggctc aaagaccctca cccctctgct 1920
gtgtctgcca acgtgttggt gctataaagt gcttcagata taaaatttgtt ttattcataa 1980
tgtttttcca ttttaatgct tctaaaaggc ctttttgtta taacgtgctt ttttctagtg 2040
tttatggact tgattactgt aataatgtct tgttttttag catgttaacta caaacacata 2100
ttctcttgat gctcttagtaa atttgcattt gatataatc ttgatgagat ttgttgttat 2160
gtaattattt ttggctacgc actcttcag catcttatta accataatc ttgtgatcatt 2220
atttggaaat atgtcctatg gaaaagaataa aagcatgtac ttacacagta gcatgttcac 2280
agatttgaaa gaagtttcat taaaagcacc attgtcttct gtaaaaaaaa aaaaaaaaaa 2340
aaaaaaaaaa aa 2352

<210> 16
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> AL049367

<400> 16
atttggaaat atgtcctatg gaaagaataa aagcatgtac ttacagcta gcatgttcac 60

<210> 17
<211> 1130


```

<212> DNA
<213> Homo sapiens

<300>
<308> AL080235

<400> 17
ggctgcccga cgggcccgtt cgggcccgcg gcccccacca gccgcccgcg cggccaccgc 60
ggggcgccca cgcgcgtgcc agcctaccgc gccgcccagc cggccggggc gctgtggctg 120
cagggcgagc cgcctgcatt ctgctgccta gacttcagcc tggaggagct gcagggcgag 180
cgggctctgc ggctgaaccg taagccattt gagtccacgc tgggtggcct cttcatgacc 240
ctggctacgc tgggtgggag cgtggccgcc ctcatctggc cggcgcccat catcgccgcg 300
ttcctgcccc acggcatgga acagcgccgg accaccgcca gcaccaccgc agccaccgcc 360
gccgcagtgc ccgcagggac caccgcagcc gccgcggccg ccgcccgtgc cgcgcggccc 420
ggggccgtca cttcgggggg ggcgaccaag tgaccgcctc cgtcctctcc tgtgtccgtc 480
ctgtgtccgc gcgcgggggt gcctttcccg ccgggggact gccgggtgtg cttcgtgctg 540
tagttatcgt tagttcctct tcccagatg gggccgccga gagaccacag cgccttgaa 600
aagcaaggtt tgtgctgcgc ttccagttcc gaaaagcaga tgtttaagcc cttggactga 660
gggtgggata gcagctgcga agacggagag gagggaatg gggccctttc cctctattg 720
catccccctc cccgactcct tccccgacc cactgcccct agattcatg cagaaaatga 780
ccaaatcctg tgtattttgt ttatatattt aataactggt ttaaatgaaa gttttagtaa 840
aaaaaataca aacaaaaaag attaaattgc tattgctgta gtaagagaag cttttgtat 900
ctgaacatag ttgtatttga aatttgtggt tttttaattt atttaaaatt ggggggaggg 960
catgggaagg atttaaccac gatataattg tacgcctgaa aatgaacttt atgaaccttt 1020
tccaaagtga tctatccagt gacgtggcct ggtgggcgtt tcttcttgta cttatgtggt 1080
tttttggcct ttaatacaga cattttcctc caaaaaaaaa aaaaaaaaaa 1130

<210> 18
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> AL080235

<400> 18
ctttgaaaag caaggtttgt gctgcgcttc cagttccgaa aagcagatgt ttaagccctt 60

<210> 19
<211> 2498
<212> DNA
<213> Homo sapiens

<300>
<308> AL137540

<400> 19
gctgaaaaga cagtccttgc cctgtcagag aaatgacctg aacgaagagc ctcaacattt 60
tacacactat gcaattctatg atttcattgt caagggcagc tgcttctgca atggccacgc 120
tgatacaatgc atacctgttc atggcttcag acctgtcaag gccccaggaa cattccaat 180
ggtccatagg aagtgtatgt gtaagcaaaa cacagcagcg agccactgcc agcactgtgc 240
cccgctatac aatgaccggc catggggagg agctgatggc aaaacggggg ctcccaacga 300
gtgcagaaac tgcaagtgtg atgggcctgc tgataacctg cacttcagagc ttaatgtgtg 360
ggaggcatca ggggaatcgt gtggtgggtgt ctgtgatgac tgtcagcaca acacagaagg 420
acagattatgc cagaggtgtca agccaggctt ctatcgtgac ctgcggagac ccttctcagc 480
tccagatgct tgcaaacctg gtctctgccca tccagttaga tcagctgcc ttcctgccaa 540
ctcagtgacc ttctgcgacc ccagcaatgg tgactgccct tgcaagcctg ggttgccagg 600
cgacgcttgt gacaggtgtg ttgtgggata ctggggcttc ggagactatg gctgtcgacc 660
atgtgactgt gcggggagct gtgaccctat caccggagac tgcatcagca gccacacaga 720
catagactgg tatcatgaag ttctgactt cctgccgtg cacaataaga gcgaaccagc 780
ctgggagtg gaggatgcgc aggggttttc tgcacttcta cactcaggtt aatgcgaatg 840

```

taaggaacag	acattaggaa	atgccaagcg	attctgtgga	atgaaatatt	catatgtgct	900
aaaaataaag	attttatcag	ctcatgataa	aggtaactcat	gttgagggtca	atgtgaagat	960
taaaaaggtc	ttaaaatcta	ccaaactgaa	gattttccga	ggaagcgcaa	cattatatcc	1020
agaatcatgg	acggacagag	gatgcacttg	tccaatcctc	aatcctgggt	tggaaatccct	1080
tgtagcagga	catgaggata	taagaacagg	caaactaatt	gtgaatatga	aaagctttgt	1140
ccagcactgg	aaacctttct	ttggaagaaa	agtcattggt	attttaaaaa	gagagtgcaa	1200
gtagcattaa	gatggatagc	acataatggc	acttgtctat	gtacaaaaca	caaactttag	1260
agcaagaaga	cctcagacag	gaaactggaa	ttttttaaag	tgccaaaaca	tatagaaatg	1320
tttgaatgca	tgggtcttat	ctaacttato	tcttctggac	ccatgtttaa	atacagtttt	1380
attttcatga	gagaaatgaa	aacccctaca	ctgatatctg	ttttctatgg	gaactgattct	1440
gaaatttcta	actatttaaga	atattttaat	agcagcatga	cattttagcag	taatccatta	1500
agggcgctac	ctctaaacag	gacgccttcc	actgtcagcg	atgttaatta	cggttgatgc	1560
tacttaaaagt	aatgaatgac	gttttaagga	atccctaacc	ctactatcag	aaaaggtggt	1620
tgtaaaagag	ccttctcttg	tgtgttacgc	atgaactttg	gtctgtagggt	gttaaatgga	1680
acctctccat	gtgtatatag	tatttctctg	tataaagcac	tttactacct	accacttggt	1740
ttgtgaacgt	ttggtgactg	ctgttgaaag	aaggaaaaag	gtgtgtgaga	aagcctactg	1800
aagcagcagc	actgccacta	catgtggaca	aaagtgaaca	tataaaagaa	gttgtgctat	1860
ttaactctga	atacttggag	aaactagggt	aagatgcaac	cagaaaaggag	aataatgtatg	1920
cgtgaagtc	cagctttgag	ctggaggcta	gattccaaga	tgacagccat	gatgaaactt	1980
tttaaaaaac	taaacccagaa	gagactttaa	aataagagaa	agaaatcata	caatgtagaca	2040
tatgtttggc	taaaaggggaa	atggacttta	aatttttaag	agctctattg	aaatgcactt	2100
gtataccactt	caaaaaattat	tgtagacaca	gaattttgta	tattttttgtg	cttagtattt	2160
aaacctgaac	attgaacacg	ttttctctct	tgctttctct	aacagtaata	gtcattatat	2220
tacactgttt	tttaacacaa	tgatgtgat	agtcacaaaa	tacagatttt	tcatatttat	2280
tcatctctctg	taccacagca	taaccactat	acatagtctc	ttttgtactt	gaatatcaaa	2340
aaatgaacaa	cagtgccata	tgaataattt	cacatacaga	accttttttt	ctctgaagtc	2400
ctgtggactct	gcataatatat	atataatttg	ctttgttaat	ttgtttttat	atttcatata	2460
tgtaataaaag	gaatatgatc	tgaaaaaaaa	aaaaaaaaa	2498		

<210> 20

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> AL137540

<400> 20

tgagggtcag attccaagat gacagccatg atgaaacttt ttaaaaaact aaaccagaag 60

<210> 21

<211> 914

<212> DNA

<213> Homo sapiens

<300>

<308> AL160131

<400> 21

cgcaccgcag	gagcaacggt	tggctctgag	gctgtgatgt	cggtgttgag	gccctggac	60
aagctgcccg	gectgaacac	ggccaccatc	ttgctggtgt	gcacggagga	tgetctctctg	120
cagcagctgt	cggactcgat	gctcaaaagag	gaactgcgct	ccagatgctaa	ggtccacttg	180
gcaaagtccc	tcctctttgac	ctccagtggt	aatcggcccc	gaattgacct	gatcgtgttt	240
tggtgttaate	ttcacagcaa	atacagctctc	cagaacacag	aggagtcctc	gcgcactgtg	300
gatgcagactg	ttctctttggg	gaaggtgtgt	ttctctcgcca	caggtgtctgg	gcgggagagc	360
cactcgagca	tccaccggca	caccgtgtgtg	aagctggccc	acacctatca	aagccccctg	420
ctctactgtg	acctgagggt	ggaaggcttt	agggccacca	ctggcgagcg	cctgtgtgcg	480
gtgctgcaga	ctgtgtgctg	ccacgtgccc	ggtgtctcag	ctctgaacct	gtgtgcctctg	540
ctgagaagct	ctgaggggccc	ctccctggag	gacctgtgag	ggtggctggc	ccctgggctg	600
ccctctctca	tggtctctgtg	ctgactccat	aaacattctc	tgttgaggat	gtccagtcag	660
ggcttgacag	gccccaggctc	agcccgcggt	ggctgggaa	gttccctgca	gtgccagtcg	720

tcgacgagg	agagctgggc	agaagcagcg	agggggccca	gctggcgaga	ctgtagcccc	780
ctcccactcc	cacactcact	cttcgagagc	ctgtgtcttt	aagcagctgg	cggtttacat	840
ctccatttaa	ggtttccctt	gaacaaaagg	tctgtggcta	aaaaaagttt	aaaatcact	900
ggtctcattc	acca	914				

<210> 22
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AL160131

<400> 22
 agctggcggtg ttacatctcc atttaaggtt tcttttgaac aaaaggtctg tggctaaaaa 60

<210> 23
 <211> 4753
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D13642

<400> 23

cttcaatcaa	gtagccttcc	cactgcagta	cacaccagg	aaatttgtca	tccaccctga	60
gagtaacaac	cttattatca	ttgaaacgga	ccacaatgcc	tacactgagg	ccacgaaagc	120
tcagagaaag	cagcagatgg	cagaggaaat	ggtggaagca	gcaggggagg	atgagcggga	180
gctggccgca	gagatggcag	cagcattcct	caatgaaaac	ctccctgaat	ccatcttttg	240
agctcccaag	gctggcaatg	ggcagtgggc	ctctgtgata	cgagtgtatg	atcccatcca	300
agggaaacata	ctggaccctg	tccagctgga	acagaatgag	gcagctttta	gtgtggctgt	360
gtgcagcttt	tccaacactg	gtgaagactg	gtatgtgtgt	gtgggtgtgg	ccaaggacct	420
gatactaaac	ccccgatctg	tggcaggggg	cttcgtctat	acttacaagc	ttgtgaacaa	480
tggggaaaaa	ctggagtttt	tgccacaagac	tctctgtgaa	gaggtccctg	ctgctattgc	540
cccattccag	gggagggtgt	tgattgggtg	ggggaagctg	ttgcgtgtct	atgacctggg	600
aaagaagaag	ttactccgaa	aatgtgagaa	taagcatatt	gccaatata	tctctgggat	660
ccagactatt	ggacataagg	taattgtatc	tgatgtccaa	gaaagtttca	ctgggtttcg	720
ctacaagcgt	aatgaaaccc	agcttatcat	ctttgctgat	gatacctacc	cccgatgggt	780
cactacagcc	agcctcctgg	actatgacac	tgtgctggg	gcagacaagt	ttggcaacat	840
atgtgtgggt	agggctccac	ctaaccacaa	tgatgaagta	gatgaggatc	ctacaggaaa	900
caaagccctg	tgggaccgtg	gcttgcctca	tggggcctcc	cagaaggcag	aggtgatcat	960
gaactaccat	gtcggggaga	cggtgctgtc	cttgacaga	accacgctga	tcctctggagg	1020
ctccagaatca	cttgcctata	ccaccttgtc	tggaggaatt	ggcactcctg	tgccattcac	1080
gtcccatgag	gaccatgact	tcttccagca	tgtggaatg	accctgcggg	ctgaacatcc	1140
ccctctctgt	gggggggacc	acctcagctt	tcgctcctac	tacttccctg	tgaagaatgt	1200
gattgatgga	gacctctgtg	agcagttcaa	ttccaatgaa	cccaacaaac	aaaagaaagt	1260
ctctgaagaa	ctggaccgaa	ccccaccgga	agtgtccaag	aaactcgagg	atatccggac	1320
ccgctacgcc	ttctgagccc	ctcttcccg	gtggggcttg	ccagctgctg	tgtgttttgt	1380
ttccccacac	accatcactg	ccactggctc	cttgccatgt	ggcaggaggat	tgactggata	1440
attaagactg	cattatgaaa	gtcaacagct	cttccctctc	agctctcttc	gtgcaatgac	1500
tggcttcccc	tcaaattgcc	actgagattt	gtcacacttc	tccccacctg	gtacatgata	1560
catgacccca	ggttccagtg	tagaacctga	gtcccccat	ccccaaagcc	atccctgcac	1620
tgatatgtct	tgactctcct	gtctactctt	gcacacaccc	ttaattttta	attggttttc	1680
ttgtaaatca	agttttgtac	aatgttatct	ctgtggggagg	aaggaggcag	gctgtgggtg	1740
gactgggtag	ggatatagat	cactcctgag	ttccactgtg	ctagaactca	accagaaata	1800
gaacacctagt	ttttaaagtg	actggcatcc	atgtgtcttg	ttctggagat	gaggaatgat	1860
gtgggaggtt	tgaacccaa	ttagagcagg	aagaactgag	tagactcctt	cttccagat	1920
accgacttgg	acttgcggca	ctctgtggct	ccccaccccc	aggtctgtgg	tggtttcttt	1980
gtttttttct	gggttttttt	gctgtgctga	tgaacacatg	cttcaataac	cttctgtata	2040
ccccccctct	ttcccactgg	gtattgagga	aggggtggct	attcttctct	ctctcttact	2100
ctgaggatgt	tagtatgggg	atttttagcat	gaattccagc	tggggagctc	taacagatgc	2160

cccttttact	gatatagcac	ctaaagcgat	ctttggctcc	ataggaccat	aggaagggtc	2220
agtcacagaa	aacctagata	ctgccctgcc	cctgagaact	gtgtatatgt	ggggcctgtc	2280
tgacgacccc	atctcaggtg	ggttccagag	ggcctttagg	gtataatgag	agcctgttag	2340
gtggaagagg	cccagttcca	gaaatgttcc	agcccacccc	tgagaattcc	tcctgttttag	2400
ttgtgtggga	agccctcgct	ttccaggctg	tccttgccgc	ttgaacctgg	agaagttagc	2460
tcactgttct	caacttctca	caaatgtaaa	actttcttct	gtctgcattg	gctcagccat	2520
ctaaatttag	caaatgatct	ggtgagcact	gggttagaat	caggaatggt	ggaatacaat	2580
ctgaacctct	cagagccagc	aacagagggg	tcctgacact	gtgacactgt	ctcctgggaa	2640
taagtatctc	ttgaatcatg	acttggtttt	agatcagtea	agagagacc	aggtttttgcc	2700
aggaatcgaa	tccttaataa	acatgttttt	ttctcaacta	gctcatgaa	ttgctatgta	2760
gacagttagt	ctgaattaga	ttttgaaaac	ctaatttcag	ggctcatttt	ttcctgtggc	2820
cttaaatcca	ttctatcaaa	ttgtgtgata	ctgacatgca	ttgctctgag	gaactcagcg	2880
tagatacttg	agcagctcct	cgctcttttt	ctaactcaag	tttgactaaa	atacatcac	2940
tccgtacaga	aggtaggggg	ttatgttaaga	aaggaatacc	taactctatg	aatcaggagt	3000
tgtcaccacc	gagcttccct	tggaagtctg	cccatcagct	tgctgttctt	ctgttaagag	3060
gaagggtcag	gacaaggatt	ttggcctgaa	tatgtggaaa	ggaattttca	tagttgttgc	3120
tgacggacct	acaaaagatt	aaaatttagat	tggtgtgac	ccaatgacaa	gtcccatctg	3180
tgtaattggt	aaggggacct	gattgactcc	tgtggtttga	ttgagcaacc	aggtaaatag	3240
agacctctct	ccagcttttg	caaaaacctc	cagaggctgc	tgacagaact	agacagaggg	3300
atctgccctt	gggtttgctt	ccatcctggt	ccattgttaa	gcccttgtga	cttggaatct	3360
aggactgaaa	agttttttagc	tgccctcagct	ttccctgac	cttactggca	gaggtttctgc	3420
agatgtttcc	tttggaagat	ctcttgccaa	gaatagcatt	cctttggagg	aggggggttc	3480
tagttggaat	gttgcttttc	ttggttagtg	taaatgtatt	gctagtgaga	cagctgtccg	3540
cgctgaaaaa	ggctcgcttc	acagggagag	tgctgggtccc	cagaattgtg	gctgtgcca	3600
cgctgtgcc	tttcttgagc	ttgttagagg	aaagccagaa	aggcattcag	atgggatcag	3660
ctctgctttc	aaattttttt	taattcctaa	gttctgtttt	attttttaat	tttttaaaaz	3720
aaattttatt	agagacagct	tcctctctct	gctcagctgg	gagtgagctg	gagtgatcat	3780
agctcactga	ggcttgaact	cctgggctcg	agcaatccac	ctcagctccc	agagtggggg	3840
agactacaga	tggtgtgcac	catactcagc	tagtttttaa	actttctgat	agacagggct	3900
tcctctgtgt	gcccaggctg	gcctcgaact	cctgacctca	aaaaattctc	ctgccttgcc	3960
ctccagcgcc	tttgagaggg	tgaggcagga	ggaatccctg	agcccaggag	tttgagacca	4020
gctctgacga	catgacaaaa	ccccatctct	ccaaaaatac	aaaaattggc	caggcatggt	4080
ggtgcacact	tgtagtccca	gtaattaggg	ggctgagaca	ggaggatcac	ttcagcctat	4140
gagttttgag	ctgcagttag	ctgtgattgc	gccactacac	tcagccctg	atgacaggac	4200
gaaaacctgtc	tcaaaaaacac	caaaaaacaa	aaaccgggtc	cctgggggtca	tggtagcaca	4260
aacgcacatg	actgagtgtc	caggggtttc	gaggctgttc	cgctgacctg	gggctctggc	4320
cctgggagat	ctggggggacc	tgctgtccta	tatgtgatgc	tttgaagaa	aggggcatca	4380
ttccaaagcca	agaggcccca	gagagggcac	cgtaggggtg	tcaggctctg	gtgaggcccc	4440
agtgagatgc	tggtgctgtg	cccccatcac	ctccaccac	ctcgcctctc	cactagctgc	4500
ccaacggatg	aatcaacgcc	ttggcagagt	tttcagcag	ggccttgca	agagtgtgtg	4560
tgacctgtgt	ggccactgct	ttggggacgg	gtgaggagtt	actctggaac	attccagctg	4620
gggcattatt	gtcctgtgtg	aagttcaggg	caaaaccagg	aatccagttt	tgctgatcca	4680
atttgagaaa	catttcagta	acaaactact	gtggcatgca	ttggcactcg	gaataaagcg	4740
cactattgtc	act	4753				

<210> 24
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D13642

<400> 24
 aaaccaggaa tccagttttg tgcagccaat tgagaaaaca ttctcatgaac aactaattgt 60

<210> 25
 <211> 2591
 <212> DNA
 <213> Homo sapiens

<300>

<308> D25328

<400> 25

```
ccggagcgtg  cggtccccct  cggctctctc  gccatggacg  cggagcagctc  ccggggcccc  60
aagggctcct  tgcggaagtt  cctggagcac  ctctccgggg  ccggcaaggc  catcggcgctg  120
ctgaccagcg  gcggggatgc  tcaagggtatg  aacgctgcgg  tccgtgccgt  ggtgcgcgatg  180
gggtatctacg  tggggggccaa  ggtgtacttc  atctacgagg  gctaccaggg  catggtggac  240
ggaggctcaa  acatcgcaga  ggccgactgg  gagagtgtct  ccagcatcct  gcaagtggcg  300
ggagcagatca  ttggcagtg  gcggtgccag  gccctccgca  gcttcccgca  ccgcctggaag  360
gcgtcttgca  accgtctgca  gcgcggcatc  accaacctgt  gtgtgtatcg  cggggacggcg  420
agcctcaccg  ggcccaacct  ctccgggaag  gagtggagtg  gctctgctga  ggagctggcc  480
aggaaacggcc  agatcgataa  ggaggccgtg  cagaagtacg  cctacctcaa  cgtggtgggc  540
atggtgggct  ccategacaa  tgattcttgc  ggcaccgaca  tgaccatcgg  caccgactcc  600
gccctgcaca  ggtatcatga  ggtcgtcgac  gccatcatga  ccacggccca  gagccaccag  660
aggaccttgc  ttctggaggt  gatgggacga  cactgtgggt  acctggccct  ggtgagtgcc  720
ttgacctgcg  gtgcggactg  ggtgttctct  ccagaatctc  caccagagga  aggcgtgggag  780
gagcagatgt  gtgtcaaaat  ctccggagaa  cgtgcccgga  aaaaaaggct  gaatatatt  840
atttgtgctt  aaggagcaat  tgatacccaa  aataaaccca  tcacctctga  gaaaaacaaa  900
gagcttgtcg  tcaacgcagt  gggctatgac  acacgtgtga  ccatcctcgg  gcacgtgacg  960
agaggaggga  ccctctcgcc  attcgacagg  atcttggcca  gccgcatggg  agtggaggca  1020
gtcatcgctt  tgctagaggg  caccocggac  accccagctt  gcgtctgttc  actgaacggg  1080
aaccacggcc  tgcgcctgac  gctgatggag  tgcgtgcaga  tgactcagga  ttgtgcagaag  1140
gcatgagacg  agaggagatt  tcaagatgct  gttcgaactc  gagggaggag  ctttgcggcg  1200
aacctgaaca  cctacaagcg  acctgccatc  aagctgcggg  atgatcagat  cccaaagacc  1260
aattgcaacg  tagctgtcat  caacgtgggg  gcaccocggg  ctgggatgaa  ccgcggcgta  1320
cgctcagctg  tgcgcgtggg  cattgccgac  ggcacacgga  tgctgccat  ctatgatggc  1380
tttgagcgtt  tcgccaaggg  ccagatcaaa  gaaatcggct  ggacagatgt  cggggcgctgg  1440
accggccaa  gaggctccat  tcttgggaca  aaacgcgttc  tccocgggaa  gtacttggaa  1500
gagatcgcca  cacagatcgc  caccgacagc  atcaacgcgc  tgctgatcat  cgttgattct  1560
gaggcctacc  tgggactcct  ggagctgtca  gccocccggg  agaagcagca  ggagttctgt  1620
tccccatgg  tcatggttcc  gcctactgtg  tccaacaatg  tgcgggttcc  cgatttcagc  1680
atcggggcag  acacgcctct  gaacactatc  accgacacct  gcgaccgat  cgttcagctc  1740
gccagcgga  ccaagcggcg  cgtgttcatc  atcgagacca  tgggcggcta  ctgtggctac  1800
ctggccaaca  tgggggggct  cgccggccga  gctgatgcgg  catacatttt  cgaagagccc  1860
ttccacatca  gggatctgca  gtccaacgtg  gagcacctga  cggagaaaa  gaagaccacc  1920
attccagag  gccctgtgtc  cagaaatgag  agctgcagtg  aaaactacac  caccgctc  1980
atttaccag  tgtattcaga  agagggcaaa  ggcgtgtgtt  actgcaggaa  gaacgtgtct  2040
ggtcacatgc  agcagggtgg  ggcaccctct  ccatttgata  gaaacttttg  aaccaaaaatc  2100
ctctccagag  ctatggagtg  gatcactgca  aaactcaagg  agggccgggg  cagaggaaaa  2160
aaaattacca  ccgatgatct  catttgtgtg  ctgggaataa  gcaaaaagaa  cgttattttt  2220
caacctgtgg  cagagctgaa  gaagcaaacg  gattttgagc  acaggattcc  caaagaacag  2280
tgggtggctc  agctacggcc  cctcatgaaa  atcctggcca  agtacaaggc  cagctatgac  2340
gtgtcggaact  caggccagct  ggaacatgtg  cagccctgga  gtgtctgacc  cagtcgccgc  2400
tgcatgtgccc  tgcagccacc  gtggactgtc  tgtttttgta  acacttaagt  tattttatca  2460
gcactttatg  cagctattat  tgacattaat  accaatcgg  cgagtgccca  tctgcccacc  2520
cagctccagt  gcgtgctgtc  tgtggagtgt  gtcctatgct  ttcagatgtg  catatgagca  2580
gaattaatta  a 2591
```

<210> 26

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> D25328

<400> 26

tattttatca gcactttatg cactgtattat tgacattaat acctaatcgg cgagtgccta 60

<210> 27

<211> 2573
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D50402

<400> 27
 gaatcgccg atgtgaaccg aatgttgatg taagaggcag ggcactcggc tgcggatggg 60
 taacaggggc tgggctggca cacttacttg caccagtgcc cagagagggg gtgcaggctg 120
 agggagctgcc cagagcaccg ctcacactcc cagagtagctt gaagtgcgca ttccaatgac 180
 aggtgacaag ggtcccaaaa ggtctaagcg tccagctat ggttccatct ccagcccgac 240
 cagcccgaacc agcccagggc caccggcaagc acctcccaga gagacctacc tgagttagaa 300
 gatccccatc ccagacacaa aaccggggcac cttcagccgtg cggaaagctat gggccctcac 360
 ggggocctggc ttccctcatga cacttgcttt cctggaccga ggaacatcg agtcaagatct 420
 tcaggctggc gccgtggcgg gattcaaaact tctctgggtg ctgctctggg ccaccgtgtt 480
 gggcttgctc tgccagcgac tggctgcacg tctgggctgt gtgacaggca aggacttggg 540
 cgaggtctgc catctctact accctaagggt gccccgcacc gtctctggc tgaccatcga 600
 ctgagcctct gtgggctccg acatgcagga agtcatcgcc acggccattg cattcaatct 660
 gctctacgtc ggaagcaatcc cactctgggg tggcgtcttc atcaccatcg tggacacctt 720
 cttcttcctc ttctctcgata actacgggct gcggaagctg gaagcttttt ttggactcct 780
 tataaccatt atggccctga cctttggcta tgaagtatgt gtggcgctgc ctgagcaggg 840
 agcgcttctt ggggctgtgt tcttgccttc gtgcccgggc tggcgccacc ccgagctgct 900
 gcaggcggtg ggcattctgt gcgcatctat catgcccacc aacatctacc tgcaactcgc 960
 cctgggtcaag tctcgagaga tagaccgggc ccgcccagcg gacatcagag aagccaacat 1020
 gtaacttctg attgaggcca ccatcgccct gtccgtctcc ttatcatca acccttttgt 1080
 catggctgtc tttggggcag ccttctacca gaaaaccaac caggctgcgt tcaaacatctg 1140
 tgccaacagc agcctccacg actacgcca gatcttcccc atgaaccaac cactcttggc 1200
 cgtggacatt taccaggggg cggtgatctt gggctgcctg ttccgcccgc cggccctctc 1260
 catctggggc ataggtctcc tggcggtgg gcagagctcc accatgacgg gccactaaga 1320
 ggagcagttc gtgatggagg gcttctctgag gctgcggtgg tccagcttcg ccgtgtctct 1380
 cctcaccgcg tctcgcccca tccgtcccac cgtgctcgtg gctgtcttc gggacactgag 1440
 ggaactgtgc ggcctcaatg atctgctcaa cgtgctgcag agcctgtgcg tcccgctgcg 1500
 cgtgctgccc atcctcacgt tcaccagcat gccccccttc atgcaggagt ttgccaatgg 1560
 cctgctgaac aaggctgtca cctcttccat catggtgcta gtctgcgca tcaacctcta 1620
 cttcgtggtc agctatctgc ccagcctgcc ccaccctgcc tacttcggcc ttgcagcctt 1680
 gctggccgca gccatcctgg gccctcagcac ctacctgttc tggacctgtt gcttgccca 1740
 cggagccacc tttctgcccc acagctccca ccaccacttc ctgtatgggc tcttgaaga 1800
 ggacagcaga ggggagacct ctggctaggg ccacaccagg gcctggctgg gagtggcatg 1860
 tatgactgta ctggcctgct ggaatgtggag ggggcgctgt caggcagcag gatggagtgg 1920
 gacagtctct gagaccagcg aacctggggg ctttagggac ctgtctttc ctatgcagcg 1980
 catgtgatta cctctgggt ctcagtgtcc tcatctgtaa aatggagacg ccaccacctt 2040
 tgccatggag gttaaagcact ttaacacagt gtctggcact tgggacaaac agaaaaaac 2100
 aacaaaaaaa catttcaaaa ggtatttatt gagcacctgc aggcctgacc tgacagcca 2160
 aggggtgggtg gggtaggggc ttgaggactt gggcgggaca caggctccaa actggagctt 2220
 gaaatagtgt ctgatgaatg ttaaatatc tatctatcta ttatttatt ttattgagac 2280
 agggaaaggc tctcctctgc ttgccaaaggc tggagtgtag tggcgcaatc ttaactcatt 2340
 gcaacctcca cctctgggt tcaagcgatt cctcttattc agccccgga gtggcgcg 2400
 ccaccacgac cagctaattt gtgtatttcc agcagagacg gggtttgcca tgtggccag 2460
 gctggtctcg aactgtcgtg ttcaagtgat ccgcccactc cgtctccca agtgcctggg 2520
 aattacaggc gtgagccacc aaaacccggc ctgattaaag ttaataaat acg 2573

<210> 28
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D50402

<400> 28

tggaggttaa gcactttaac acagtgtctg gcacttggga caaaaacaaa caaacaacaa 60
 <210> 29
 <211> 3672
 <212> DNA
 <213> Homo sapiens
 <300>
 <308> L27560
 <400> 29
 acatgtgcat atttcattcc ccaggcgagac attttttaga aatcaatata tgccccaata 60
 ttgaaagac ttgttcttcc accgtgacta cagtacatgc tgaagcgtgc cgtttcagcc 120
 ctcaatttaac tcaatttgta agtagcgcac gagcctctgt gggggaggat aggctgaaaa 180
 aaaaaagtgg gctcgtatatt atctacagga ctccatatag tcatatatag gcataataaa 240
 ctatgtcttt ttctttgttt tttctttctt cttttcttcc aaaggtttgc attaactttt 300
 caaagtatgt cctatagggg cattgaggag ctctctcatt ctgggaaaac tgagaaaccc 360
 catattctcc taatacaacc cgtaatagca tttttgctgt cctcgaggca gaggttcccg 420
 tgagcaataa actcagcttt ttgtgtgggc acagtactgg atttgacagt gattccccac 480
 gtgtgttcat ctgcacccac cgaggccagg agaggccagc cctccgtgtg gcacacagca 540
 cgcgcctcag tccatcccat tttagtcttt aaacctcag gaagtcacag tctccggaca 600
 ccacaccaca ttgagcccaa caggctccag atggatccac ctagtccacc cccagccttt 660
 tcttcttcat tgaacagaat gtgcattttt ggaagcctcc ctactctcc atgctggcag 720
 agcaggaggg agactgaagt aagagatggc agaggagat ggtggcaaaa aggttttagat 780
 cgaggagaa agtaaatagg atggttccgg ccagagtcca tgtggggagg aacagagggc 840
 tgaaggagaa tgttccattc tagctttggc acaaagcagc aaaaaggggg 900
 aaaaagcaat agaaatttcc tttagcttcc caccatattg attttctagg atttgagagg 960
 aaaaagagaa aaatggggga atgggttgca aatatagaaat gaccttaatc caggcccgag 1020
 agccaggagaa ggtgagtaac cttaggaggg tgctagactt tagaagccag ataggaagaa 1080
 tcagttctaa ctggccatgc ttttgaagg acaagactat gtctcccgat gccaccttcc 1140
 agcctgcaat gaaggactga ggcccaagag tcttccagc tcttctccca tcttgccag 1200
 tccctgcat ctccctgggg ttggagatg aaggaagact gggacaagca gggaaacgat 1260
 gattcagggg tctgtcact cggcagccag attccgaaac tccactctcc caatgacttc 1320
 ctcaaccaat ggggtggcct gtgactgttc ttaaggctg aagatatcca ggaaggggg 1380
 cttggcaact ggccaaggag accccttctg gctgtggaca cagctctctt cactctttgc 1440
 tcatggcatg acacagcgga gaccgcctcc aacaacgaat ttggggctac gaagaggaat 1500
 agcgaaaaag caaatctgtt tcaactgatg ggaacctat agctatagaa cttgggggct 1560
 atctcctatg cccctggaca ggacagttgg ctggggcagc gagaagtctc caatcttcat 1620
 gagacaaagg ggcccgatca aggcagccac aaggccttga cctgcgaagt cagcatgcc 1680
 catctctctc gacagctgtc cctaaacccc aactcaagtt tctgtatgtc ttaggccagt 1740
 atcccaaac tcttccagct cactgttctt tccacccat ctccctttgc atcttgagca 1800
 gttatccaac taggatctgc caagtggata ctggggtgcc atcccccgtc gaaaagactg 1860
 agccaggaaac tacaaagctcc cccacacctc ctccagcctt ggaacctaat cttagagaggt 1920
 gctctctctt cactgagact gtctggactt ttgagcagct tctgcccttt cgttgggctc 1980
 ttgtctgcca gccatcaggt gggggattag agcctggtgt aagtgcgcca gactcttccg 2040
 gtttccaaag tctgtcgctg cgaaccccaa cctgtgagtc tcttctgcat cgaggagttt 2100
 ctctctggga cgtgtgcaat ccccagagaa gctgggctt catgacaca tggaaactaa 2160
 cctcccaaat gggagttctg gctgagccca ggtggggag atcctgggaa gggagagct 2220
 ggaggaagac ggcacctctt ccccatggc aggggtgtgag ggaggcaggt ttggaatggt 2280
 cggagtattg caatataagc aggggtctg tctcttgac tccaggctcg tcttgccga 2340
 ctgtctgctc acccagagac ctltgactcc ggactatcca tggctccga tctaagtct 2400
 gccacatccc atgtccacac ccacagaagg tcttcccat cctcttagat tegtgcctca 2460
 ctccacaggt gaggaaagat cctctgtctt tccacagat ccagagagat aggaagccc 2520
 agccaggact gacctctctt cctccagcct gccctgaccc acctggcaaa gcagggcca 2580
 tggggaggaa gagactggaa cctttcttgg acagccaggc ctacagcaaa aggcctgggg 2640
 acactggccc atgagggggag gaaggcaggg gcacagagtc caggagagcc cttttctgat 2700
 catgccctct ctctcccaac ccatctccc accaccaact ctgtggctc cattgtacc 2760
 ccaggggctt ggcctccccct agaggggtgg cctcaaccac ctctgcccgc cagcagccgg 2820
 ttagttagac agggctgcca gccaacccgc aagcccccct caaggtggga cagtaccgc 2880
 gacccatcca ctactcctg agaggctccg gcccagaatg ggaacctcag agaagagctc 2940
 taaggagaag aaaccccata gcgtcagaga ggaatgtctt ggcctccaaag agaaaggagg 3000

ctccgttttg	caaagtggag	gagggacgag	ggacaggggt	ttcaccagcc	agcaacctgg	3060
gccttgtaact	gtctgtgttt	ttaaaaccac	ttaaagtcaa	gaattacatt	gcactgtttc	3120
tcacactttt	atttctctct	aggcctttgt	ttctatttca	aacatacttt	cttgggtttc	3180
taattggagta	tatagtttag	tcatttcaca	gactctggcc	tcctctctgt	aaatcctttt	3240
ggatggggaa	aggggaaggt	gggaggggtc	gaggggaagg	ggacccccag	ttccctgtgc	3300
cgctcacc	cactccacca	gtccccgtc	gccagccgga	gtctctcttc	taccgccact	3360
gtcacaccgt	agccccatg	gatagcacag	ttgtcagaca	agattccttc	agattccgag	3420
ttgtctacgg	ttgttttcgt	tggtgtgtgt	gttgtttttc	tttttctttt	tttttttgaa	3480
gacagcaata	accacagtac	atattactgt	agtctcttat	agttttacat	acattcatac	3540
cataactctg	ttctctcttc	ttttttgttt	tcaactttta	aaacaaaaat	aaacgatgat	3600
aatctttact	gggtgaaaag	atggaataat	aaatcaacaa	atgcaaccag	ttgtgagaa	3660
aaaaaaaaaa	aa	3672				

<210> 30
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> L27560

<400> 30
 agcaacctgg gccttgtaact gtctgtgttt ttaaaaccac taaagtcaa gaattacatt 60

<210> 31
 <211> 1416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> Modified_base
 <222> 1 ... 1416
 <223> n = a,c,g, or t

<300>
 <308> M55914

<400> 31						
aggaattccg	gaattccgga	attccgatgg	atggaacaga	aaataaatct	aagtttggtg	60
cgaagcccat	tctgggggtg	tcctttgccc	tctgcaaaag	tggtgcccgt	gagaaggggg	120
tcccctgtac	cgcccaatcg	cgtacttgge	tggaacttc	gaagtcatcc	tgccagtcoc	180
ggcgttcaag	tgatcatc	aatggcgggt	ctcatgctgg	caacaagctg	gccatgcaga	240
gtctgtcctc	ccagtcgggt	cagcaaaact	aggggaagcca	tgccgcattg	gagcagaggt	300
ttaccacaac	ctgaagaatg	tcatacaagg	gaaatatggg	aaagatgcc	ccaatgtggg	360
gatttgccgc	ggtttgcctc	caacatcctg	gagaataaag	aaggcctgga	gctgtggaag	420
actgctattg	gaaagcctgg	cctacactgt	aaaggtggtc	atggcatgga	cgtagcgccc	480
tccgagttct	tcaggctcag	gaactatgac	ctggacttca	agtctcccga	tgacccacag	540
aggtacatct	cgccctgacc	ctgtgactgac	ctgtacaaag	ccttcatcaa	ggactacca	600
gtggtgtcta	tcgaagatcc	ctttgaccag	gatgactggg	gagcttcaga	agttcacagc	660
cagtgacaga	atccaggtag	tggggggag	actcacagt	accaaccaca	agaggtcgc	720
caaggcgtga	acgagaagtc	ctgcaactgc	ctcctgtcta	aagtcaacca	gattggctcc	780
gtgaccaggt	ctcttcaggc	gtgcaagctg	gcccaggcca	atggttgggg	cgctcatggtg	840
ttcatcgtt	cgggggagag	tgaagatacc	ttcatcgctg	actggtttgt	ggggctgtgc	900
actggggcag	atcaagactg	gtgccccttg	ccgatcacgc	gcttggccaa	gtacaaccag	960
ctctctcaga	ttgaagagga	gctgggcagc	aaagctaaat	ttgccgggag	gaacttcaga	1020
accccccttg	ccaagtgaag	tggtggcagg	caagccttcg	gtcacctgtg	ggctacagac	1080
ccctccctgt	gtgtcagctc	agggcagctc	agggcccccga	ccaaactgtt	caggggtccc	1140
tgctagttag	cgccccacgc	cgtggagttc	gtaccgcttc	cttagaactc	tcagaagcc	1200
aagctccctg	gaagccctgt	tggcagctct	agctttgcag	ttgtgttaat	ggacccaagt	1260
attgtttttc	tcgccttact	ttccaccaag	gtcttagagt	catgtgagcc	tngtgtcatc	1320
tccggggtg	ccacaggcta	gatccccggt	ggttttgtgc	tcaaaaataa	aagcctcagt	1380

gacccatgaa aaaaaaaaaaag gaattccgga attccg 1416

<210> 32
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> M55914

<400> 32
 gtaccgcttc cttagaactc tacagaagcc aagctccctg gaagccctgt tggcagctct 60

<210> 33
 <211> 2517
 <212> DNA
 <213> Homo sapiens

<300>
 <308> M96577

<400> 33
 ggaattccgt gggccgggact ttgcaggcag cggcggccgg gggcgggagcg ggatcgagcc 60
 ctgcgcgagg cctgcgcgcca tgggcccgcg ccgcgcgcgc cgcctgtcac ccgggcccgcg 120
 cgggccgtga cgtcatggc ctgtggccgg gccctgcgg gcggcccatt cgcgcggcgcg 180
 ctggaggccc tgcctggggc cggcgcgctg cggctgtcgc actcctcgca gatcgtcatc 240
 atctccgcgc cgcaggagcg cagcgcccgc ccggctccca ccggcccgcg ggccggccgc 300
 gcggcccctc ggagccctga cctgtgtctc ttgcgcacac cgcaggcgcc ccggcccaca 360
 cccagtgcgc cgcggccgcg gctcggccgc ccgcgggtga agcggagcct ggacctggaa 420
 actgaccatc agtacctggc cgagagcagt gggcgagctc gggcgagagg ccgccatcca 480
 ggaaaagggt tgaatcccc gggggagaag tcacgctatg agacctcact gaatctgacc 540
 aaccaaggct tgcctggagct gctgagccac tcggctgacg gtgtcgtcga cctgaaactgg 600
 gctgcgaggg tgcctgaagg gcagaagcgg cgcctcatatg acatcaccaa cgtccttgag 660
 ggcatccagc tcattggcaa gaagtccaag aaccacatcc agtggtggg cagccacacc 720
 acagtggggc tcggcgggag gcttgagggg ttgaccacag acctccgaca gctgcaggag 780
 agcagagcag agctggacca cctgatgaat atctgtacta cgcagctgcg cctgctctcc 840
 gaggacactg acagccagcg cctggcctac gtgacgtgtc aggacctctg tagcatttga 900
 gacctctcag agcagatggg tatggtgatc aaagcccctc ctgagaccca gctccaagcc 960
 gtggactctt cggagaactt tcagatctcc cttaaagaca aacaaggccc gatcgatgtt 1020
 ttccctgtcc ctgaggagag cttaggtggg atcagccctg ggaagacccc atcccaggag 1080
 gtcaettctg agggaggaga caggggccact gactctgcca ccatagtgct acacacacca 1140
 tcatctcccc cctcatccct caccacagat ccgagccagt ctctactcag cctggagcaa 1200
 gaaccctggt tgtccgggat gggcagcctg cgggctcccg tggcaggaga ccgctgtgtc 1260
 ccgctgggtg cggcgcagct gctcctggag catgtgcggg aggaacttcc cggcctctcc 1320
 cctgaggagt tcatcagcct ttccccaccc cagcaggccc tcgactacca ctcgccctc 1380
 gaggaggggc agggcatcag agacctcttc gactgtgact ttggggacct caccctccct 1440
 gatttctgac aggggttcca gggacaaggg ttccagagt agctcactt gtctctcgag 1500
 cccctggagcc cccgtctccc ggcgctctcc ccagcctgtt tggaaaacct taatttatac 1560
 cccctctctc tgtctccaga agctctagc tctggggtct gctactccgt aggagctga 1620
 gcaagccagg aagggaagga gtctgtgtgg tgtgtatgtg catgcagcct acacccacac 1680
 gtgtgtaccg ggggtgaatg tglgtgagca tglgtgtgtg catgtaccgg ggaatgaagg 1740
 tgaacataca cctctgtgtg tgcactgcag acacgcccga gtgtgtccac atgtgtgtgc 1800
 atgagttccat ctctgcgcgt ggggggggctc taactgcact ttgcgcccct tgcctcgtg 1860
 ggtccaccaa gggccagggc agtgctcgtc ccagaaatct ggtgtcttga cctggccagg 1920
 tggggaggct tgggctggct gggcggttag gacggtgaga gcaactctct cttaaaggct 1980
 ttttctgatt gaagctttaa tggagcgtta ttattttac gaggcctctt ttgtgagcct 2040
 ggggaatcgc caaaagggga ggaagggtgt ggggttgata ccccaactcc ctctacctct 2100
 gaqcaaggag aggggtccct gactgtttct tctgcccact actgaaggaa ctgaggcctg 2160
 ggtgatttat ttattgggaa agtgaggag ggaagacagc tgaactgacg ccatgggttg 2220
 tcagatgggt ggggtgggcc tctccagggg gccagttcag gggccagctg cccccaggga 2280

tggatatgag	atgggagag	tgagtgggg	accttcactg	atgtggcgag	gaggggtggt	2340
gaagggctcc	ccagccacc	acccgtgggt	ccctcctgca	gtgtctgaag	cgccctgcctc	2400
ccactgcctc	tgccccacc	tccaatctgc	actttgattt	gcttctcaac	agctctgttc	2460
cctcctgctt	tggttttaat	aaatatattg	atgacgttaa	aaaaaggaat	tcgatat	2517

<210> 34
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> M96577

<400> 34
 gtaggacggt gagagcactt ctgtcttaaa gggtttttct gattgaagct ttaatggagc 60

<210> 35
 <211> 4437
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000057

<400> 35

gcgcggcggc	cggtggttgcg	gcgcgggaag	tttgatctct	ggttcgcgtc	gctaggagtc	60
tgctgctcag	gattatggct	gctgttctct	aaaataatct	acaggagcaa	ctagaacgtc	120
actcagccag	aacactttaat	aataaattaa	gtctttcaaa	acccaaattt	tcagggttca	180
ctttttaaaa	gaaaacatct	tcagataaca	atgtatctgt	aactaatgtg	tcagtagcaa	240
aaaacactgt	attaagaaat	aaagatgtta	atgttaccga	agacttttcc	ttcagtgaac	300
ctctaccaca	caccacaat	cagcaaaagg	tcaaggactt	ctttaaaaat	gctccagcag	360
gacaggaaac	acagagaggt	ggaatcaaat	cattattgcc	agattttctg	cagactccga	420
aggaagtgtt	atgcactacc	caaaacacac	caactccggg	gaaactccgg	gtaactgctc	480
tcaagaaatt	agaattttagt	tcttcaccag	attctttaag	taccatcaat	gattgggagc	540
atatggatga	ctttgatact	tctgagactt	caaaatcatt	tggttacacca	ccccaaagtc	600
actttgttaag	agtaagcact	gctcagaaat	caaaaaaggg	taagagaacc	ttttttaaag	660
cacagcttta	tacaacaacac	acagtaaaaga	ctgattttgcc	tccacccttc	ctcgaagcgc	720
agcaaataga	tttgactgag	gaacagaagg	atgactcaga	atggttaagc	agcgatgtga	780
tttgactcga	tgatggcccc	attgctgaag	tgcatataaa	tgaagatgct	caggaaagtgc	840
actctctgaa	aactcatttg	gaagatgaaa	gagataaatg	cgaaaagaag	aagaattttgc	900
aagaagctga	attacattca	actgagaaag	ttccatgtat	tgaatttgat	gatgatgatt	960
atgatacggg	ttttgttcca	ccttctccag	aagaaattat	ttctgcttct	tcttctctct	1020
caaaaatgct	tagtacgtta	aaggaccttg	acacatctga	cagaaaagag	gatgttctta	1080
gcacatacaa	agatcttttg	tcaaaacctg	agaaaaatgag	tatgcaggag	gtaactgccg	1140
aaaccagcac	agactgtgac	gctagacaga	taagtttaca	gcagcagctt	atctatgtga	1200
tgagcacatc	ctgttaaat	attgatacta	ttcctgatga	taactcga	cttttggatt	1260
gtgggaacga	actgcttcag	cagcgggaac	taagaaggaa	acttctaacg	gaagttagtt	1320
tttaataaag	cttcttggtc	cttcttggtc	atctgtggag	atagccgctc	gattcacttg	1380
atggccctat	ggaggggtgat	tctctgccct	caggggaattc	tatgaaggag	ttaaattttt	1440
cacaccttcc	ctcaaatctc	gtttctcctg	gggactgttt	actgactacc	accctagga	1500
agacaggatt	ctctgccacc	aggaagaatc	tttttgaag	gcctttattc	aataccctatt	1560
tacagaagtc	cttttgtaag	agcaactggg	ctgaacaccc	aagactagga	aaaaaaaatg	1620
aaagctctta	tttccacaga	aatgttctca	caagcactgc	tgtagaaagt	cagaataaac	1680
ataactgctt	aataaatgac	ttagaagaag	aaacccaacc	ttcctatgat	attgataatt	1740
ttgacataga	tgactttgat	gatgatgatg	actgggaaga	cataatgcat	aatttagcag	1800
ccagcaaatc	ttccacagct	gcctatcaac	ccatcaagga	aggttcggcca	atttaatacag	1860
tatcagaaga	acttttctca	gcccaagacag	actgtcttcc	agtgtcatct	actgtccaaa	1920
atataaactt	ctcagagtca	attcagaatt	ataactgaca	gtcagcacaa	aatttagcat	1980
ccagaatatc	gaacactgag	cgtttccaaa	gtcttagttt	tctctacata	aaggaaatga	2040
tgaagatttt	tcataaaaaa	tttggcctgc	ataatttttg	aactaatcag	ctagaggcga	2100
tcaatgctgc	actgcttggt	gaagactggt	ttatcctgat	gcgactgga	gggtggtga	2160

gtttgtgtta	ccagctccct	gcctgtgttt	ctcctggggt	cactgtgtgc	atttctccct	2220
tgagatcact	tatcgtagat	caagtcocaa	agctgacttc	cttgggaatt	ccagctacat	2280
atctgacag	tgataaagc	gactcagaag	ctacaaatat	ttacctccag	ttatcaaaaa	2340
aagaccocaa	catataaact	ctatatgtca	ctccagaaaa	gatctgtgca	agtaacagac	2400
tcattttctac	tctggagaat	ctctatgaga	ggaagctctt	ggcagctttt	gttattgatg	2460
aagcacattg	tgctcagtcg	tggggacatg	attttcgtca	agattacaaa	agaatgaata	2520
tgcttcgccca	gaagttttct	tctgttccgg	tgatggctct	tacggccaca	gctaattccca	2580
gggtacagaa	ggacatcctg	actcagctga	agattctcag	acctcagtg	tttagcatga	2640
gctttaacag	acataatctg	aaatactatg	tattaccgaa	aaagcctaaa	aagggtggcat	2700
ttgattgctt	agaatggatc	agaaagcacc	accatatga	ttcagggata	atttactgcc	2760
tctccaggcg	agaatgtgac	accatggctg	acacgttaca	gagagatggg	ctcgctgctc	2820
ttgcttacc	tgctggcctc	agtgattctg	ccagagatga	agtcgacag	aagtggatta	2880
atcaggatgg	ctgtcaggtt	atctgtgcta	caattgcatt	tgggaatggg	attgacaaac	2940
cggacgtgag	attttgtatt	catgcatctc	tccttaaatc	tgtggagggt	tactaccaag	3000
aatctggcag	agctggaaga	gatggggaaa	tatctcactg	cctgcttttc	tatacctatc	3060
atgatgtgca	cgactgaaa	agacttataa	tgatggaaaa	agatggaaac	catcatacaa	3120
gagaaactca	cttcaataat	ttgtatagca	tggtacatta	ctgtgaaat	ataacggaat	3180
cgaggagaa	acagcttttg	gcctactttg	gtgaaaaatg	atttaactct	gattttttgt	3240
agaaaacccc	agatgtttct	tggtataatt	gctgtaaaac	aaaggattat	aaaacaagag	3300
atgtgactga	cgatgtgaaa	agtattgtaa	gattttgtca	agaacatagt	tcactacaa	3360
gaatgagaaa	tataaaacta	tgaggtcctt	ctggaagatt	tactatgaa	atgctggtcg	3420
acatttttct	ggggagtag	agtgcacaaa	tccagtcagg	tatatattga	aaaggatctg	3480
cttattcacg	acacaatgcc	gaaagacttt	ttaaaaagct	gatacttgac	aaagattttg	3540
atgaagactt	atataatcaat	gccaatgacc	aggcgatcgc	ttatgtgatg	ctcggaataa	3600
agccccaac	tgtaactaat	ggcaatttaa	aggtagactt	tatggaacaa	gaaaattcca	3660
gcaggtgtga	aaaaacaaaa	gcgttagtag	caaaagtgtc	tcagagggaa	gagatggtta	3720
aaaaatgtct	tggaagaactt	acagaagtct	gcaaatctct	ggggaaaagt	tttggtgtcc	3780
atttactcaa	tatttttaatt	accgtcactc	tcaagaagct	tcagaaatct	ttatcttctg	3840
atcctgaggt	tttgcttcaa	attgatgggt	ttactgaaga	caaatgggaa	aaatattggt	3900
cggaagtgtg	ttcagttatta	cagaaatact	ctgaatggac	atcgccagct	gaagacagtt	3960
ccccagggat	aagcctgttc	agcagcagag	gccccgggag	aagtgcgcct	gaggagcttg	4020
acgaggaat	accggtatct	tcccactact	ttgcaagtga	aaaccagaa	gaaaggagaa	4080
ggaaaaagat	gccagctctc	caaaaggtcta	agaggagaaa	aactgtctcc	agtggttcca	4140
aggcaaaagg	ggggctctgcc	acatgtagaa	agatatcttc	caaaaacgaa	tcctccagca	4200
tcattggatg	cagttcagcc	tcacatactt	ctcaagcgac	atcaggagcc	aatagcaaat	4260
tggggattat	ggctccaccg	aagcctataa	atagaccggt	tcttaagcct	tcatatgcata	4320
tctcataaca	accgaatctc	aatgtacata	gacctctctt	cttgtttgtc	agcatctgac	4380
catctgtgac	tataaagctg	tattctctgt	tataccaaaa	aaaaaaaaaa	aaaaaaa	4437

<210> 36
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000057

<400> 36
 taagccttca tatgattct catacaacc gaattcattat gtacatagac cctctttctt 60

<210> 37
 <211> 2016
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000060

<400> 37
 gccagctgga gcgttttctg ggctgtaaag ggagaatggc gcatgcgcatt attcagggcg 60
 gaaggcgcgc taagagcaga ttgtgtgtct gcattatgtc tggagccaga agtaagcttg 120

ctcttttccct	ctgcggctgt	tacgtgggtg	ccttgggagc	ccacaccggg	gaggagagcg	180
tggctgacca	tcacgaggt	gaatattatg	tggctgcggt	gtatgagcat	ccatccatcc	240
tgagctcgaa	ccctctggct	ctcatcagcc	gccaaagggc	cttgagagctc	atgaaccaga	300
accttgacat	ctatgaacag	caagtgatga	ctgcagccca	aaaggatgta	cagattatag	360
tgtttccaga	agatggcatt	catggattca	actttacaag	aacatccatt	tatccatttt	420
tggacttcac	gccgtctccc	caggtgggtca	ggtggaaccc	atgcctggag	cctcaccgct	480
tcaatgacac	agaggtgctc	cagcgccctga	gttgtatggc	ctcaggggga	gatatgttct	540
tgggtgccaa	tcttgggaca	aaggagcctt	gtcatagcag	tgacccaagg	tgcccaaaag	600
atgggagata	ccagttcaac	acaaatgtcg	tgttcagcaa	taatggaaac	ctgtgtgacc	660
tcacccgata	acacaacctc	tactttgagg	cagcattcga	tgttcctctt	aaagtggatc	720
gcatcacctt	tgatcccccc	tttctgggca	ggtttggcat	cttcaatgc	tttgatatat	780
tgttctttga	ccctgccatc	agagtctcca	gagactacaa	ggtgaagcat	gttgtgtacc	840
caactgcctg	gatgaaccag	ctcccactct	tggcagcaat	tgagatfcag	aaagcttttg	900
ctgttgccct	tggcatcaac	gttctggcag	ctaattgtcca	ccaccaggtt	ctggggatga	960
cagggaagtg	catcacaccc	ccctctggagt	ccttttggtta	ccatgacatg	gaaaatccca	1020
aaagtcaact	tataattgcc	caggtgggcca	aaaatccagt	gggtctctatt	ggtgcagaga	1080
tgcacacagg	tgaacgggac	ccatcccata	gtaagttttt	aaaaattttg	tcaggcgatc	1140
cgatctgtga	gaaggatgct	cagggaagtcc	actgtgatga	ggccaccaag	tggaaactga	1200
atgtctctcc	cacatttcac	ctctgagatga	tgtatgacaa	tttcaccctg	gtccctgtct	1260
ggggaaaagg	aggcttatctc	cacgtctgtt	ccaatggcct	ctgctgttat	ttactttacg	1320
agaggcccac	cttatccaaa	gagctgtatg	ccttgggggt	ctttgatggg	cttcacacag	1380
tacatggcac	ttactacate	caagtgtgtg	ccttgggtcag	gttgtgggggt	cttggtctcg	1440
acacctgcgg	acaggaatcc	acagaggcca	cggggatat	tgagtttcac	cttgggggca	1500
acttcagtac	ttcctatate	tttcccttgt	ttctgacctc	agggatgacc	ctagaagtcc	1560
ctgaccagct	tggctgggag	aatgaccact	atttctctgag	gaaaagttagg	ctgtcctctg	1620
ggctgggtgac	ggcggtctctc	tatggggcgt	tgtatgagag	ggaactaggaa	aagtgtgtgtg	1680
ctgtgggggc	ggactctggc	catcatgttg	acagccttgc	acttcacacg	gtcacagacc	1740
ctgggacatc	ctttctgcct	taagggcagg	agcccacttc	tgtggccaca	gattccaccc	1800
tgggaactgt	ggaaaaagta	ggagaggcag	attccctcag	tgtctctctc	ttccaaactca	1860
atcatcgaga	catttagggg	tattttctgt	tcacatttat	ctttttcaag	ccacatcttc	1920
ctctaaacaa	tctctcagta	tgcgatttgt	ctcaagctaa	aacaaaaata	aatgtcagtt	1980
tatatatttac	acatccaaaa	aaaaaaaaaa	aaaaaa	2016		

<210> 38
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000060

<400> 38
 tctctaaaca aatctctcag tatgcgattg gtctcaagct aaaacaaaaa taaatgtcag 60

<210> 39
 <211> 811
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000269

<400> 39
 gcgaagcgt tccgtgcgtg caagtgtctg gaaccacgtg ggtcccgggc gcgtttcggg 60
 tgcgtggcgc tgcagccgga gttcaaacct aagcagctgg aaggaacctat ggccaactgt 120
 gagcgtacct tcatctgcgt caaacccagat ggggtccagc ggggtcttgt gggagagatt 180
 atcaagcgtt ttgagcagaa aggattccgc ctgtgttgct tgaattccat gcaagcttcc 240
 gaagatcttc tcaaggaaaca ctacgttgac ctgaaggacc gtccattctt tccggcctcg 300
 gtgaaatata tgcactcagg gccggtagtt gccatggtct gggaggggct gaattgtgtg 360
 aagacggggc gagtcatgct cggggagacc aacctgtcag actccaagcc tgggaccatc 420

ctgtggagact	tctgcataca	agttggcagg	aacattatac	atggcagtg	tctctggag	480
agtgccagaga	aggagatcgg	cttgtggttt	caccctgagg	aactggtaga	ttacacgagc	540
tgtgctcaga	actggatcta	tgaatgacag	gagggcagac	cacattgctt	ttcacatcca	600
tttccctccc	ttcccatggg	cagaggacca	ggctgtagga	aactagatta	tttacaggaa	660
cttcatcata	attttggagg	aagctcttgg	agctgtgagt	tctccctgta	cagtggtacc	720
atccccgacc	atctgattaa	aatgcttctt	cccagcatag	gatttcattga	gttggttact	780
tcatattgtt	gcattgtctt	tttttccctt	t	811		

<210> 40
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000269

<400> 40
 gtctgaaatt catgcaagct tccgaagatc ttctcaagga acactacgtt gacctgaagg 60

<210> 41
 <211> 2338
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000291

<400> 41

agccgcagctc	ggcagtcggc	tccctcgttg	accgaatcac	cgacctctct	ccccagctgt	60
atttccaaaa	tgtcgtcttc	taacaagctg	acgctggaca	agctggagct	taaaggggaa	120
cggtgtcgtta	tgagagctga	cttcaatggt	ccatgaaga	acaaccagat	aacaaacaac	180
cagaggatta	aggtcgtctg	cccaagcatc	aaattctgct	tggaacaatg	agccaagtcg	240
gtagtcccta	tgagccaact	aggccggcct	gatggtgtgc	ccatgctcta	caagtactcc	300
ttagagccag	ttgctgtaga	actcaaatct	ctgctgggca	aggatgttct	gttcttgaag	360
gactgtgtag	gccccagaag	ggagaaaagc	tgtgccaaac	cagctgctgg	gtctgtcatc	420
ctgctggaga	acctccgctt	tcatgtggag	gaagaaggga	agggaaaaga	tgcttctggg	480
aacaaggtta	aagccgagcc	agccaaaata	gaagctttcc	gagcttccat	ttccaagcta	540
ggggatgtct	atgtcaatga	tgcttttggc	actgctcaca	gagccacag	ctccatggta	600
ggagtcaatc	tgccacagaa	ggctggtggg	tttttgatga	agaaggagct	gaactacttt	660
gcaaaaggcct	tgagagagccc	agagcgagccc	ttcctggcca	tcctgggcgg	agctaaagtt	720
gcagacaaga	tccagctcat	caataaatat	ctggacaaag	tcaatgagat	gattatttgt	780
gggtggaatg	cttttaacct	ctttaagtg	ctcaacaaca	tggaagatgt	catcttctcg	840
tttgatgaag	agggagccaa	gattgtcaaa	gacctaatgt	ccaaaagctg	gaagaatggt	900
gtgaagatta	ccttgccctgt	tgaactttgt	actgctgaca	agtttgatga	gaatgccaa	960
actggccaag	ccaactgtgg	ttctggcata	cctgctggct	ggatgggctt	ggactgtggt	1020
ctgaagaaga	gcaagaagta	tgctgaggtc	gtcactcggg	ctaacgagat	tgtgtggaa	1080
ggtctctgtg	gggtatttga	atgggaagct	tttgcccggg	gaaccaagag	ttccatggat	1140
gaggtgggtga	aagccacttc	tatggggctgc	atcaccatca	taggtgtgtg	agacactgcc	1200
acttgcgtgtg	ccaatggaa	cacggaggat	aaagtcagcc	atgtgagcac	tgggggtgtg	1260
gccagttttg	agctcctgga	aggtaaagtc	cttctggggg	tggtgctctc	cagcaaatat	1320
tagtaactttc	ctgcctttta	gttctctgtc	acagccccta	agtcaactta	gcattttctg	1380
catctccact	tggtcattagc	taaaaccttc	catgtcaaga	ttcagctagt	ggccaaagaga	1440
tgcatgtgcca	ggaaacctta	aacagttgca	cagcatctca	gctcatcttc	actgcaacct	1500
ggatttgcatt	acattcttca	agatccatt	tgaatttttt	agtgcataaa	ccattgtgca	1560
ttctagagtg	catatattta	tattttgctt	gttaaaaaag	aagtgagcac	gtttagctta	1620
gttctctttt	gatgtaggtt	attatgatta	gctttgtcac	tgtttcacta	ctcagcatgg	1680
aaacacagtg	aaattccatt	tgtaggtagt	gagacaaaat	tgatgatcca	ttaaagtaaac	1740
aaataaagtg	tcatttgaaa	ccgtgatttt	tttttttttc	ctgtcatact	gttttaggaa	1800
gggtgagaat	agaattcttg	ggaacggatc	agatgtctat	attctgtaat	gcaagaagtg	1860
gggcagcagc	agtgagagaga	tgggacaatt	agataaatgt	ccattcttta	tcaagggcct	1920

actttatggc	agacattgtg	ctagtgtctt	tattctaact	tttattttta	tcagttacac	1980
atgatcataa	tttaaaaagt	caaggcttat	aacaaaaaag	ccccagccca	ttcctcccat	2040
tcaagattcc	cactccccag	agggtaccac	tttcaactct	tgagtttttc	aggtatatac	2100
ctccatgttt	ctaagtaata	tgcttatatt	gttcacttcc	ttttttttta	ttttttaaag	2160
aaatctattt	cataccatgg	aggaaggctc	tggtccacat	atatttccac	ttcttccattc	2220
ttctcggata	gttttgtcac	aattatagat	tagatcaaaa	gtctacataa	ctaatacagc	2280
tgagctatgt	agtatgtcat	gattaaattt	acttatgtaa	aaaaaaaaaa	aaaaaaaa	2338

<210> 42
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000291

<400> 42
 acttagcatt ttctgcattt ccacttggca tttagctaaaa ccttccatgt caagattcag 60

<210> 43
 <211> 787
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000363

<400> 43
 ctgaagggtca cccggggggc ccctcactg accctccaaa cgcctctgtc ctgcctctgc 60
 ctctctgcat tcccggtctg agtctcagca tggcggatgg gacgacgat gcggctaggg 120
 aacctcggcc tgcaccagcc ccaatcagac gccgctctcc caactaccgc gcttatgcca 180
 cggagccgca cggcaagaaa aaatctaaga tctcgcctc gagaaaaatg cagctgaaga 240
 ctctgctgct gcagattgca aagcaagagc tggagcgaga ggcggaggag cggcgaggag 300
 agaagggggc gcctctgagc acccgctgcc agccgctgga gttgaccggg ctgggctctg 360
 cggagctgca ggacttgtgc cgacagctcc acgcccgtgt ggacaagggt gatgaagaga 420
 gatacgacat agaggcaaaa gtcaccaaga acatcacgga gattgcagat ctgactcaga 480
 agatctttga ccttcgaggg aagttaaagc ggccaccctc gcggagagtg aggatctctg 540
 cagatgccat gatcgagggc ctgctggggg cccggggtaa ggagtcctg gacctcgggg 600
 cccacctcaa gcagtggaag aaggaggaca ccgagaagga aaaccgggag gtgggagact 660
 ggcggaagaa catcgatgca ctgagtgga tggagggccg caagaaaaag tttagagact 720
 gagccttctc gcctactgcc cctgccctga ggagggccac tgaggaataa agcttctctc 780
 tgagctg 787

<210> 44
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000363

<400> 44
 tgtggacaag gtggatgaag agagatacga catagaggca aaagtcacca agaatacacc 60

<210> 45
 <211> 1263
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000365

<400> 45
ggcacgagac ctctcagcgc tcggctccag cgccatggcg cctccaggga agttctctgt 60
tgggggaaac tggaaagatg acgggcgga gcagagctcg ggggagctca tcggcactct 120
gaacgcgccg aaggtgcgcg ccgacaccga ggtggtttgt gctcccccta ctgcctatat 180
cgactctcgc cggcagaagc tagatcccaa gattgctgtg gctgcgcaga ctgctacaa 240
agtgaactaat ggggctttta ctggggagat cagccctggc atgatcaaa actgcggagc 300
cacgtgggtg gtccctggggc actcagagag aaggcatgtc ttggggagt cagatgagct 360
cattgggcag aaagtggccc atgctctggc agaggagctc ggagttaatc cctgcattgg 420
ggagaagcta gatgaaagg aagctggcat cactgagaag gttgttttcg agcagacaaa 480
ggtcatcgca gataacgtga aggactggag caaggtctgc ctggcctatg agcctgtgtg 540
ggccattggt actggcaaga tgcacaacc ccaacaggcc caggaaatc acgagaagct 600
ccgaggaatg ctgaaagcca acgtctctga tgcggtggct cagagcaccg gatatctta 660
tggaggtctc gtgactgggg caacctgcaa ggagctggcc agccagcctg atgtggatgg 720
cttccttggt ggtggtgctt ccctcaagcc cgaattcgtg gacatcatca atgccaaa 780
atgagcccca tccatcttcc ctacccttcc tgcgaagcca gggactaagc agcccagaag 840
cccagtaact gccctttccc tgcataatgt tctgatgggt tcatctgctc ctccctgtgg 900
cctcatccaa actgtatctt cctttactgt ttatatcttc accctgtaat ggttgggacc 960
aggccaatcc ctctccact tactataatg gttggaacta aacgtcacca aggtggcttc 1020
tctctgctgt agagatggaa ggcgtggtgg gatttgcctc tgggttccct aggccctagt 1080
gagggcagaa gagaaccat ctctccctt ctacacagt gaggccaaga tcccctcaga 1140
aggcaggagt gctgccctct cccatggtgc ccgtgctct gtgctgtgta tgtgaaccac 1200
ccatgtgagg gaataaacct ggcactagga aaaaaaaaa aaaaaaaaa aaaaaaaaa 1260
aaa 1263

<210> 46
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000365

<400> 46
tatcttcacc ctgtaatggt tgggaccagg ccaatccctt ctccacttac tataatggtt 60

<210> 47
<211> 1616
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000582

<400> 47
ctccctgtgt tgggtggagg tgtctgcagc agcattttaa ttctgggagg gcttgggtgt 60
cagcagcagc agggaggagg agagcacagc atcgtcgagg ccagactcgt ctgaggccag 120
ttgcagcctt ctccagccaa cgccgaccaa gaaaaactca ctaccatgag aattgcagt 180
atttgccttt gccctcctag catcacctgt gccataccag ttaaacaggc gtattctgga 240
agttctgagg aaaaagcagct ttacaaacaa taccagatg ctctggccac atggctaaac 300
cctgacccat ctccagaagca gaatctccta gccccacaga cctctccagg taagtccaac 360
gaaagccatg accacatgga tgatatggat gatgaagat atgatgacca tgtggacagc 420
caggactcca ttgactcgaa cgactctgat gatgtagatg acactgata tctcaccag 480
tctgatgagt ctccacattt tgatgaatct gatgaactgg tcaactgatt tcccacggac 540
ctgccagcaa cccagatttt ctccctcagt gtccccacag tagacacata tgatggcgga 600
ggtgatagtg tggtttatgg actgaggtea aaatctaaga agtttcgag acctgacatc 660
cagtaacctg atgctacaga cgaggacatc acctcacaca tggaagcgga ggagttgaat 720
ggtgcataca aggccatccc cgttgcccag gacttgaacg cgcttctga ttgggacagc 780
cgtgggaagg acagttatga aacgagtcag cgtgatgacc agagtgtgta aaccacagc 840
cacaagcagt ccagattata taagcggaaa gccaatgatg agagcaatga gcattccgat 900
gtgattgata gtcaggaaact ttccaaagtc agccgtgaat tccacagcca tgaatttcac 960

```

agccatgaag  atattgctggt  ttagagacccc  aaaagtaagg  aagaagataa  acacctgaaa  1020
ttctgatttt  ctcgatgaatt  agatagtgc  tctctctgagg  tcaattaaaa  ggagaaaaaa  1080
tacaatttct  cactttgcatt  ttagtcaaaa  gaaaaaatgc  tttatagcaa  aatgaaaagag  1140
aacatgaaat  gcttctttct  cagtttattg  gttgaattgt  tatctatttg  agtctggaag  1200
taactaatgt  gtttgataat  tagtttagtt  tgtggcttca  tggaaactcc  ctgtaaacta  1260
aaagcttcag  ggttatgtct  atgttcattc  tatagaagaa  atgcaaaacta  tcactgtatt  1320
ttaatatttg  ttattctctc  atgaatagaa  atttatgtag  aagcaaaacaa  aatactttta  1380
cccacttaaa  aagagaatat  aacattttat  gtcactataa  tcttttgttt  ttttaagttag  1440
tgtatatttt  gttgtgatta  tctttttgtg  ggtggaataa  atcttttacc  ttgaatgtaa  1500
taagaatttg  gtggtgtcaa  ttgcttattt  gtttccacac  ggtgtgcag  caattataaa  1560
aacataacct  tttttactgc  ctataaaaaa  aaaaaaaaaa  aaaaaaaaaa  aaaaaa  1616

```

```

<210> 48
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_000582

```

```

<400> 48
ggtggtgtca attgcttatt tgttttccca cggtgtgtcca gcaattaata aaacataacc 60

```

```

<210> 49
<211> 1666
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_000584

```

```

<400> 49
ctccataagg  cacaaacttt  cagagacagc  agagcacaca  agcttctagg  acaagagcca  60
ggaagaaacc  accggaagga  accatctcac  tgtgtgtaaa  catgacttcc  aagctggccg  120
tggctctctt  ggcagccttc  ctgatttctg  cagctctgtg  tgaagggtga  gttttgccaa  180
ggagtgctaa  agaacttaga  tgtcagtgc  taagagacata  ctccaaacct  ttccacccca  240
aatttatcaa  agaactgaga  gtgattgaga  gtggaccaca  ctgcgccaac  acagaaatta  300
ttgtaaaagt  ttctgatgga  agagagctct  gtctggaccc  caaggaaaac  tgggtgcaga  360
gggttggtga  gaagtgtttg  aagagggtct  agaattcata  aaaaaattca  ttctctgtgg  420
tatccaaaga  tcagtgaaga  tgccagtga  acttcaagca  aatctacttc  aacacttcat  480
gtattgtgtg  ggtctgttgt  aggggtgtga  gatgcaatc  aagattctcg  gttaaaattg  540
aatattcagta  aacaatgaat  agtttttcat  tgtaccatga  aatatccaga  acatacttat  600
atgtaaaagta  ttatttattt  gaatctacaa  aaaaacacaa  ataattttta  aatataagga  660
tttctcagta  tattgcacgg  gagaatatc  aaatagcaaa  attgaggcca  agggccaaga  720
gaatatccga  actttaattt  caggaattga  atgggtttgc  tagaatgtga  tatttgaagc  780
atcacataaa  aatgtaggga  caataaattt  tgccataaag  tcaaatttag  ctggaaactc  840
tggaattttt  tctgttaaat  ctggcaaccc  tagtctgtga  gccaggatcc  acaagtctct  900
gttccactgt  gctctgtgtt  ctccatttat  tctaagtgtg  aaaaagtatt  gccacactct  960
taacctcacg  tgatgttgtg  aggacatgtg  gaagcacttt  aagttttttc  atcataacat  1020
aaattatttt  caagtgtaac  ttattaaact  atttattatt  tatgtattta  ttttaagcat  1080
aaattattgt  gcaagaaatt  ggaaaaatag  aagatgaatc  attgattgaa  tagttataaa  1140
gatgttatag  taaatttatt  ttattttaga  tattaaatga  tgtttttata  gataaaattc  1200
aatgtagggt  tttagattaa  accaaacaac  aattgggtac  ccagtttaaa  ttctatttca  1260
gataaaacac  aaataaattt  ttagtataag  tacattattg  ttatctgtga  atttttaattg  1320
aactaacaat  cctagtttga  tactccaggt  cttgtcattg  ccagctgtgt  ttttagtctc  1380
gtgttgtaatt  acggaataat  gagttagaac  tattaaaaca  gccaaaactc  ccacagtcaat  1440
attagtaatt  tcttgcctgt  tgaaacttgt  tattattgtg  caaataagat  ctataaatat  1500
tatttaaatg  actgcatttt  taaatacaag  gctttatatt  ttttaacttta  agatgttttt  1560
atgtgctctc  caaatttttt  ttactgtttc  tgattgtatg  gaaatataaa  agtaaatatg  1620
aaacatttaa  aatataattt  gttgtcaagg  taataaaaaa  aaaaaa  1666

```



```

<210> 50
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000584

<400> 50
tggtagtgtc gtgttgaatt acggaataat gagttagaac tattaaaaca gccaaaactc 60

<210> 51
<211> 1722
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000599

<400> 51
ggggaaga gctaggaag agctgcaag cagtgtgggc tttttccctt tttttgctcc 60
ttttcattc cctctctccg ttttcacct tctccggact tccgctagaa cctgcgaatt 120
tcgaagagga ggtggcgaag tgggagaaaa gaggtgttag ggtttggggg ttttttggtt 180
ttgtttttgt tttttaattt ctgtatttca acattttctc ccaccctctc ggctgcagcc 240
aacgcctctt acctgttctg cggcgccgcg caccgtgggc agctgagggt tagaaagcgt 300
gggtattttt agatttttaag caaaaatttt aaagataaat ccatttttct gttccacccc 360
caacgccatc tccactgcat ccgatctcat tatttcggtg gttgcttggg gtggaacaat 420
tttgtgctgt tttttccctt ataattctga ccgcctcagg cttgagggtt tctccggcct 480
ccgctcaact cgtgcacctg gcgctgccct gcttccccca acctgttgca aggctttaat 540
tcttgcaact gggacctgct cgcaggcaac ccaggccctc acctctctct acatttttgc 600
aagtgtctgg gggaggggc acgtctctacc tgcagaaaat ttaaaaaaa aaacaaaaac 660
aaaaaatct cggggggccc tcttggcccc ttatccctg cactctcgct ctctcgcccc 720
accccgaggt aaagggggcg actaagagaa gatggtgttg ctaccgcgg tcctcctgct 780
gctggccgcc tatggggggc cggcccaagag cctgggctcc ttcgtgcaat cgcagccctg 840
cgacgagaaa gccctctcca tgtccccccc cagccccctg ggctgcagac tggtaacgga 900
gcccggctgc ggctgtgcga tgacctgcgc cctggccgag gggcagtcgt gcggcgtcta 960
caccgagcgc tgcgccagg ggcctgcgtg cctcccccg caggacgagg agaagccgct 1020
gcacgcccctg ctgcacggcc cgggggtttg cctcaacgaa aagagctacc gcgagcaagt 1080
caagatcgag agagactccc gtgagcaca ggaagccacc acctctgaga tggccgagga 1140
gaactctacc cccaagattc tccggcccaa acacaccgc atctccgagc tgaaggctga 1200
agcagtgaag aaggaccgca gaaaagaagt gaccagtc acctgagatg agacaggagt ctgagcaggg 1320
gaacactgcc cacccccggg tcatctctgc acctgagatg agacaggagt ctgagcaggg 1380
ccccctgcgc agacacatgg aggcctccct gcaggagctc aaagccagcc cagcatggt 1440
gccccgtgct gtgtactctg ccaattgtga ccgcaaaagg tctacaaga gaaagcagtg 1500
caaaccttcc cgtggccgca agcgtggcat ctgctggtgc gtggacaagt acgggatgaa 1560
gctgccaggc atggagtagc ttgacgggga ctttcaatgc cacaccttc acagcagcaa 1620
cgttgagtga tgcgtccccc cccaaccttt cctcacccc ctccacccc cagcccccga 1680
tcacagcagc gcctccctcc accccaggac gccactcatt tcatctcatt taagggaata 1722
atatatatct atctatttga ggaaaaaaa aaaaaaaaaa aa 1722

<210> 52
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000599

<400> 52
ccaggacgcc actcatttca tctcatttaa gggaaaaata tatatctatc tatttgagga 60

```

<210> 53
 <211> 704
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000735

<400> 53
 gcagttactg agaactcata agacgaagct aaaatccctc ttccggtacca cagtcgaaccg 60
 cctcgaacac atcctgcaaa aagcccagag aaaggagcgc catggattac tacagaaaaa 120
 atgcagctat ctttctgggc acattgtcgg tgtttctgca tgttctccat tccgcctctg 180
 atgtgcagga ttgccacgaa tgcacgctac agggaaaccc attctctccc cagccgggtg 240
 ccccaatact tcagtgcatg ggctgctgct tctctagagc atatcccaact ccactaagg 300
 ccaagaagac gatgttggtc caaaagaacg tcacctcaga gtccacttgc tgtgtagcta 360
 aatcatataa caggggtcac gtaattgggg gtttcaaaagt ggagaaccac acggcgtgcc 420
 actgcagtac ttgttattat cacaaatctt aaatgtttta ccaagtgtcg tcttgatgac 480
 tgtgtatttt ttggaatgga aaattaagtt gtttagtggt tatggcttgg tgagataaaa 540
 ctctctcttt ccttaccata ccaactttgac agcgttcaag gatatactgc agctttactg 600
 ccttctcctc tatctccacg tacaatcagc agtctagtgc ttttcatttg gaatgaatac 660
 agcattaagc ttgttccact gcaataaaag ccttttaaat catc 704

<210> 54
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000735

<400> 54
 tgagataaaa ctctcctttt ccttaccata ccaactttgac acgcttcaag gatatactgc 60

<210> 55
 <211> 1342
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000799

<400> 55
 cccggagccg gaccggggcc accgcgcccc ctctgctcgc acaccgcgcc ccttggaacg 60
 ccgccctctc ctccaggccc gtgggggtcg ccttcgacgc ccgagcttcc cgggatgagg 120
 ccccgccggt tggctaccgc gcgcgcccca ggtcgtgag ggaccccgcc caggcgccga 180
 gatgggggtg cacgaatgct ctgctgtgct gtggctcttc ctgtccctgc tgtcgtctcc 240
 tetgggcctc ccagtcctgg gcgcgccacc acgcctcacc tgtgacagcc gagtccctga 300
 gaggttaccct ttggaggcca agggaggcca gaatatcagc acgggctgtg ctgaacactg 360
 cagcttgaat gagaatatca ctgtcccaga caccaaagtt aatttctatg cctggaagag 420
 gatggaggtc gggcagcagg ccgtagaagt ctggcagggc ctggccctgc tgcggaagc 480
 tgtctctcgg ggccaggccc tgttggtcaa ctcttcccag ccgtgggagc cccctgcagct 540
 gcattgggat aaagccgtca gtggccttcg cagcctcacc actctgcttc gggctctgcg 600
 agcccgagag gaagccatct cccctccaga tgcggcctca gctgtccacc tccgaacaat 660
 cactgtctgac actttccgca agtctactcc aatttctcc ggggaaagct 720
 gaagctgtac acaggggagg cctgcaggac aggggacaga tgaccagggt tgtccacctg 780
 ggcataacca ccacctccct caccacatt gettgtgcca caccctcccc gccactcct 840
 gaaacccctc gaggggctct cagctcagcg ccagcctgtc ccatggacac tccagtccca 900
 caaatgacat ctacagggcc agaggaaactg tccagagagc aactctgaga tctaaggatg 960
 tcacagggcc aacttgaggc cccagagcag gaagcattca gagagcagct ttaaactcag 1020
 ggacagagcc atgctgggaa gacgcctgag ctcaactcggc accctgcaaa atttgatgcc 1080

aggacacgct	ttggaggcga	tttacctgtt	ttcgcaccta	ccatcaggga	caggatgacc	1140
tggagaactt	agggtggcaag	ctgtgacttc	tccagggtctc	acgggcatgg	gcactccctt	1200
gggtggcaaga	gcccccttga	caccggggtg	gtgggaacca	tgaagacagg	atgggggctg	1260
gcctctgggt	ctcatgggggt	ccaagttttg	tgtattcttc	aacctcattg	acaagaactg	1320
aaaccaccaa	aaaaaaaaaa	aa	1342			

<210> 56
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000799

<400> 56	
tcatgggggtc	caagttttgt gtattcttca acctcattga caagaactga aaccaccaa 60

<210> 57
 <211> 2722
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000917

<400> 57	
gagcgggctg	agggttagaa gtagccgctc cgagtggagg cgaactggggg ctgaagagcg 60
gcgcgccttc	tcgtccact ttccagggtg gtgactctgt aaaattaaat ctccaagat 120
gatctgggat	atattaaata taggaattct gcttcccag tctttggctc atccaggctt 180
ttttacttca	attggtcaga tgaactgatt gatccatact gagaaagatc tggtagcttc 240
tctgaagatg	tatataaagg cagaagagga caagttagaa caaataaaaaaatggggcaga 300
gaagttagat	cggtctaacta gtacagcgac aaaagatcca gaaggatttg ttgggcatcc 360
agtaaatgca	ttcaaaattaa tgaacgtct gaatactgag tggagttagt tggagaactc 420
ggctcctaa	gatattgacg atggctttat ctctaactca accattcaga gaccagtaact 480
ttctaattgat	gaagatcagg ttggggcagc caaagctctg ttacgtctcc aggatcacta 540
caatttggat	acagatacca tctcaaaagg taactctcca ggagtgaac acaaatcttt 600
tctaacggct	gaggactgct ttgagttggg caaagtgccc tatcacagaag cagattatta 660
ccatacggaa	ctgtggatgg aacaagccct aaggcaactg gatgaaggcg agattttctac 720
catagataaa	gtctctgttc tagattattt gagctatcgg gtatatcagc agggagacct 780
ggataaggca	cttttgccta caaagaagct tcttgaacta gatcctgaac atcagagagc 840
taatggtaac	ttaaaaattt ttgagtatat aatggctaaa gaaaaagatg tcaataagtc 900
tgcttcagat	gaccaatctg atcagaaaac tacaccaaaag aaaaaagggg ttgctgtgga 960
ttacctgcc	gagagacaga agtacgaaat gctgtgcgt ggggagggtg tcaaaatgac 1020
ccctcggaga	cagaaaaaac tcttttgcg ctaccatgat ggaaccgcta atctcaaat 1080
tattctggct	ccagctaacc agggagatga atgggacaag cctcgtatta ttgccttcca 1140
tgatattatt	tctgtacag aaattgaaat cgtcaaaagc ctgcaaaaac caagcttag 1200
ccgagctaca	gtacatgacc ctgagactgg aaaattgacc acagcacagt acagagatc 1260
taagagtgcc	tggctctctg gctatgaaaa tctgtgtgtg tctogaatta atatgagaat 1320
acaagatcta	acaggactag atgtttccac agcagaggaa ttacaggtag caaattatgt 1380
agttggagga	cagtatgaac cccattttga ctttgcacgg aaagatgagc cagatgcttt 1440
caaaagagctg	gggacaggaa atagaattgc tacatggctg ttttatatga gtgatgtgtc 1500
tgccaggagga	gccactgttt ttctctgaagt tggagctagt gtttggccca aaaaaggaac 1560
tgctgttttc	tggtataatc gtgttgcag tggagaagga gatttatgta ccggcatgc 1620
agcctgtcca	gtgctagtgt gcaacaaatg ggtatccaat aaatggctcc atgaacctgg 1680
acaagatttt	cgaagacactt gtacgttgtc agaatttgaa ttgacaaaac gcttccctt 1740
ttctcctatt	gttgactctc tatgtgtctg atatacacat ttccatagtc ttaactttca 1800
ggagtttaca	attgactaac actccatgat tgattcagtc atgaacctca tcccattgtt 1860
catctgtgga	caattgctta ctttgtgggt tcttttaaaa gtaacacgaa atcatcatat 1920
tgcatataac	cttaaaagttc ttgtggatlc acagaagca aggcagagtt taaagtggag 1980
aaattttatat	ttaaagaact ttttggttgg ataaaaacat aatttgagca tccagtttta 2040
gtatttcaact	acatctcagt tgggtgggtgt taagctagaa tgggctgtgt gataggaaac 2100

aaatgcctta	cagatgtgcc	taggtgtttc	gtttacctag	tgtcttactc	tgtttttctg	2160
atctgaagac	tagtaataaa	ctaggacact	aactgggttc	catgtgattg	ccctttcata	2220
tgatctctta	agttgatttt	tttctctcca	agtctttttt	aaagaaagta	tactgtattt	2280
taccaacccc	ctctcttttc	ttttagctcc	tctgtgtgta	attaaacgta	cttgagttaa	2340
aatatttcga	tttttttttt	tttttaaatg	gaaagtcctg	cataacaaca	ctgggctctc	2400
ttaaactaaa	tgctcaccac	ttagcctgtt	tttttatccc	ttttttaaaa	tgacagatga	2460
ttttgttcag	gaattttgct	gtttttctta	gtgctaatac	cttgccctct	attcctcgta	2520
cagcagggtg	gtaattattgg	cattctgatt	aaatactgtg	ccttaggaga	ctgggaagtt	2580
aaaaatgtac	aaagtccttc	agtgtatgag	gaattgatgt	tttttaaaag	tctttttctt	2640
agaaagccaa	aatgtttgtt	tttttaagat	tctgaaatgt	gtgtgtgaca	caatgacctt	2700
tttatgatct	taaatctttt	tt	2722			

<210> 58
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000917

<400> 58
 tcttactctg ttttctggat ctgaagacta gtaataaact aggacactaa ctgggttcca 60

<210> 59
 <211> 3236
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001109

<400> 59

gaaccggcca	tgcggcgcc	cgggctctgg	ctgctggggg	cgatgatgct	gctcgogatt	60
gccccagacc	ggccctgggg	cctcatggag	cagtatgagg	tcgtgtgtgc	goggcgctctg	120
ccaggccccc	gagtcgcgg	agctctgcgc	tccacttgg	gctgcaccc	agagaggggtg	180
agctacgtcc	tfgggggcac	agggcacaa	ttcacctcc	acctgcggaa	gaacaggggac	240
ctgctgggtt	ccggctacac	agagacctat	acggctgcca	atggctccga	ggtgaaggag	300
cagcctcgcg	ggcaggacca	ctgcttatac	cagggccacg	tagaggggta	ccgggactca	360
gccgcagacc	tcagcacctg	tcccggcctc	aggggtttct	tccagggtgg	ctcagacctg	420
cacctgatcg	agccctctgga	tgaaggtggc	gagggcgagc	ggcacgcgct	gtaccaggct	480
gagcacctcg	tgcagacggc	cgggaacctg	ggggtcagcg	acgacagcct	gggcagcctc	540
ctgggaacccc	ggaacggcgc	cgtcttcagg	cctcggcccg	gggaactctc	ggcatcccca	600
gagacccgct	acgtggagct	gtatgtggtc	gtggacaatg	cagagttcca	gatgctgggg	660
agcgaagcag	ccgtgcgtca	tcgggtgctg	gaagtggtga	atcacgtgga	caagctatat	720
cagaaaactca	acttccgtgt	ggctctgggt	ggcctggaga	tttggaaatg	tcaggacagg	780
ttccacgtca	gccccagacc	cagtgtcaca	ctggagaacc	tctgaacctg	cgaggcacgg	840
caacggacac	ggcggcacc	gcatgacaac	gtacagctca	tcacgggtgt	cgacttcacc	900
gggactactg	tggggtttgc	cagggtgtcc	gccatgtgct	ccacagctc	aggggctgtg	960
aaccaggacc	acagacaagg	ccccgtgggc	gtggcctgca	ccatggccca	tgaatggggc	1020
cacaacctgg	gcatggacca	tgatgagaac	gtccagggct	ccgcgtgcc	gaaacgcttc	1080
gaggccgggc	gctgcatact	ggcaggcagc	attggctcca	gtttccccc	gatgttcaat	1140
gactgcagcc	aggctacact	ggagagcttt	ttggagcggc	cgcagtcggt	gtccctcgcc	1200
aacgccectg	acctcaacca	cctgtgtggc	ggccccgctg	gtgggaacct	gtttgtgga	1260
ctggggggag	agctgcagct	cggccccccc	gaggactgcc	ggaacctgtg	ctgcaactct	1320
accacctgac	agctggctga	ggggggccag	gtgtgcgcac	gtgggaacct	ctaggagtgc	1380
aaggtgaaag	cggctgggtga	gctgtgccgt	cccaagaagg	acatgtgtga	cctcgaggag	1440
ttctgtgaag	gcgggcaccc	tgagtgcgcc	gaagacgcct	tcaggagaa	ctccagcccc	1500
tgctccgggg	gctactgcga	caacggggcc	tgtcccacac	tgccccagca	gtgccaggcc	1560
ttctgggggg	caggtgggga	ggctgccgag	gagtcctctg	ttctctatga	catcctacca	1620
ggctcgaagg	ccagccggta	cagggtcgac	atgtgtggcg	ttctgcagtg	caaggggtgg	1680
cagcagcccc	tggggctgct	catctgcata	gtggatgtgt	gccacgcgct	caccacagag	1740

gatggcactg	cgtatgaacc	agtgcccgag	ggcaccgggt	gtggaccaga	gaaggtttgc	1800
tggaaaggac	gttgccaggga	cttacacgtt	tacagatcca	gcaactgtct	tgcccagtg	1860
cacaaccatg	gggtgtgtcaa	ccacaagcag	gagtgccact	gccacggcgg	ctgggccccg	1920
ccccactcgg	cgaagctgct	gactgaggtg	cacgcagcgt	ccgggagcct	cccgcctctc	1980
gtgggtgggtg	tctctggtgct	cctggcagtt	gtgctgttca	ccctggcag	catcatcgct	2040
taccgcaaa	cccgagccg	catcctgagc	aggaacgtgg	ctcccaagac	cacaatgggg	2100
cgctccaacc	ccctgttcca	ccaggtgtcc	agccgctgtc	cgcccaagg	cggggtctca	2160
gccccatcca	ggggccccca	agagctgggtc	ccaccacccc	accggcgcca	gcccggccga	2220
accgcgcct	cctcggtggc	tctgaagagg	ccgccccctg	ctcctcggt	catctgtgtc	2280
agcccaccc	tcccagttcc	tgtctacacc	cgccagggcac	caaaagcag	catcaagcca	2340
acgttcgcac	ccccagtgcc	ccagtgcaaa	ccgggggtgc	gtggcgccaa	ccctgtgtca	2400
gctgagggtg	ctgtgtggccc	aaaggttgcc	ctgaagcccc	ccatccagag	gaagcaagga	2460
gccggagctc	ccacagcacc	ctaggggggc	acctgcgcct	gtgtggaaat	ttggagaagt	2520
tgcggcagag	aagccatcgg	ttccagcctt	ccacggtcca	gctagtgccg	ctcagcccta	2580
gacctgact	ttgcaggctc	agctgctgtt	ctaactcag	taatgcattc	acctgagagg	2640
ctcctgctgt	ccacgccttc	agccaattcc	ttctccccg	cttggccacg	tgtagcccca	2700
gctgtcttga	ggcaccaggc	tgggatgagc	tgtgtgcttg	cggtgtcggt	tgtgtgtacg	2760
gtgtccagg	tggccgctgg	tctccgctg	tgttcaggag	gccacatata	cagccctctc	2820
cagccacacc	tgccctgtct	ctggggcctg	ctgagccggc	tgccctgggc	accggttccc	2880
agggcagcca	gacgtggggc	atccccagaa	agactccatc	ccaggaccag	gtccctctcc	2940
gtgctcttcg	agaggggtgc	agtggagcga	ctgcacccca	gttcccgcca	ttccagttccc	3000
ctgatcttgg	gctctgttcc	catggggattc	aagaggggaca	gccccagctt	tgtgtgtgtt	3060
taagcttagg	aatgcccttt	atggaaaagg	ctatgtggga	gagtcagcta	tcttgctctg	3120
ttttcttgg	acctcagatg	tgtgttcagc	agggctgaaa	gcttttatct	ttgataaatg	3180
agaaatgtat	attttactaa	taaaattattg	accgagttct	gtagattctt	gttaga	3236

<210> 60

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001109

<400> 60

ctttatggaa agggctatgt gggagagtca gctatcttgt ctggttttct tgagacctca 60

<210> 61

<211> 1449

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001124

<400> 61

ctggatagaa	cagctcaagg	cttgccactt	cgggtttctc	actgcagctg	ggcttggact	60
tcggagtttt	gccatttgca	gtgggagctc	tgagactttc	acttccaagt	acttggcaga	120
tcaactcttt	agcagggtct	cgctctcgca	gccgggatga	agctggtttc	cgctgccctg	180
atgtacctgg	gttcgctcgc	cttcttaggc	gctgacacgc	ctcggttggg	tgtcgcgtcg	240
gaatttccga	agaagtgga	taagtgggct	ctgagtcgtg	ggaagaggga	actgaggatg	300
tccagcagct	accceacgcg	gctcgctgac	gtgaaggccg	ggcctgccca	gacctttatt	360
cggccccagg	acatgaagg	tgccctctga	agccccgaag	acagcagttc	gcctgccccc	420
cgcattccag	tcaagcgcta	ccgcagagc	atgaacaact	tccaggccct	ccggagcttt	480
ctggcgcgtg	tcgggacgtg	cacggtgcag	aagctggcac	accagattca	ccagttcaca	540
gataaggaca	aggacaacgt	cgcccccagg	agcaagatca	gccccagggt	ctacggccgc	600
cggcccgccg	gctccctgcc	caggcccgcc	ccgggtcgga	ctctggtgtc	ttctaagcca	660
caagcacacg	gggctccagc	ccccccaggt	ggaagtgtct	cccactttct	ttaggattta	720
ggcccccagc	gtacaaggaa	tagtcgcgca	agcatcccg	tggtgcctcc	cgggacgaag	780
gacttcccga	gcggtgtggg	gaccgggctc	tgacagccct	gcggagacc	tgagtcggg	840
aggcaccgtc	cggcgccgag	ctctggcttt	gcaagggccc	ctccttctg	gggcttcgct	900

tccttagcct	tgctcaggtg	caagtgcccc	agggggcggg	gtgcagaaga	atccgagtg	960
ttgccaggct	taaggagagg	agaaactgag	aaatgaatgc	tgagaccccc	ggagcagggg	1020
ctcgagccac	agccgtgctc	gccacaaaac	tgatttctca	cgcgctgtca	ccccaccagg	1080
gcgcgaagcct	cactattact	tgaactttcc	aaaacctaaa	gaggaaaagt	gcaatgcgtg	1140
ttgtacatac	agaggtaaact	atcaatattt	aagtttgttg	ctgtcaagat	tttttttgta	1200
acctcaaat	tagagataatt	ttgtacgtt	atatattgta	ttaaggggcat	tttaaaagca	1260
attatattgt	cctccctcat	tttaagacgt	gaatgtctca	gcgaggtgta	aagttgttcg	1320
ccgcgtggaa	tgtagtgtg	tttgtgtgca	tgaagagaaa	agactgatta	cctcctgtgt	1380
ggaagaagga	aaacaccagt	ctctgtataa	tctattttaca	taaaatgggt	gatatgcgaa	1440
cagcaaac	1449					

<210> 62
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001124

<400> 62
 gaaggaaaca ccgagttctt gtataatcta ttacataaa atgggtgata tgcgaacagc 60

<210> 63
 <211> 1619
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001168

<400> 63	ccgccagatt	tgaatcgagg	gacccgtttg	cagagggtgg	ggcgggcgga	tgggtgcccc	60
	gacgttgccc	cctgcctggc	agccctttct	caaggaccac	cgcattctcta	cattcaagaa	120
	ctggcccttc	ttggaggggt	gcgcctgcac	cccgaggcgg	atggccgagg	ctggcttcac	180
	ccactgcccc	actgagaacg	agccagactt	ggcccagttg	ttcttctgct	tcaaggagct	240
	ggaaggctgg	gagccagatg	acgaccccat	agaggaacat	aaaaagcatt	cgtccgggtg	300
	cgctttccct	tctgtcaaga	agcagtttga	agaatttaacc	cttggtgaat	ttttgaaact	360
	ggacagagaa	agagccaaga	acaaaattgc	aaaggaaacc	aacaataaga	agaaagaatt	420
	tgaggaaact	gcgaagaaag	tgccgcctgc	catcgagcag	ctggctggca	tgatttgagg	480
	cctctggccg	gagctgcctg	gtcccagagt	ggctgcacca	cttccagggt	ttattccctg	540
	gtgccaccag	ccttccgtgt	ggccccttag	caatgtctta	ggaaggagga	tcaaaccttt	600
	caaattagat	gtttcaactg	tgctcctgtt	ttgtcttgaa	agtggtcacc	gaggtgcttc	660
	tgccctgtga	gcgggtgctg	ctggtaaacg	tggtgtcttc	ttctctcttc	ttcttttttt	720
	gggggctcat	ttttgctgtt	ttgattcccg	ggcttaccag	gtgagaagtg	agggagggaag	780
	aaggcagttg	cccttttgct	agagctgaca	gctttgttgc	cgtgggcaga	gcctccacca	840
	gtgaattgtg	ctggacctca	tgttgttgag	cgctgcacag	tccctgagtg	ggacttgcca	900
	ggtgcctgtt	gaatctgagc	tgccaggttc	ttatctgtca	caactgtgcc	tcctcagagg	960
	acagtttttt	tggtgtgtgt	ttttttttgt	tttttttttt	ggtagatgca	tgacttgtgt	1020
	gtgatgagag	aatggagaca	gagtcctcgt	ctcctctact	ggttaacaac	atggctttct	1080
	tattttgttt	gaattgttaa	ttcacagaa	agcacaaact	acaattaaaa	ctaagcacaa	1140
	agccattcta	agtcattggg	gaaacgggg	gaacttcagg	tgatgagga	gacagaatag	1200
	agtgatagga	agcgtctggc	agatactcct	tttgccactg	ctgtgtgatt	agacagagcc	1260
	agtgagccgc	ggggcacatg	ctggccgctc	ctccctcaga	aaaaggcagt	ggcctaaact	1320
	ctttttaaat	gacttggtct	gatgctgtgg	gggactggct	gggctgctgc	agccgctgtg	1380
	ctctgcagcc	caaccttcac	atctgtcacg	ttctccacac	gggggagaga	cgcagtcctg	1440
	ccaggctccc	gctttctttg	gaggcagcag	ctcccgcagg	gctgaagctc	ggcgtaagat	1500
	gatggatttg	attcgccctc	ctccctgtca	tagagctgca	gggttgagtg	ttacagcttc	1560
	gctggaaacc	tctggaggtc	atctcggctg	ttcctgagaa	ataaaaagcc	tgtcatttc	1619

<210> 64
 <211> 60

```

<212> DNA
<213> Homo sapiens

<300>
<308> NM_001168

<400> 64
ttcacagaat agcacaaact acaattaaaa ctaagcacaa agccattcta agtcattggg 60

<210> 65
<211> 1552
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001216

<400> 65
gcccgtaacac accgtgtgct gggacacccc acagtcagcc gcatggctcc cctgtgcccc 60
agccccctggc tccctctgtt gatcccgccc cctgtccag gcctcactgt gcaactgctg 120
ctgtcactgc tgctctctgt gcctgtccat cccagagggt tgccccggat gcaggaggat 180
tcccccttgg gaggaggctc ttctggggaa gatgaccac tgggcgagga ggaatctgcc 240
agtgaagagg attcaccag agaggaggat ccaccggag aggaggatct acctggagag 300
gaggatctac tcggaagga ggaatctacct gaagttaagc ctaaatcaga agaagagggc 360
tccctgaagt tagaggatct acctactgtt gaggctcctg gagatctcca agaaccacac 420
aataatgccc acagggacaa agaaggggat gaccagagtc attggcgcta tggaggcgac 480
cgccccggc cccgggtgtc cccagcctgc gcgggcccgt tcagtcctcc ggtggatac 540
cgccccggc tcgcgcctt ctgcccggcc ctgcccctcc tggaactcct ggtctccag 600
ctcccgccgc tccagaact gcgctgcgc aacaatggcc acagtgtgca actgaccctg 660
ctctctgggc tagagatggc tctgggtccc gggcgggagt accgggctct gcagctgcat 720
ctgcaactgg gggctgcagg tctgccgggc tcggagcaca ctgtggaagg ccaccgtttc 780
ctcgccgaga tccacgtggt tcacctcagc accgcctttg ccagagtga cagggccttg 840
gggcgcccgg gaggcctggc cgtgttgccc gcctttctgg aggaggggccc ggaagaaaac 900
agtgccatag agcagttgct gtctcgcttg gaagaaatcg ctgaggaagg ctacagagact 960
caggctccag gactggacat atctgcactc ctgccctctg acttcagccg ctacttccaa 1020
tatgaggggt ctctgactac accgcccctgt gccacgggtg tcatctggac tgtgtttaac 1080
cagacagtga tgctgagtc taagcagctc cacaccctct ctgacaccc gtggggacct 1140
ggtgactctc ggctacagct gaacttccga gcgacgcagc ctttgaatgg gcgagtgatt 1200
gaggcctctc tccctgctgg agtggaacgc agtctctggg ctgctgagcc agtccagctg 1260
aattcctgcc ttgctgctgg tgacatccta gccctgtttt ttggcctcct ttttgcgtgc 1320
accagcgctc cgttctctgt gcagatgaga aggcagcaca gaaggggaac caaagggggt 1380
gtgagctacc gccacagcag ggtagccggag actggagcct agaggctgga tcttgagaaa 1440
tgtgagaagc cagccagagg catctgaggg ggagccggta actgtcctgt cctgctcatt 1500
atgcccacttc cttttaactg ccaagaaatt ttttaaaaaa aatatttata at 1552

<210> 66
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001216

<400> 66
tctgtctctg ctcattatgc cacttccctt taactgccaa gaaatttttt aaaataaata 60

<210> 67
<211> 2653
<212> DNA
<213> Homo sapiens

```

<300>
<308> NM_001254

<400> 67
gagcgcggtt ggaatttgtt gctgcgctgt tgcagtttgt tcaggggctt gtgggtgtga 60
gtccgagagg ctgcgtgtga gagacgtgag aaggatcctg cactgaggag gtggaaagaa 120
gaggaattgt cgaggaggcc tgggtctctg gaggcagcgg agctgggtga aggctcgagg 180
ttccggcgag gctctagctg atgcctcaaa cccgatccca ggcaaggct 240
acaatcagtt ttccaaaaag gaagctgtct cgggcattga acaaaagtta aaactccagt 300
gataccaaac tagaaccac aaatgtccaa accgtaacct gttctctctg tgtaaaagcc 360
ctgcctctca gccccaggaa acgtctgggc gatgacaacc tatgcataac tccccattta 420
ctctcttgtt ctccaccaaa caaaggcaag aaagagaatg gtcccccctc ctccacataca 480
cttaagggac gaagatttgt atttgacaat cagctgacaa ttaagtctcc tagcaaaaaga 540
gaactagcca aagttcacca aaacaaaata ctttcttcag ttagaaaaag tcaagagatc 600
acaacaaatt ctgagcagag atgtccactg aagaagaagt ctgcatttgt gagactattc 660
aagcaagaag gcacttgcta ccagcaagca aagctgggtcc tgaacacagc tgtcccagat 720
cggctgcctg ccagggaag ggagatggat gtcatcagga atttcttgag ggaacacatc 780
tgtgggaaaa aagctggaag cctttacott tctggtgctc ctggaactgg aaaaactgcc 840
tgcttaagcc ggattctgca agacctcaag aaggcaactga aaggctttaa aactatcatg 900
ctgaattgca tgtccttgag gactgccag gctgtattcc cagctattgc tcaggagatt 960
tgtcaggaag aggtatccag gccagctggg aaggacatga tgaggaaatt ggaaaaaact 1020
atgactgcag gaagggcccc catgatttgt ttggtattgg acgagatgga tcaactggac 1080
agcaaaagcc aggatgtatt gtacacgcta ttggaatggc atgtgctaac caattctcac 1140
ttggtgctga ttggtattgc taataccctg gatctccacg atagaatttc acctagagctt 1200
caagctagag aaaaaatgaa gccacagctg ttgaacttcc cactttatcc cagaaatcag 1260
atagtcacta ttttgcaaga tcgacttaac caggatctca gagatcaggt tcggacatc 1320
gctgcagttc aattctgtgc ccgcaaaatc tctgctgttt caggagatgt tcgcaaaagca 1380
ctggatgttt gcaggagagc tattgaaatt gttagctcag atgtcaaaag ccgactattt 1440
ctcaaaaccac tgtctgaaat taaatccact tctgagcctc tgattcccaa gagggttgtt 1500
cttattccaa tatcccaagt catctcagaa gttgatggta acaggatgac ctgtgagccaa 1560
gaaggagcac aagattcctt cctctctcag cagaagatct tggtttgtgc ttgtatgctc 1620
tgtatcagc agttgaaaaa caaagaggtc actctgggga agttatatga agctcacagt 1680
aaagtctgtc gcaaacagca ggtggcggtc gtggaccagt cagagtgttt gtcactttca 1740
gggctcttgt aagccagggg catcttagga ttaaagagaa acaaggaaac ccgtttgaca 1800
aaggtgtttt tcaagattga agagaaagaa atagaacatg ctctgaaaga taaagtctta 1860
attggaataa tcttagctac tggattgctt taattctctc tcttacaccc caccgaaag 1920

tattcagctg gcatttagag agctacagtc ttcatcttag tgctttacac attcgggctt 1980
gaaaacaaat atgacctttt ttacttgaag ccaatgaatt ttaattctata gattctttaa 2040
tattagcaca gaataaatatc tttgggtctt actattttta cccataaaaag tgaccaggta 2100
gacctttttt aattacatttc actacttcta ccaacttgtt atctctagcc aatgtgtctt 2160
caagtgtaca gatctgtgta gaggaaatgt tgtatattta cctcttctgt ttgtcaaaaa 2220
tgagtgggta ttttttttgt tgtttttttt gtgtgttgtt tttttgaggg ccgtctcacc 2280
ctgttgccca ggctggagtg caatggcgcg tctctgtctc actacagacc cgcattccca 2340
gggtgaagtg attctcttgc ctcagcctcc cgagttagct ggattacagg tggccaccac 2400
cgcccccagc taatttttta atttttagta gagacagggt ttaccatgt tgccacagct 2460
tgtcttgaac tcttgacctc caagtgtact gccacactgt gctccctaac gtgctgggat 2520
gagaggcgt agccaccatg ctccagcatt aaggtatttt gttaaagact ttaagtttag 2580
ggtaagaaga atgaaaaatg tccagaaaaa tgcaagcaag tccacatgga gattttggag 2640
acactggtta aag 2653

<210> 68
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001254

<400> 68
caaggaaacc cgtttgacaa aggtgttttt caagattgaa gagaaagaaa tagaacatgc 60

<210> 69
 <211> 627
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001323

<400> 69
 gcggccgcaa gctcggcact caccggctctg agggctccga cggcactgac ggccatggcg 60
 gtttcgaacc tcccgctggc gctgggcctg gccctggctg cattctgct cctggcgctg 120
 ccacgcgacg cccggggccc gcccgcaggag cgcattgctg gagaactccg ggacctgtcg 180
 cccgacgacc cgcagggtgca gaaggcggcg caggcggccg tggccagcta caacatgggg 240
 agcaacagca tctactactt ccgagacacg cacatcatca aggcgcagag ccagctgggtg 300
 gccggcatca agtacttctt gacgatggag atggggagca cagactgccc caagaccagg 360
 gtactctggag accacgtcga cctcaccact tgccccctgg cagcagggcg gcagcaggag 420
 aagctgcgct gtgactttga ggtcctttgt gtcccttggc agaactcctc tcagctccta 480
 aagcacaaact gtgtgcagat gtgataagtc cccgagggcg aaggccattg ggtttggggc 540
 catggtggag ggcacttcag gtccgtggcg cgtatctgtc acaataaatg gccagtgtcg 600
 ctctctgcaa aaaaaaaaaa aaaaaaa 627

<210> 70
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001323

<400> 70
 atcaagtact tcttgacgat ggagatgggg agcacagact gccgcaagac cagggctact 60

<210> 71
 <211> 1812
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001428

<400> 71
 tagctaggca ggaagtcggc gcgggcggcg cggacagtat ctgtgggtac ccggagcagc 60
 gagatctcgc cggctttacg ttccacctcg tctctgcagc accctccgct tctctccta 120
 gcggcagaga cccagtggtt agaagttcac catgtctatt ctcaagatcc atgccaggga 180
 gatctttgac tctcgcggga atcccaactgt tgaggttgat ctcttcacct caaaaggctc 240
 ctccagagct gctgtgccca gtggtgcttc aactggtatc tatgaggccc tagagctcgc 300
 ggacaattgat aagactcgct atatggggaa ggtgtctca aaggctgttg agcacatcaa 360
 taaaactatt gcgctgcgcc tgggtagcaa gaaactgaac gtccacagaac aagagaagat 420
 tgacaaaactg atgatcgaga tggatggaa agaaaataaa tctaagtttg gtccgaacgc 480
 cattctgggg gtgtcccttg ccgtctgcaa agctggtgac gttgagaagg ggttccccct 540
 ctaccgccac atcgctgact tggctggcaa ctctgaagtc atcctgccag tcccggcggt 600
 caatgtcatc aatggcggtt ctcatgtctg caacaagctg gccatgcagg agttcatgat 660
 ctcccagctg ggtgcagcaa acctcaggga agccatgcgc attggagcag aggtttacca 720
 caacctgaag aatgtcatca aggagaaata tgggaaaagt gccaccaatg agtgggatga 780
 aggcgggttt gctcccaaca tcttgaggaa taagaagaagc ctggagctgc tgaagactgc 840
 tattgggaaa ctgggctaca ctgataaggt ggtcatcgcc atggacgtag cggcctccga 900
 gtctcttcagg tctgggaagt atgacctgga ctccaagtct cccgatgacc ccagcaggta 960
 catctcgctt gaccagctgg ctgacctgta caagtccttc atcaaggact accagtggtt 1020
 gtctatcgaa gatccctttg accaggtatga ctggggagct tggcagaagt tcacagccag 1080
 tgcaggaatc caggtagtgg gggatgatct cacagtgacc aacccaaaga ggatcgccaa 1140

ggccgtgaac	gagaagtctt	gcaactgcct	cctgctcaaa	gtcaaccaga	tggctccgt	1200
gaccgagctt	cttcaggcgt	gcaagctggc	ccaggccaat	ggttggggcg	tcatggtgtc	1260
tcatcgttcg	ggggagactg	aagatacctt	catcgctgac	ctggttgtgg	ggctgtgcac	1320
tgggcagatc	aagactggtg	ccocttgcgc	atctgagcgc	tggccaagt	acaaccagct	1380
cctcagaatt	gaagaggagc	tgggcagcaa	ggctaagtt	gccggcagga	acttcagaaa	1440
ccccttggcc	aagtaagctg	tgggcaggca	agcccttcgc	tcacctgttg	gctacacaga	1500
ccccctcccc	cggtgcagct	caggcagctc	gaggcccccg	accaacactt	gcagggggtcc	1560
ctgtcagtta	gcgcccacc	gccgtggagt	tcgtaccgct	tccttagaac	ttctacagaa	1620
gccaaagctc	ctggagccct	gttggcagct	ctagctttgc	agtcgtgtaa	tggcccaagt	1680
tcatgttttt	tctgcctcca	cttccacca	agtgtctaga	ccctgctgtc	cctcggtcta	1740
tctccggggt	ggccacagcg	tagatccccg	gtggttttgt	gtctaaaata	aaaagcctca	1800
gtgaccatcg	ag	1812				

<210> 72
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001428

<400> 72
 agctctagct tttgcagtcg tgtaatgggc ccaagtcatt gtttttctcg cctcactttc 60

<210> 73
 <211> 8368
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001456

<400> 73
 gcgatccggg cggcaccggc cggctcatcg tcaccggctg ctctcaggaa cagcagcgca 60
 acctctgtct cctgcctcgc ctcccgcgc cctgagctg tgcgacttta attaaaggcg 120
 cgtcccccctg ccgaggctgc agcacccccc ccccggtctc tcgcgcctca aaatgagtag 180
 ctcccactct cgggcccggcc agagcgcagc aggcgcggct ccgggcggcg gcgtcgacac 240
 cggggcagcc gagatgcggc ccaccgagaa ggaacctggc gaggacgcgc cgtggaagaa 300
 gatccagcag aacactttca cgcgctggtg caacgagcac ctgaagtgcg tgagcaagcg 360
 catcgccaac ctgcagacgg acctgagcga cgggctgcgc cttatcgcgc tgttgagggt 420

gctcagccag	aagaagatgc	accgcaagca	caaccagcgg	cccactttcc	gccaaatgca	480
gcttgagaac	gtgtcggtag	cgctcgagtt	cctggaccgc	gagagcatca	aactggtgtc	540
catcgacagc	aaggccatcg	tggacgggaa	cctgaagctg	atcctggggc	tcatctggac	600
ctgtatcctg	cactactcca	tctccatgcc	catgtgggac	gaggaggagg	atgaggaggc	660
caagaagcag	acccccaaag	agaggctcct	gggctggatc	cagaacaacg	tgccgcagct	720
gcccatcaac	aacttcagcc	gggactggca	gagcggccgg	gccttggggc	ccctgtgtga	780
cagctgtgccc	ccgggcccgt	gtcctgactg	ggaactcttg	gacccagcga	agcccgttac	840
caatgcccgc	gaggccatcg	agcaggcgga	tgaactggct	ggcatccccc	aggtgatcac	900
ccccgaggag	attgtggaac	ccaacgtgga	cgaagcaact	ctctgacctc	acctgtccca	960
gttcccccaag	gccaaagctga	agccaggggc	tccttgcgc	cccaacttga	acccgaagaa	1020
agcccgtgcg	tacgggcccag	gcctcgagcc	cacaggcaac	atggtgaaga	agcgggcaga	1080
gttaactgtg	gagaccagaa	gtgctggcca	gggagagggt	ctggtgtacg	tgagagaccc	1140
ggccggacac	caggaggagg	caaaagtgtc	cgcaataaac	gacaagaacc	gcacctttct	1200
cgctctgtac	gtcccccgag	tgaacgggac	actgaaggtt	actgtgctct	ttgctggcca	1260
gcacatcgcc	aagagccccc	tcgaggtgta	cgtggataag	tcacagggtg	acgccagcaa	1320
agtgaagcgc	caaggtcccg	gcctggagcc	catcgccaac	atcgccaaca	agaccactta	1380
ctttgagatc	tttacggcag	gagctggcac	ggcgagggtc	gaggttgtga	tcaggagccc	1440
catgggacag	aaggggcagg	tagagcctca	gctggaggcc	cggggcgaca	gcacataacc	1500
ctgcagctac	cagcccacca	tggaggcggt	ccacaccgtg	cacgtcacgt	ttgccggcgt	1560
gcccattccct	cgcagcccct	acactgtcac	tgttgggcaa	gcctgtaacc	caggtgctct	1620

ccgggcggtt	ggccggggcc	tccagcccaa	gggtgtcgcc	gtgaaggaga	cagctgactt	1680
caaggtgtac	acaaaaggccg	ctggcagctg	ggagctgaag	gtcacctgta	agggccccaa	1740
ggagagcaag	ccgctgaagc	agaaggacct	gggggatggc	gtgtatggct	tcagattata	1800
ccccatggtc	cctggaacct	atatcgctac	catcacgtgg	gggtggtcaga	acatcggggc	1860
cagtcctctc	gaagtgaagg	tgggcaccga	gtgtggcaat	cagaaggatc	gggcctgggg	1920
ccttggcttg	gagggcgccg	tcgttggcaa	gtcagcagac	tttgtgtgtg	aggctatcgg	1980
ggacgacgtg	ggcacgctgg	gcttctcggt	ggaagggccca	tcgcagggcta	agatcgaatg	2040
tgagcacaag	ggcgacgcgt	ctgtgatgtg	cgctactggg	ccgacggagg	ctggcgagta	2100
tgccgttcac	gtgctgtgca	acagcgaaga	catccgcctc	agccccctta	tgctgacatg	2160
ccgtgacggc	ccccaggatg	tcaccccgga	caagggtgaag	gcacgtggcg	ctggatttga	2220
gaagacagct	gtggccgctca	acaagccagc	agagttcaca	gtggatgccca	agcacgggtg	2280
caaggcccca	cttcgggttc	aagtcagagg	caatgaaggc	tgccctgtgg	aggctgtgtg	2340
caaggacaa	ggcaatggca	cttacagctg	ctcctacgtg	cccaggaagc	cgggtgaagca	2400
cacagccatg	gtgtcctggg	gaggcgtcag	catccccaac	agccccctta	gggtgaatgt	2460
gggagctggc	agccacccca	acaaggtcaa	agtatacggc	cccggagtag	ccaagacagg	2520
gctcaaggct	cacgagccca	cctacttcac	tgtggaactg	gccgagcgct	gccagggggc	2580
cgctacgcat	ggcatccta	gtgcccctgg	agtggtaggc	cccgcggcag	ctgacatcga	2640
cttcgacatc	atcccgcaatg	acaatgacac	cttcacggctc	aagtacacgc	cccggggggc	2700
tggcagctac	acctatattg	tcctctttgc	tgaccaggcc	agccccctta	gccccatccg	2760
agtcgaagtg	gagccctctc	atgacggcag	taaggtgaag	gccgagggcg	ctggcctcag	2820
tcgcactggg	gtcggacttg	gcaagccac	ccaattcaca	gtgaattgcc	aaqctgctgg	2880
caaaaggcaag	ctggagcttc	agttctcagg	actcaccagg	ggggatgcag	tgcgagatgt	2940
ggacatcacc	gaccacatg	acaacaccta	cacagtcaag	tacacgcctg	tcacagcagg	3000
tcagtagggc	gtcaatgtca	cttatggagg	ggatccctca	cctcaagacc	cttctcaggt	3060
ggcagtatct	ccaaagcctgg	acctcagcaa	gatcaagggtg	tcctggcctgg	gagagaaggt	3120
gggagctggc	aaagaccagg	agttcacagt	caaatcaaa	gggtgctggg	gtcagaagca	3180
agtggtcacc	aaagattgtg	gccccctcgg	tcgacggcgtg	ccctgcgaag	tgagaccagg	3240
ctcgggggct	gacaaacagt	tggtgcgctt	cctgcgccgtg	gaggaaggag	ccatagaggt	3300
ggaggtgacc	tatgacggcg	tgcccgctgc	tgccagcccc	tttctctctg	aaqctgtggc	3360
ccccaccagg	cctagcaagg	tgaaggcggt	tgggccgggg	ctgcagggaag	cgagtgcggg	3420
ctccccggcc	cgcttcacca	tcgacaccaa	ggggccggcg	acaggtggcc	tgggcctgac	3480
gggtggaggc	ccctgtgagg	cgagctoga	gtgcttggac	aatggggatg	gcacatgttc	3540
cgtgtcctac	gtgcccaccg	agcccgggga	ctacaacatc	aacactctct	tcgctgacac	3600
ccacatccct	ggctccccat	tcaaggccca	cgtggttccc	tgctttgacg	catccaaagt	3660
caagtgtctc	ggccccgggc	tggaagcgccg	caaccgtggg	gaggtggggc	aattccaagt	3720
ggactgctgc	agcgcggggc	cgccggagct	gacatttgag	atctgctcgg	agggcgggct	3780
tcggccggag	gtgtacatcc	aggacaccag	tgatggcacg	cacaccctga	cctacatccc	3840
ccctgcgcc	ggggcctaca	ccgtcaccat	caagtaacgg	ggccagcccg	tgcccaactc	3900
ccccagcaag	ctgcagggtg	aacctcggtg	ggacacttcc	ggtgtccagt	gctatggggc	3960
gggtattgag	ggccagggtg	cttctcgtga	ggccaccact	gagttcagtg	tggaacggcg	4020
tgctgtgaca	cagacgggag	ggccgcacgt	caaggcccg	gtggccaacc	cctcaggcaa	4080
cctgaaggag	acctacgttc	aggaccgtg	cgatggcatg	tacaaagtgg	agtcacagcc	4140
ttacgaggag	ggactgcact	ccgtggagct	gacctatgac	ggcagtcctg	tgccacagca	4200
ccccctccag	gtgcccgtga	ccgagggctg	gcacccctcc	tggtgtcggtg	tcacaggggc	4260
aggcatccaa	agtgccacca	ccaacaaagc	caacaagtct	actgtggaga	ccagggggagc	4320
tgccacgggc	ggcctgtggc	tggtgtgtag	ggggccctcc	gagggccaa	gtgctctgac	4380
ggataaacaag	gacggcgagc	gctcgtgtga	gtacatccct	tatgagctgc	gcacatcagc	4440
ctcgaacgtc	acctatgtgtg	ggcatcaagt	ggcagggcag	cttttcaagg	tcctgttgca	4500
tgatgtgaca	gtgcgctcca	aggtcaagtg	ctctggggcc	ggcctgagcc	caggcatggt	4560
cgtgtccaac	ctcctcagtg	cttccaggt	ggacacaagc	aaggctgtgtg	tgggcccatg	4620
gcaggtcaaa	gtgcaagggc	ccaaaggcct	gggtggagca	gtggactggg	tgaccaacgc	4680
tgatggacc	cagacccgtc	attatgtgct	cagccgagaa	ggggccctaca	gcactcaggt	4740
actgtatgga	gatgaagagg	tcacccggag	ccccctcaag	gtgcaaggtgc	tgctactcca	4800
tgatgctcag	aaggtgaagg	ccagtgcccc	cgggctcaac	accactggcg	tgctgtccag	4860
cctgcggctg	gagttcacca	tcgatgcaaa	ggaagccggg	gagggccttc	tgctgttcca	4920
gatcacggat	ccgaaggcca	agccgaagaa	gacacacatc	caagacaacc	atgacgggac	4980
gtatacagtg	gcacagctgc	cagacgtgac	aggctgcctc	accatcctca	tcaagtacgg	5040
tggtgacgag	atccccctct	ccccgtaccg	cgtgcgtgct	gtgcccacgg	gggacggcag	5100
caagtgcact	gtcacagtg	caatcggagg	tcacgggcta	ggtgctggca	tcggcccccac	5160
cattcagatt	ggggaggaga	cggtgatcac	tggtggacac	aaggccggag	gcaaaaggca	5220
agtacgtgc	accgtgtgca	cgctgtatgg	ctcagagggtg	gatgtggagc	tggtggagaa	5280

tgaggacggc	actttcgaca	tctttacac	ggccccccag	cggggcaaat	acgtcatctg	5340
tggtgcgttt	ggtggcgagc	acgtgcccaa	cagccccctc	caagtgaagg	ctctggctgg	5400
ggaccagccc	ccggtgcagc	ccctctacg	gtctcagcag	ctggccccac	agatcacctta	5460
cgccccaggg	ggccagcaga	cttggggccc	ggagaggccc	ctgggtgggtg	tcaatgggct	5520
ggatgtgacc	agcctgaggg	cttttgacct	gtctatcccc	tccaccatca	agaaggggca	5580
gatcacaggg	gaggttcgga	tgccctcagg	caaggtggcg	cagccccacca	tcactgacaa	5640
caaaagcagg	accgtgacgg	tgccgtatgc	accacgagag	gctggccctgc	acgagatgga	5700
catccgctat	gacaacatgc	acatccccag	aagccccctg	cgcttctatg	tggtatcactg	5760
caactgtggc	catgtcactg	ccatgtggcc	tgccctcacc	catggagatg	tgaaacaagcc	5820
tgccaccttc	accgtcaaca	caacgaatgc	aggagagggg	ggcctgtctc	tgccattga	5880
gggcccgtcg	aaagcagaaa	tcaagctcac	tgacaacagg	gatgggacat	gcagcgtgtc	5940
ctacctgcct	gtgctgcggg	gggactacag	cattctagtc	aagtacaagt	aacagcacgt	6000
cccaggcagc	cccttcaactg	ctcgggtcac	aggtgacgac	tccatgcgta	tgccccacct	6060
aaaggtcggc	tctgctgcgg	acatccccat	caacatctca	gagacggatc	tcagcctgct	6120
gacggccaact	gtggctccgc	ccctggggccg	ggaggagccc	tgtttgctga	agcggctgcg	6180
taatggccac	gtgggggattt	cattcgtgcc	caaggagacg	ggggagcacc	tggtgcatgt	6240
gaagcaaaaat	ggccagcagc	tgcccgacag	cccatcccg	gtggtgatca	gcagctcgga	6300
aatgtgggag	gccagtctgt	ctcgggtctc	tggtcagggc	cttcacgaag	gccacacctt	6360
tgagcctgca	gagtttatca	ttgataccgc	cgatgcaggc	tatggtgggc	tcagctgttc	6420
catgtgaggc	ccccagcaag	tgacatcaa	cacagaggac	ctggaggagc	ggacgtgcaa	6480
ggctaccctac	tgccccacag	agccaggcaa	ctacatcatc	aacataaagt	ttgccgacca	6540
gcacgtgcct	ggcagccccc	tctctgtgaa	ggtgacaggg	gaggggccggg	tgaagagagag	6600
catcaccccc	agggcgtcggg	ctccttcagt	ggccaacggt	gggtgacatt	gtgacacgag	6660
ccctgaataat	ctcgaataat	gcataccagg	tatgacagcc	ctgagtgacca	gccccatcgg	6720
gaagaccacat	gagggccgaga	tcgtggaagg	ggagaaccac	acctactgca	tcgcgtttgt	6780
tcacgctgag	atgggacacac	acacagtcag	cgctcaagtac	aaggggccagc	acgtgcctgg	6840
gagccccctc	cagtttcacgg	tggggccccc	aggggaaggg	ggagcccaca	aggtccgagc	6900
tgggggccct	ggcctggaga	gagctgaagc	tgagtgccca	gcccaattca	gtatctggac	6960
ccggggaagct	ggtgctggag	gcctggccat	tgctgtcgag	ggccccagca	aggtcagat	7020
ctcttttgag	gaccgcaagg	acggctcctg	tggtgtgctc	tatgtggtcc	aggagccagg	7080
tgactacgaa	gtctcagtca	agttcaacga	ggaaacacat	cccagcagcc	ccttcgtggt	7140
gcctgtggct	tctcogtctg	gcgacggccc	ccgcctcact	gtttctagcc	tcaggagtc	7200
agggctaaag	gtcaaccagc	cagcctcttt	tgacgtcagc	ctgaacgggg	ccaagggggc	7260
gatcgatgcc	aaggtgcaca	gcctcctcagg	agccctggag	gagtgctatg	tcacagaaat	7320
tgaccaaatg	aagtatgctg	tgcccttcac	ccctcgggag	aatggcggtt	gcagattga	7380
cgtaagtct	aacggtaccac	acatccctgg	aagccccctc	aagatccgag	ttggggagcc	7440
tgggcatgga	ggggaccacg	gcttggtgtc	tgcttacgga	gcaggtctgg	aaggcggtgt	7500
cacagggaaac	ccagctgagt	tcgtcgtgaa	cacgagcaat	gcgggagctg	gtgccctgtc	7560
ggtaggaact	gacggccccc	ccaaggtgaa	gatggattgc	caggagctcc	ctgaggggcta	7620
ccgcgtcacc	tataccccca	tggaacctgg	cagctacctc	atctccatca	agtacggcgg	7680
ccccataccac	attgggggca	gccccctcaa	ggccaaagtc	acaggccccc	gtctcgtcag	7740
caaccacagc	ctccacgaga	calcatcagt	gtttgtagac	ttcttgacca	agggccacctg	7800
tgccccccag	catggggccc	cggttcctgg	gcctgctgac	gccagcaagg	tggtggccaa	7860
ggcctcgggg	ctgagcaagg	cctaagtagg	cctaagagag	agcttccagc	tgactcgcag	7920
caaaagcagg	aacaacatgc	tgctggtggg	ggttcatggc	ccaaggagcc	cctgcgagga	7980
gatcctgggt	aagcacgtgg	gcagccggct	ctacagcgtg	ttcctacatg	tcaaggacaa	8040
gggggagtag	acactgggtg	tcaaatgggg	gcagcagcac	atccacagga	gccccatccg	8100
cggttgagtg	ccctgagtct	ggggcccggt	gcagccggca	gcccccaagc	gtcccccctg	8160
accacaagca	ccccgccttc	ttcccccaa	ccccggccca	ggccgcctcg	ggcccccagc	8220
tgtaactgca	gctgcctcctg	ccctgtgcgg	tgctgcgctc	acctgcctcc	ccagcagccc	8280
gctgacctct	cggctttcac	ttgggcagag	ggagccattt	ggtggccgctg	ctgtgtctct	8340
ttggtctctg	gagggggtgag	ggatgggg	8368			

<210> 74

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001456

```

<400> 74
tgacctctctg gctttcactt gggcagaggg agccatttgg tggcgctgct tgtcttcttt 60

<210> 75
<211> 1642
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001548

<400> 75
ccagatctca gaggagcctg gctaagcaaa accctgcaga acggctgcct aatttacagc 60
aaccatgagt acaaatgggtg atgatcatca ggtaaggat agtctggagc aattgagatg 120
tcactttaca tggggagttat ccattgatga cgatgaaatg cctgatcttag aaaacagagt 180
cttggatcag attgaattcc tagacaccaa atacagtgtg ggaatacaca acctactagc 240
ctatgtgaaa cacctgaaa ggcagaatga ggaagccctg aagagcttaa agaagctgca 300
aaacttaatt caggaagaac atgacaacca agcaaatgtg aggagctctg tgacctgggg 360
caactttggc ttgatgtatt accacatggg cagactggca gaagcccaga cttacctgga 420
caagggtgag aacctttgca agaagctttc aaatcccttc cgctatagaa tggagtgctc 480
agaaaatagc tgtgaggaag gatgggcctt gctgaagtgt ggaggaaaga attatgaacg 540
ggccaaggcc tgctttgaaa aggtgcttga agtggaccct gaaaaccctg aatccagcgc 600
tgggtatgct atctctgctt atcgccctgga ttgctttaaa ttaggccaca aaaatcacaa 660
gccattttct ttgcttcccc taaggcaggc tgtccgctta aatccagaca atggatata 720
taaggttctc cttgcccctga agcttcagga tgaaggacag gaagctgaag gagaaaagta 780
cattgaagaa gctctagcca acatgtcttc acagaccctat gtctttcgat atgcagccaa 840
gttttaccga agaaaaggct ctgtggataa agctcttgag ttattaaaaa aggccttgca 900
gaaacacccc acctctgtct tactgcatca ccagataggg ctttgctaca aggcacaaat 960
gatccaaatc aaggaggcta caaaagggca gccatagagg cagaacagag aagaagctaga 1020
caaaaatgata agatcagcca tatttcattt tgaatctgca gtggaaaaaa agcccacatt 1080
tgaggtggct catctagacc tggcaagaat gtatatgaa gcaggcaatc acagaaaaagc 1140
tgaagagaat tttcaaaaaa tgttatgcat gaaaccagtg gtagaagaaa caatgcaaga 1200
catacatttc tactatggtc ggtttcagga atttcaaaag aaatctgacg tcaatgcaat 1260
tatccattat ttaaaaagcta taaaaataga acaggcatca ttaacaaggg ataaaagtat 1320
caattctttg aagaaatttg ttttaaggaa acttcggaga aaggcattag atctggaaag 1380
cttgagcctc cttgggttgc tctataaatt ggaaggaaat atgaatgaag ccttgagta 1440
ctatgagcgg gccctgagac tggctgtgta ctttgagaac tctgtgagac aaggctccta 1500
ggcacccaga tatcagccac ttccacattt catttcattt tatgctaaca ttactaatac 1560
atcttttctg cttactgttt tcagaaacat tataattcac tgaatgatg taattcttga 1620
ataataaatc tgacaaaata tt 1642

<210> 76
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001548

<400> 76
gtatcaattc tttgaagaaa ttggttttaa ggaaacttcg gagaaaggca ttagatctgg 60

<210> 77
<211> 3344
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001605

```

<400> 77

```
ggtacagctg cgcgtctcgc ggaatagggt cagcgggccc ttggcggggg actctgaggg 60
agagctctgg gacggcgacc cttagaagtt tctttggggg gactttcaag atggactcta 120
ctctaaccagc aagtgaatc cggcagcgat ttatagattt ctccaagagg aacgagcata 180
cgtatgttca ctgcgtctgcc accatcccat tggatgaccc cactttgtctc ttggccaatg 240
caggcatgaa ccagtttaaa cccattttcc tgaacacat tgaacctatc tgacctatg 300
caaaagctgag cagagctgcc aatccccaga agtgcatacc ggctgggggg aaacaaaatg 360
acctggacga tgtgggcaag gatgtctatc atcacacctt ctccagatg ctgggctctc 420
gtgtcttttg agattacttt aaggaaattg catgtaagat ggctctggaa ctctccacc 480
aagagttttg cattcccat taaaagacttt atgttactta ttgtggcggg gattgaagcag 540
ctggcttaga agcagatctg gaatgcacaa agatctggca aaatttgggg ctggatgaca 600
ccaaaatcct cccagggcaac atgaaggata actctgggga gatgggtgac acgggcccct 660
gtggtccttg cagtgaagtc cactacgacc ggtatggtgg tggttgggtg tcgggacgcc gcacatcttg 720
tcaaccaggga cgacctaat gtgctggaga tctggaaacct tgtgttcac cagtataaca 780
gggaagctga tggcattctg aaacctcttc ccaagaaaag cattgacaca gggatggggc 840
tggaaagcatt ggtatctgtg ctgcagaata agatgtccaa ctatgacact gaccttttg 900
tcccttactt tgaagccatt cagaagggca caggtgcccgc accataactt gggaaagtgt 960
gtgctgaggga tggcagatgg attgacatgg cctaccgggt gctggctgac catgctcgga 1020
ccatcactgt ggcactggct gatggtggcc ggctgacaaa cacaggcgct cgagtgtgt 1080
tgagacgggt tctccgcga ctgctccgat acgcccata gaaagctcaa gccagcagg 1140
gcttcttttg tacgttagtg gatgtgtcgc tccagtcctt gggagatgca ttctctgagc 1200
tgaagaaagga cccagacatg gtgaaggaca tcaattaatga agaagagggt cagtctctca 1260
agactctcag cagagggcgt cgcatccttg acaggaaaa tcagagcctg ggagacaga 1320
agaccattcc cggagacact gctgggtccc ctatgacac ctatgggttt ccagtggatc 1380
tgactggact gattgctgaa gagaagggcc tgggtgtaga catggatggc ttgaaagag 1440
agagaaactt ggcccagctg aaatcacagg gcaaggggag tgggtggatg gacctatta 1500
tgctggacat ttacgtctatc gaagagctcc gggcacgggg tctggaggtc acagatgatt 1560
ccccaaagta caattaccat ttggactcca gtggtagcta tgtatttga aacacagtg 1620
ctacggtgat ggctctgcgc agggagaaga tgttcgtgga agaggtgacc acaggccaag 1680
atgtgtgaag ggtgctggac aagacctgtt tctatgctga gcaagggtgc cagatctatg 1740
acgaaggcta cctggtgaag gtgatgaca gcagtgaaga taaaacagag ttacagtga 1800
aagaatgctc ggtccgagga gggatgtgc tacacattgg aacctctac ggtgacctga 1860
aagtggggga tcaggtctgg ctggttattg atgagccccg acgaagaccc atcatgaga 1920
accacacagc tacgcacatt ctgaacttgc cctgcgctc agtgcctggg gaagctgacc 1980
agaaaagctc atttggttgct cctgaccgcc tcagatttga ctctactgcc aagggagcca 2040
tgtccacccta acagatcaag aaggctgaag agattgttaa tgagatgatt gggcgaccca 2100
agggcgtcta taccaggatg tgcccctggc cagcagcgaa agccactagg gacctcggg 2160
ctgtgttttg tgagacctat cctgaccctg tgcagctcgt ctccactggg gtcccgggtg 2220
ccgagttgct ggatgacccc tctgggcctg gactctctgt gacttctgtg 2280
ggggaacgca cctgcggaac tgcagtcatt caggagcttt tgtgatctgt acggaagaag 2340
ccattgccaa gggatccgg aggatgtgtc ctgtcacagg tgccgaggcc cagaaggccc 2400
tcaggaaagc agagagcttg agaaaatggt ttctgtcat ggaagccaaa gtgaaggctc 2460
agactgctcc aaacaagatg gtgcagaggg agatcgctga ccttggaag gacctgacca 2520
ctgcagtcac ccccagtg gagaaggatg aattgcggga gactctcaaa tcctcaaga 2580
aggtcatgga tgacttgagc cgagccagca aagcagatgt ccagaaacga gtgttagaga 2640
```

```
agacgaagca gttcatcgac agcaacccca accagcctct gtgatcctg gagatggaga 2700
cgcgccctcc agccaaaggcc ctgaatgaag ccttgaagct ctccaagatg cactccctcc 2760
agactctctc catgctcttc acggtggaca atgaggtcgg caagatcacg tgctgtgtc 2820
aagtccccca gaatgcagcc aatcggggct taaaagccag cgaagtgggt cagcaggtgt 2880
caggcttgat ggaaggtaaa ggtggtggca aggatgtgtc tgcacaggcc acaggcaaga 2940
acgttggtct cctgcaggag gcgctgcagc tggccaactc ctctgcccat ctgcgctcgc 3000
gggatgtaaa gaactgagtg ggaaggaggg aggtccacac ttgatctcag cgtcagacca 3060
agagctcttc atctgctaca agaacatttg aatcttggga cctttaaaga gccctccta 3120
accagcagtt aactgggaaca cacttgggag cagtctctat tctcagtgcc ccttaattt 3180
ctgccctgag cctccacagt cagtgccatc ggtctagaac cactaacccc gcatgtctgt 3240
tgatcgtcac gctgcattct atagataaac gctctcaga cctgagcttt ccgcctcagc 3300
aagtaggaat cgtttttgct gcagagaata aaaggaccac gtgc 3344
```

<210> 78

<211> 60

```

<212> DNA
<213> Homo sapiens

<300>
<308> NM_001605

<400> 78
gccaaagagct cttcatctgc tacaagaaca ttgtaatctt gggaccttta aagagccctt 60

<210> 79
<211> 417
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001645

<400> 79
acctcccaac caagccctcc agcaaggatt caggagtgcc cctcgggctt cgccatgagg 60
ctcttctctgt cgctcccgggt cctgggtggtg gttctgtcga tcgtcttgga aggccagcc 120
ccagcccagg ggaccccaga cgtctccagt gccttgata agctgaagga gtttgaaac 180
acaactggagg acaaggctcg ggaactcatc agccgatca aacagagtga actttctgcc 240
aagatgcggg agtggttttc agagacattt cagaaagtga aggagaaact caagattgac 300
tcatgaggac ctgaaggggtg acatccagga ggggcctctg aaatttccca caccagcg 360
cctgtgctga ggactccgcg catgtggccc cagggtgccac caataaaaat cctaccg 417

<210> 80
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001645

<400> 80
aaacagagtg aactttctgc caagatgcgg gagtggtttt cagagacatt tcagaaagtg 60

<210> 81
<211> 1389
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001809

<400> 81
cgcgacttc tgccaagcac cgctcatgt gaggctcgcg gcacagcgtt ctctgggctc 60
cccagaagcc agccttttgc tcccggaccc gccagccga gcaggagccg tgggaccggg 120
cgccagcacc ctctcgccg cgctcatggc ccgcgccgcc ggagccgaaa gcccgaggcc 180
ccgagaggcg gcagcccag cccgacccc acccccgcgc cctcccgcgc gggcccttcc 240
ttaggcgctt cctcccatca acacagtcgg cggagacaag gttggctaaa ggagatccga 300
aagcttcaga agagcacaca cctcttgata aggaagctgc ccttcagccg cctggcaaga 360
gaaatattgt ttaaattcac tcgtgggtgtg gacttcaatt ggcaagccca ggccctattg 420
gccctacaag aggcagcaga agcattttcta gttcatctct ttgaggacgc ctatctctcc 480
accttacctg caggccgagt tactctcttc ccaaaggatg tgcaactggc ccggaggatc 540
cggggccttg aggagggact cggctgagct cctgcaccca gtgtttctgt cagtctttcc 600
tgctcagcca ggggggatga taccggggac tctccagagc catgactaga tccaatggat 660
tgtcgatgc tgtctggact ttgctgtctc tgaacagtat gtgtgtgttg ctttaaatat 720
ttttcttttt tttagaagg agaagactgc atgactttcc tctgtaacag aggtaatata 780
tgagacaatc aacaccgttc caaaggcctg aaaataattt tcagataaag agactccaag 840

```

gttgacttta	gtttgtgagt	tactcatgtg	actattttgag	gattttgaaa	acatcagatt	900
tgctgtggta	tggggagaaa	ggttatgtac	ttattatttt	agctctttct	gtaatattta	960
catltttttac	catatgtaca	tttgtacttt	tattttacac	ataagggaaa	aaataagacc	1020
acttttgagca	gttgccctgga	aggctgggca	tttccatcat	atagacctct	gcccttcaga	1080
gtagccctcac	cattagtggc	agcatcatgt	aactgagtgg	actgtgcttg	tcaacggatg	1140
tgtagtcttt	cagaaactta	attggggatg	aatagaaaac	ctgtaagctt	tgatgttctg	1200
gtttacttcta	gtaaaattcct	gtcaaaatca	attcagaaat	tctaaacttg	agaatttaac	1260
atltttactct	tgtaaatcat	agaagatgta	tcataacagt	tcagaatttt	aaagtacatt	1320
tcgatgcctt	ttatgggtat	ttttgtagtt	tctttgtaga	gagataataa	aaatcaaaat	1380
attttaatga	1389					

<210> 82

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001809

<400> 82

ggggatgaat agaaaaacctg taagcttttga tgttctgtgtt acttctagta aattctctgtc 60

<210> 83

<211> 2205

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001909

<400> 83

gcgcacgcgc	gccgcgccca	cgtgaccggt	ccgggtgcaa	acacgcgggt	cagctgatcc	60
ggcccaactc	cgccgctcgc	ccggctataa	gcgcacggcc	tcggcgagcc	tcctccgacc	120
ggccgcgcgc	gccatgcagc	cctccagcct	ctcgccgctc	gccctctgcc	tgctggctgc	180
acccgcctcc	gcgctgcgtc	ggatcccgct	gcacaaagt	acgtccatcc	gccggaccat	240
gtcggagggt	gggggctctg	tggaggacct	gattgccaaa	ggccccgctc	caaagtaact	300
ccaggcggtg	ccagccgtga	ccgaggggcc	cattcccgag	gtgctcaaga	actacatgga	360
cgccacgtac	tacggggaga	ttggcatcgg	gacgcccccc	cagtgtctca	cagtctctct	420
cgacacgggc	tcctccaacc	tgtgggtccc	ctccatccac	tgcaaaatgc	tggacatcgc	480
ttgctggatc	caccacaagt	acaacacgca	caagtccagc	acctactgta	agaatgggat	540
ctcgtttgac	atccactatg	gctcgggcag	ctctccgggg	taacctgagcc	aggacactgt	600
gtcggtgccc	tgccagtcag	cgtcgtcagc	ctctgccctg	ggcggtgtca	aagtggagag	660
gcaggtcttt	ggggaggcca	ccaagcgacc	aggcatcacc	tcacatcgag	ccaagtctga	720
ttggcatcgt	ggcatggcct	accccgcgat	ctccgtcaac	aacgtgctgc	ccgtctctga	780
caacctcatg	cagcagaagc	tgggtggacca	gaacatcttc	tcctctcacc	tgagcaggga	840
cccaatgatg	cagcctgggg	gtgagctgat	gctgggtggc	acagactcca	agtattacaa	900
gggttctctg	tcctacctga	atgtcacccg	caaggcctac	tgccaggttc	acctggacca	960
gggtggagggt	gccagcgggc	tgaccctgtg	caaggagggc	tgtgaggcca	ttgtggacac	1020
aggcacttcc	ctcatgtgtg	gcccggtgga	tgaagtgcgc	gagctcgaga	aggccactcg	1080
ggccgtgccg	ctgatctcag	gcaggtacat	gatccctgtg	gagaaggtgt	ccaccctgcc	1140
ccgcgatcaca	ctgaagctgg	gaggcaaaag	ctacaagctg	tcgccagagg	actacaacct	1200
cagagtgctg	caggcccgga	agacctctcg	ctcgagcgcc	ttcatgggca	tgacacatccc	1260
gccaccagca	ggggcaactc	ggatcctggg	cgacgtcttc	atcgcccgct	actacactgt	1320
gtttgacccg	gacaaacaca	gggtgggctt	cgccgagctg	gccgcctctc	agttcccaag	1380
gcgtccgcgc	gccagcacag	aaacagagga	gagtcaccga	gcaggaggcc	ccctggcccc	1440
cgcccccctc	cacacacacc	ccacacactc	ccgcgccact	gtccgtgggc	ccctggaagc	1500
cgccggcccca	agcccgactt	gcgtgtttgt	tctgtgtgtt	tcacctccct	gggttcagaa	1560
atgctgctct	ctcgtctgtc	tcctcatctg	tttgggtggg	gtagagctga	tcacagagac	1620
agatctgttt	cgtgcattgg	aagaccccac	ccaagcttgg	cagccgagct	cgtgtatcct	1680
ggggctccct	tcattctccg	ggagtcacct	ccccggccct	accagcgccc	gctgggctga	1740

gccccctacc	cacaccaggc	cgctctcccg	ggccctccct	tgaaaacctg	ccctgcctga	1800
gggccccctc	ggccagcttg	ggccagctg	ggctctgcc	ccctacctgt	tcagtgtccc	1860
gggcccgttg	aggatgaggc	cgctagaggc	ctgaggatga	gctggaagga	gtgagagggg	1920
acaaaaccca	ccttgttgga	gcctgcaggg	tgggtgctggg	actgagccag	tcccaggggc	1980
atgtattggc	ctggagggtg	ggttgggatt	gggggctggt	gccagccttc	ctctgcagct	2040
gacctctggt	gtccctccct	tgggcggctg	agagccccag	ctgacatgga	aatacagttg	2100
ttggcctccg	gcctccctc	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	2160
aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaa	2205	

<210> 84
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001909

<400> 84
 ttctgttgggt gggggtagag ctgatccaga gcacagatct gtttctgtgca ttggaagacc 60

<210> 85
 <211> 817
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002038

<400> 85	
gaaccgttta	ctcgetgctg
cttctctcct	ccaaggtcta
cggtatcgct	tttcttgtgc
agaaaaagtg	ctcggagagc
tggccgctcg	aggaggactc
gcacgcgggc	caactcgttg
gcggcgctgcc	cgccgggggg
gcgtcgctcat	aggtaattatt
gtgaggagga	tgaggagtag
tttccaggtt	aggatctaga
gttctcacta	tattgtccag
actgcagcct	ccaactccta
tacaagcatg	cgccgacgat
cctagatgtg	aaaacagaat
	aaacttcacc
	cagaaaa
	817

<210> 86
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002038

<400> 86
 agtctccaga acctcttctt ccttcttggc ctaactcttc cagttaggat ctagaacttt 60

<210> 87
 <211> 1283
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_002046

<400> 87

```
ctctctgctc ctccgtgttcg acagtcagcc gcatctttctt ttgcgtgcgc agccgagcca 60
catcgctcag acaccatggg gaaggtgaag gtcggagtca acggatttgg tcgtattggg 120
cgccctggta ccagggtctg ttttaactct ggtaaagtgg atattgttgc catcaatgac 180
cccttcattg acctcaacta catggtttac atgttccaat atgattccac ccatggcaaa 240
ttccatggca ccgtcaaggc tgagaaacggg aagcttgtca tcaatggaaa tcccatccac 300
atcttccagg agcgagatcc ctccaaaatc aagtggggcg atgctggcgc tgagtacgtc 360
gtggagtcca ctggcgctct caccaccatg gagaaggctg ggcctcattt gcagggggga 420
gccaaaaagg tcatactctc tgcccctctc gctgatgcc ccatgttcgt catgggtgtg 480
aaccatgaga agtatgacaa cagcctcaag atcatcagca atgcctcctg caccaccaac 540
tgcttagcac ccctggccaa ggtcatccat gacaacttgg gtatcgtgga aggactcatg 600
accacagtc atgccatcac tgccaccag aagactgtgg atggcccctc cgggaaactg 660
tgggctgatg gcgcgggggc tctccagaac atcatccctg cctctactgg cgctgccaa 720
gctgtgggca aggtcatccc tgagctgaac ggggaagtca ctggcatggc ttccctgtgc 780
cccactgcca acgtgtcagt ggtggacctg acctgccgtc tagaaaaacc tgccaaatat 840
gatgacatca agaaggtggt gaagcaggcg tcggagggcc cctcaagggg catcctgggc 900
tacactgagc accaggtggt ctctctgac ttcaacagcg acacccactc ctccaccttt 960
gacgctgggg ctggcattgc cctcaacgac cactttgtca agctcattc ctggtagtac 1020
aacgaatttg gctacagcaa cagggtgtgt gacctcatgg ccacatgggc tccaaaggag 1080
taagaccctt ggaccaccag cccacagcaag agcacaagag gaagagagag accctcactg 1140
ctggggagtc cctgccacac tcagtcctccc accacactga atctcccctc ctcaactgtg 1200
ccatgtagac cctctgaaga ggggaggggc ctaggaggcc gcacctgtgc atgtaccatc 1260
aataaagtac cctgtgtcca acc 1283
```

<210> 88

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_002046

<400> 88

```
ctcaacgacc accttgtcaa gctcatttcc tggtatgaca acgaatttgg ctacagcaac 60
```

<210> 89

<211> 1610

<212> DNA

<213> Homo sapiens

<300>

<308> NM_002061

<400> 89

```
ggcagcagggc tgcggccgca gtagccggag ccggagccgc agccaccggt gccttctctt 60
cccgcccgcc cccagccgcc gtcgccctc cctcgggccc gagcgcagac caggctccag 120
cgcgccggcg ccggcagcct cgcgtccctc ctcggtgtct tctcgggcct cgggcaccgc 180
gtcctgtggg cgcccgccgt cctgcccgcg cgcccgagc ccttgcctg ccggccctgt 240
ggcgcccgct gccatgggca ccgacagccg cgcggccaag gcgctcctgg ccggggcccg 300
caccctgcac ctgcagacgg ggaacctgct gaactggggc cgctcgcgga agaagtggcc 360
gtccacgcaa agcgaggagc ttcatgattg tatccaaaaa accttgaatg attgagttc 420
ccaaatcaac ccagatttgg tcaggagatt tcagatgtc ttggaatgca ctgtatctca 480
tccatgagaa aagataaatc ctgatgaaag agaagaaatg aagatttctg caaaactgtt 540
cattgtagaa tcaaatctct catcatcaac tagaagtgtc gttgacatgg cctgttcagt 600

ccttgaggtt gcacagctgg attctgtgat cattgtctca cctcctattg aagatggagt 660
taatcttttc ttggagcatt tacagcctta ctgggaggaa ttgaaaaact tagttcagag 720
caaaaagatt gttgccatag gtacctctga tctagacaaa acacagttgg aacagctgta 780
tcagtgggca caggtaaaac caaatagtaa ccaagttaat cttgcctcct gctgtgtgat 840
```

```

gccaccagat ttgactgcat ttgctaaaca atttgacata cagctgttga ctcacaatga 900
tccaaaagaa ctgctttctg aagcaagttt ccaagaagct cttcaggaaa gcattcctga 960
cattcaagcg cagcagtggg tgccgctgtg gctactgcgg tattcgggtca ttgtgaaaag 1020
tagaggaatt atcaaatcaa aaggctacat ttacaagct aaaagaaggg gttcttaact 1080
gacttaggag cataacttac ctgtaatttc cttcaatatg agagaaaaatt gagatgtgta 1140
aaatctagtt actgcctgta aatgggtgtca ttgaggcaga tattctttcg tcataatttga 1200
cagtatgttg tctgtcaagt tttaaaactat tatcttgcct ccataatcaat ccattctcat 1260
gaacctctgt attgctttcc ttaaaactatt gttttctaatt tgaattgtc tataaagaaa 1320
atacttgcaa tatatttttc ctttattttt atgactaata taaatcaaga aaatttgttg 1380
ttagatatat ttggccttag gtatcagggt aatgtatata catatttttt atttccaaaa 1440
aaaattcatt aattgcttct taactcttat tataaccaag caatttaatt acaattgtta 1500
aaactgaaat actggaagaa gatatttttc ctgtcattga tgagatatat cagagttaact 1560
ggagttagct ggatttacta gtagtgtaaa taaaattcac tcttcaatac 1610

```

```

<210> 90
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002061

```

```

<400> 90
ctgacttagg agcataactt acctgtaatt tccttcaata tgagagaaaa ttgagatgtg 60

```

```

<210> 91
<211> 873
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002106

```

```

<400> 91
cgcagtttga atcgcggtgc gacgaaggag taggtggtg gatctccagg tgggtccgat 60
tagccttttc tctgccttgc ttgcttgagc ttccagcgaa ttcgaaatgg ctggcggtga 120
ggctggaagg gactccggaa aggccaaagac aaaggcggtt tccgcctcgc agagagccgg 180
cttgagtttc ccagtgggcc gtattcatcg acacctaaaa tctaggacga ccagtcattg 240
acgtgtgggc gcgactgccg ctgtgtacag cgcagccatc ctggagtacc tcaccgcaga 300
ggtaacttga ctggcaggaa atgcatcaaa agacttaaa gtaaaagcgt ttaccctctg 360
tcaacttgcaa ctgtctattc gtggagatga agaattggat ttctctca aggctacaat 420
tgctggtggt ggtgtcattc cacacatcca caaatctctg attgggaaga aaggacaaca 480
gaagactgtc taaaggatgc ctggattcct tgttatctca ggactctaaa tactctaa 540
gctgtccagt gttggtgatt ccagtggaat gtatctctgt gaaaaacaca attttgcctt 600
tttgttaatt tatttgagca agttggaagt ttaatttagct ttccaaccaa ccaaatttct 660
gcattcaggt cttaaccata tttaagtgtt actgtggctt caaagaagct attgattctg 720
aagtatggg ttttgattga gttgactgtt tttaaaaaac tgtttggatt ttaattgtga 780
tcagagaagt atagtaacaa acatttggtt ttgtacagac attatttcca ctctggtgga 840
taagtccaat aaaggtcata tcccaaaacta aaa 873

```

```

<210> 92
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002106

```

```

<400> 92
cgagtcttaa ccatatttaa gtgttactgt ggcttcaaag aagctattga ttctgaagta 60

```

<210> 93
 <211> 4204
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002205

<400> 93

caggacaggg	aagagcgggc	gctatgggga	gccggacgcc	agagtcacct	ctccacgcgc	60
tgacagctgcg	ctggggccccc	cgccgcgcgac	ccccgcctcgt	gcgcgtcgtcg	ttgctctcgc	120
tgccgcgcgc	accocagggtc	gggggcttcca	actatagacgc	ggagggcccca	gcagtaacct	180
cgggggccccc	gggctccttc	ttcggattct	cagtgaggatt	ttaccggccgc	ggaacagacg	240
gggtcagtg	gctgggtggga	gcacccaagg	ctaataccag	ccagccaggga	gtgctgcagg	300
gtgggtgctgt	ctacctctgt	ccttgggggtg	ccagccccac	acagtgaccc	ccatttgaat	360
ttgacagcaa	aggtctctcg	ctcctggagt	ctcactgtc	cagctcagag	ggagaggagc	420
ctgtggagta	caagtctctg	cagtggttcg	gggcaacagt	tcgagcccat	ggctcctcca	480
ctctggcatg	cgctccactg	tacagctggc	gcacagagaa	ggagccactg	agcgaccccg	540
tgggcacctg	ctacctctcc	acagataact	tcaccogaat	ctctggagat	gcacctgcc	600
gctcagattt	cagctgggca	gcaggacagg	gttactgccca	aggaggcttc	agtgccaggt	660
tcaccaagag	tgccgtgtgt	gttttaggtg	gaccaggaag	ctatttctcg	caaggccaga	720
tcctgtctgc	cactcaggag	cagattgcag	aatcttatta	ccccgagtac	ctgatcaacc	780
tggttcaggg	gcagctgcag	actcggcagg	ccagttccat	ctatgatgac	agctacctag	840
gatactctgt	ggctgttggg	gaattcagtg	gtgatgacac	agaagacttt	gtgtcgtgtg	900
tgcccaaaag	gaacctcact	tacggctatg	tcaccatcct	taattggctca	gacattcgat	960
ccctctacaa	cttctcaggg	gaacagatgg	ctctctactt	ttgctatgca	gtggcgcgca	1020
cacagctcaa	tggggacggg	ctggatgact	tgctgtgtgg	ggcaccctct	ctcatggatc	1080
ggaccctgca	cgggcgccct	caggaggtgc	gcagggtcta	cgctcactcg	cagcacccag	1140
ccggctatga	gcocacggcc	acccttacc	tcactggcca	tgatgagttt	ggccgatttg	1200
gcagctctct	gacccccctg	ggggacgtgg	accagatggg	ctacaagat	gtggccatcg	1260
gggctccctt	tggtggggag	accocagagg	gagtagtgtt	tgtatttctc	ggggggcccg	1320
gagggtctgg	ctctaaacct	tcocagggtc	tgccgcccct	gtgggcagcc	agccacaccc	1380
cagactctct	tggtctctgc	cttcaggagg	gcgcagacct	ggatggcaat	ggatctctcg	1440
atctgattgt	ggggctcctt	ggtgtggaca	aggctgtggt	atacaggggc	cgccccatcg	1500
tgctccgtag	tgccctccctc	accatcttcc	ccggcatgtt	caaccagagag	gagcggagct	1560
gcagcttaga	ggggaaacct	gtggcctgca	tcacaccttag	cttctgcctc	aatgcttctg	1620
gaaaacacgt	tgctgactcc	attggtttca	cagtggaact	tcagctggac	tggcagaaagc	1680
agaaggagg	ggtacggcgg	gcactgttcc	tgccctccag	gcaggcaacc	ctgacccaga	1740
ccctgtctcat	ccagaatggc	gctcgagagg	attgcagaga	gatgaagact	tacctcagga	1800
acaggtcaga	atttcagagac	aaactctcgc	cgattccact	cgctctcaac	ttctccttgg	1860
accoccaagg	ccocagtggac	agccacggcc	tcgaccagtc	ctcacattat	cagagcaaga	1920
gcccgataga	ggacaaggct	cagatcttgc	tggaactgtg	agaaagacaa	atctgtgtgc	1980
ctgacctgca	gctggaagtgt	tttggggagc	agaacactgt	gtacctgggt	gaccaagatg	2040
ccctgaacct	caactttccat	gccacagaatg	tggttgaggg	tgggcctcat	gaggtcgagc	2100
ttcggctcac	cgccctccca	gaggctgagt	actcaggact	cgctcagacac	ccagggaact	2160
ctccagcct	gagctgtgac	tactttgcgc	tgaaaccagag	ccgcctctgt	gtgtgtgacc	2220
tgggcaaccc	catgaaggca	ggagccagtc	tggtgggtgg	ccctctggtt	acagtcctcc	2280
cttcccgga	cactaagaaa	accatccagt	ttgacttcca	gatcctcagg	agaactctca	2340
acaactcgca	aagcgacgtg	gtttccttcc	ggctctccgt	ggaggctcag	gcccaaggtc	2400
ccctgaacgc	tgcttccaag	ccctgaggag	tgctattccc	agtaagcgac	tggcactccc	2460
gagaccagcc	tcagaaggag	gaggacctgg	gacctgtgtg	ccaccatgtc	tatgagctca	2520
tcaaccaagg	ccccagctcc	attatgccagg	gtgtgtcgtg	actcagctgt	ccccaggctc	2580
tggaaggctca	gcagctcctca	tatgtgacca	gagttaccgg	actcaactgc	accaccaatc	2640
accctactaa	cccaaaaggcg	ctggagttgg	atccccgagg	ttccctgcac	ccaccagcaa	2700
aacgggaagc	tcocaaagcgc	agctctgctt	cctcggggacc	tcagatctg	aaatgcccg	2760
aggctgagtg	tttcaggctgt	cgctgtgagc	tcggggccctc	gcaccaacaa	gagagccaaa	2820
gtctcgagtt	gcatttccga	ctctggggcca	agactttctt	gcagcgccag	ccccagccat	2880
ttagcctcga	gtgtgaggct	gtgtacaaa	ccctgaagat	gcctcaccga	actctgcctc	2940
ggcagctgcc	ccaaaaggag	cgctcaggtg	ccagactgtg	gcaatggacc	aaggcagaag	3000
gcagctatgg	cgctccactg	tggtatcatc	tcttagccat	cctgtttggc	ctctgtctcc	3060
taggtctact	catctacate	ctctacaagg	ttggattctt	caaacgctcc	ctcccatatg	3120

gcaccgcat	ggaaaaaagt	cagctcaagc	ctccagccac	ctctgatgcc	tgagtcctcc	3180
caatttcaga	ctcccattcc	tgaagaacca	gtccccccac	cctcatttcta	ctgaaaagga	3240
ggggtctcgg	tacttcttga	aggtgctgac	ggccaggagg	aagctcctct	ccccagccca	3300
gagacatact	tgaagggccca	gagccagggg	ggtgaggagc	tggggatccc	tcccccccat	3360
gcaactgtgaa	ggacccttgt	ttacacatac	cctcttcatg	gatgggggaa	ctcagatcca	3420
gggacagagg	cccagcctcc	ctgaagcctt	tgcattttgg	agagtttcct	gaaacaactg	3480
gaaagataac	taggaaatcc	attcacagtt	ctttggggcca	gacatgccac	aaggactctc	3540
tgtccagctc	caacctgcaa	agatctgtcc	tcagccttgc	cagagatcca	aaagaagccc	3600
ccagtaagaa	cttggaaact	ggggagttaa	gacctggcag	ctctggacag	ccccaccctg	3660
gtggggccaa	aaagaacact	aactatgcat	ggtgccccag	gaccagctca	ggacagatgc	3720
cacaaggata	gatgctggcc	caggggccaga	gcccagctcc	aaggggaaatc	agaactcaaa	3780
tggggcccaga	tcagcctcgg	ggtctggagt	tgatctggaa	cccagactca	gcaattggca	3840
ccaatccagg	cagatccagg	actatatttg	ggcctgtccc	agacctgac	ctggaggccc	3900
agttcacctc	gatttagagg	aagccaggaa	tttcccagga	cctgaagggg	ccatgatggc	3960
aacagatctg	gaacctcagc	ctggccagac	acaggccctc	cctgttcccc	agagaagggg	4020
gagcccactg	tctctgggct	gcagaatttg	ggttctgcct	ggcagctgca	ctgatgtctg	4080
cctcatctc	tctgcccaac	ccttccctca	ccttgcccca	agacaccagc	gacttattta	4140
aactctgtg	caagtgcatt	aaatctgacc	cagtgtcccc	actgaccaga	actagaaaaa	4200
aaaa	4204					

<210> 94
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002205

<400> 94
 ttggcaccag acaccaggga cttattttaaa ctctgttgca agtgcaataa atctgaccca 60

<210> 95
 <211> 1976
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002266

gccacacggt	ctttgagctg	agtcgaggtg	gaccctttga	acgcagtcgc	cctacagccg	60
ctgattcccc	ccgcatacgc	tcccgtggaa	gcccaggccc	gcttcgcagc	tttctccctt	120
tgctctcaaa	ccatgtccac	caacgagaat	gctaatacac	cagctgcccg	tcttcacaga	180
ttcaagaaaca	agggaaaaga	cagtcacagaa	atgaggcgct	gcagaataga	ggccaatgtg	240
gagctgagga	aagctaagaa	ggatgaccag	atgctgaaga	ggagaaatgt	aagctcattt	300
cctgatgatg	ctacttctcc	gctgcaggaa	aaccgcaaca	accaggggac	tgtaaaattgg	360
tctgttgatg	acattgtcaa	aggcataaat	agcagcaatg	tggaaaataca	gctccaagct	420
actcaagctc	ccaggaaact	actttccaga	gaaaaacagc	ccccataaga	caacataatc	480
ggggtcgtgt	tgattccgaa	atttgtgtcc	ttcttgggca	ggaactgattg	tagtccccat	540
cagtttgaat	ctgcttgggc	actcactaac	attgcttctg	ggacatcaga	acaaaccaa	600
gctgtggtag	atggagggtg	catcccgaca	ttcatttctc	tgttggcacc	tccccatgct	660
cacatcagtg	aacaagctgt	ctgggctcta	ggaacactgt	caggtgatgg	ctcagttgtc	720
cgagaacttg	ttattaagta	cgggtgcagtt	gaccacactg	tggctctctc	tgcagttcct	780
gatatgtcat	ctttagcatg	tggctactta	cgttaactta	cctggacact	tcttaactct	840
tgccgcaca	agaattctcg	acccccgata	gatgctgttg	agcagattct	tcttaactta	900
tgtcggctcc	tgcatactga	tgaatccagaa	gtgttagcag	atacctgctg	ggctatttcc	960
taccttactg	attggtccaaa	tgaacgaatt	ggcatgggtg	tgaaaaacag	agttgtgccc	1020
caactgttga	agcttctcag	agcttctgaa	ttgccaaatt	tgactcctgc	ctcaagagcc	1080
atagggaata	ttgtcaactg	tacagatgaa	cagactcagg	ttgtgatgga	tgcagagaca	1140
ctcgcctgtc	ttccagcct	gtccaccaac	cccaaaacta	acattcagaa	ggaagctacg	1200
tggacaatgt	caaacatcac	agccggccgc	caggaccaga	tacagcaagt	tgtgaatcat	1260


```

<400> 98
ggttccctg agtcttacgg tccaacatca gaccaagtc catggacatg ctgacagggt 60

<210> 99
<211> 1390
<212> DNA
<213> Homo sapiens

<300>
<308> NM_002358

<400> 99
gggaagtgt gttggagccg ctgtggttg tgtccgcgga gtggaagcgc gtgcttttgt 60
ttgtgtccct ggccatggcg ctgcagctct cccgggagca gggaaatcacc ctgcgcggga 120
gcgcgcgaat cgtggccgag ttcttctcat tcggcatcaa cagcatttta tatcagcgtg 180
gcataatcc atctgaaacc ttactcgag tgcagaata cggactcacc ttgcttgtaa 240
ctactgatct tgagctcaa aaatacctaa ataattggtt ggaacaactg aaagatttgt 300
tatacaaggt ttcagttcag aaactgggtg tagttatctc aaatattgaa agtggtgagg 360
tcctggaaag atggcagttt gatattgagt gtgacaagac tgcaaaagat gacagtgcac 420
ccagagaaaa gtctcagaaa gctatccagg atgaaatccg ttcagtgatc agacagatca 480
cagctacggg gacattttctg ccaactgttg aagttttctg ttcatttgat ctgctgattt 540
atacagacaa agatttgtgt gtacctgaaa aatgggaaga gtcgggacca cagtttatta 600
ccaattctga ggaagtccgc ctctgttcat ttactactac aatccacaaa gtaaatagca 660
tggtggccta caaaattcct gtcaatgact gaggatgaca tgaggaaaat aatgtaattg 720
taattttgaa atgtgggtttt cctgaaatca ggtcatctat agttgatatg ttttatttca 780
ttggttaatt ttacatgga gaaaaccaa atgatactta ctgaactgtg tgtaatttgt 840
cttttatttt ttgtgtacct atttgactta ccatggagtt aacatcatga atttattgca 900
cattgttcaa aaggaaaccg gaggtttttt tgtcaacatt gtgatgtata ttcttttgaa 960
gatagtaact gtatgtggaa aaacttgtgc tataaagcta gatgctttcc taaatcagat 1020
tttttggtca agtagtttga ctcaagtatg gtaggagat atttaagat aaaatacaac 1080
aaaggaagtc taaattatca gaactttgt taaggtctgt aaagtaactc ataactcata 1140
aacaatgaaa taattgctga tagctccttt tgaccttcat tcatgtata gttttcccta 1200
ttgaatcagt ttccaattat ttgactttaa tttatgtaac ttgaacctat gaagcaatg 1260
atattttgat tgtttaatgt tctgtgatac agaactctta aaaaattgtt tcatgtgttt 1320
ttataaaatc aagtttttaag tgaaagtgtg gaaaataagt taagtttgtt ttaaaaaaaa 1380
aaaaaaaaa 1390

<210> 100
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_002358

<400> 100
atgctttctt aaatcagatg ttttggtcaa gtatgttgac tcagtatagg tagggagata 60

<210> 101
<211> 1821
<212> DNA
<213> Homo sapiens

<300>
<308> NM_002422

<400> 101
acaaggaggg aggcagaca gcaaggcata gagacaacat agagctaagt aaagccagtg 60
gaaatgaaga gtcttccaat cctactgttg ctgtgcgtgg cagtttgtctc agcctatcca 120
ttgtagtgag ctgcaagggt tgaggacacc agcatgaacc ttgttcagaa atatctagaa 180

```

aactactacg	acctcaaaaa	agatgtgaaa	cagtttgtaa	ggagaaaagg	cagtggctct	240
gttggttaaaa	aaatccgaga	aatgcagaag	ttccttgga	tgaggggtgac	ggggaaagctg	300
gactccgaca	ctctggaggt	gatgcgcaag	cccaggtgtg	gagttcctga	tggtggtcac	360
ttcagaacct	ttcctggcat	cccgaagtgg	aggaaaacc	accttacata	caggattgtg	420
aattatacac	cagatttgcc	aaaagatgct	gttgattctg	ctgttgagaa	agctctgaaa	480
gtctgggaag	aggtagctcc	actcacattc	tccaggctgt	atgaaggaga	ggctgatata	540
atgatctctt	ttgcagttag	agaacatgga	gacttttacc	cttttgatgg	acctggaaat	600
gttttggccc	atgctatgc	ccctgggcca	gggattaatg	gagatgccca	ctttgatgat	660
gatgaacaat	ggacaaagga	tacaacaggg	accaaattat	ttctcgttgc	tgctcatgaa	720
atttggccact	ccctgggtct	ctttcaactc	gccaacactg	aaqctttgat	gtaccacttc	780
tatcatctac	tcaagagacct	gactcgggtc	cgctgtctc	aagatgatata	aaatggcatt	840
cagtcctctc	atggacctcc	ccctgactcc	cctgagacc	ccctggtacc	cacggaaacct	900
gtccctccag	aaactgggac	gccagccaac	tgtgatcctg	ctttgtcctt	tgatgtgtgc	960
agcactctga	ggggagaaat	cctgatcttt	aaagacaggg	acttttggcg	caaatccctc	1020
aggaagcttg	aaactgaatt	gcatttgatc	tcttcatttt	ggccatctct	tccttcaggc	1080
gtggatgccg	catatgaagt	tactagcaag	gacctcgttt	tcatttttaa	aggaaatcaa	1140
ttctgggcca	tcagaggaaa	tgaggtacga	gctggatacc	caagaggcat	ccacacccta	1200
ggtttccctc	caaccgtgag	gaaaaatgat	gcagccattt	ctgataagga	aaagacaaa	1260
acataattct	ttgtagagga	caaatactgg	agatttgatg	agaagagaaa	ttccatggag	1320
cgaggtcttc	ccaagcaaat	agctgaagac	tttcaggga	ttgactcaaa	gggtgatgct	1380
gtttttgaag	aaattgggtt	cttttatttc	tttactggat	cttcacagtt	gaggtttgac	1440
ccaaatgcaa	agaaaagtac	acacactttg	aagagtaaca	gctggcttaa	ttgttgaaag	1500
agatatgtag	aaggacata	atgggcactt	taaatgaagc	taataattct	tcacctaaat	1560
ctctgtgaat	tgaaaatgtc	gttttctctc	gctgtgctgt	tgactcgagt	ccacctcaag	1620
ggaaacttgag	cgtgaatctg	tatcttgcg	gtcattttta	tgattataca	gggcatcaca	1680
atgggctgct	gcttatcgtg	caacctgtca	ctcttcccaa	gagaagggga		1740
agcactcgtg	tgcaacagac	aagtgactgt	atctgtgtag	actatttgct	tatttaataa	1800
agacgatttg	tcagttgttt	t 1821				

<210> 102

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_002422

<400> 102

tgtagaaggg acaatatggg cactttaaat gaagctaata attcttcacc taagtctctg 60

<210> 103

<212> 2787

<213> DNA

<213> Homo sapiens

<300>

<308> NM_002462

<400> 103

agagcggagg	ccgcactcca	gcactgcgca	gggaccgcct	tgaccgcgag	ttgcgggcca	60
ggaatcccgag	tgctacgggtg	gacacgcctc	ccttcgcgcc	ttgcgggcca	cctgctcacc	120
cagctcaggg	gcttttggaat	ctctgtggcca	cactgcgagg	agatcggttc	tggttcggag	180
gctacaggaa	gactcccaat	ccctgaaatc	tgaggtgaag	aacgcggcca	tcacgccacc	240
attccaagga	gggtcgaggag	aacagctctg	tgataccatt	taactttgtt	acattacttt	300
tattttgaag	aacgtatat	agagcttact	ttgcaaaagaa	ggaagatggg	tggtttccga	360
gtggacatcg	caaaaagctga	tccagctgct	gcattcccacc	ctctattact	gaatggagat	420
gtcactgttg	cccgagaaaa	gtggctgaga	acaactctgt	agacccagta	cagccagtat	480
gaggagaagg	tgcccccctg	catcgacctc	attgactccc	tgccggctct	aggtgtggag	540
caggacctcg	ccctggcagc	catcgccgtc	atcggggacc	agagctcggg	caagagctcc	600
gtgttgagg	cactgtcagg	agttgccctt	cccagaggca	gcgggactgt	gaccagatgc	660
ccgctggtgc	tgaaactgaa	gaaacttgtg	aacgaagata	agtggagagg	caaggtcagt	720

taccaggact	acgagattga	gatttcggat	gcttcagagg	tagaaaaagga	aattaataaaa	780
gcccagaatg	ccatcgccgg	ggaaggaatg	ggaatcagtc	atgagccta	caccctggag	840
atcagctccc	gagatgtccc	gagatcgact	ctaatagacc	tctctggcat	aaccagagtg	900
gctgtgggca	atcagcctgc	tgacattggg	tataagatca	agacactcat	caagaagtac	960
atccaggagg	aggagacaat	cagcctgggt	gtggtcccca	gtaatgtgga	catcgccacc	1020
acagaggctc	tcagatgggc	ccaggagggt	gaccccgagg	gagacaggac	catcggaatc	1080
ttgacgaagc	ctgatctggt	ggacaaaagga	actgaagaca	aggttgtgga	cgtggtgcgg	1140
aaacctcggt	tcacacctgaa	gaagggttac	atgattgtca	agtgcggggg	ccagcaggag	1200
atccaggacc	agctgagcct	gtccgaagcc	ctgcagagag	agaagatctt	ctttgagaac	1260
caccatattt	tcagggatct	gctggaggaa	ggaaaaggcca	cggttccctg	cctggcagaa	1320
aaacttacca	gcgagctcat	cacacatata	tgtaaatctc	tgcctctgtt	agaaaaatcaa	1380
atcaaggaga	ctcaccagag	aataacagag	gagctacaaa	agtatggtgt	cgacataaccg	1440
gaagacgaaa	atgaaaaaat	gttcttctcg	atagataaaa	ttaatgcctt	taatcaggag	1500
atcactgctc	tcatgcaagg	agaggaaact	gtagggggagg	aagacattcg	gctgtttacc	1560
agactccgac	acgagttcca	caaattggagt	acaataattg	aaaaacaatt	tcaagaaggc	1620
cataaaaattt	tgaattagaa	aatccagaaa	tttgaaaatc	agtatcgtgg	tagagagctg	1680
ccaggctttg	tgaaattacag	gacattttgag	acaatcgtga	aacagcaaat	caagcactg	1740
gaagagccgg	ctgtggatat	gtcacacacc	gtgacggata	tggtccggct	tgctttcaca	1800
gatgtttcga	taaaaaattt	tgaaagagtt	tttaacctcc	acagaaccgc	caagtccaaa	1860
attgaagaca	tttagagcga	acaagagaga	gaaggtgaga	agctgatccg	cctccacttc	1920
caagatggaa	agattgtcta	ctgccaggag	caggtataca	ggggtgcatt	gcagaaggtc	1980
agagagaaag	agctggaaag	agaaaagag	aagaaatcct	gggatttttg	ggctttccag	2040
tcacagctcg	caacagactc	ttccatggag	gagatcttcc	agcacctgat	ggcctatcac	2100
caggaggcca	gcaagcgcat	ctccagccac	atccctttga	tcattccagt	cttcattgctc	2160
acagactgac	gccagcagct	tcagaaggcc	atgctgcagc	tctctgcagg	caaggacacc	2220
tacagctggc	tccatgaagg	gcggagcgac	accagcgaca	agcggaagtt	cctgaaggag	2280
cggcttgca	ggctgacgca	ggctcgccgc	cggcttgccc	agttccccgg	ttaaccacac	2340
ctgtccagc	cccgtagacg	ctgcacgaca	ctgtctgccc	ccgttcccgg	gtagccactg	2400
gactgacgac	ttgagtgctc	agtagtcaga	ctggatagtc	cgtctctgct	tatccgttag	2460
ccgtggtgat	ttagcagaaa	gctgtgagag	cagtttgtgt	tctagataga	agacagagcc	2520
ccaccctcag	atgcacatga	gctggcgagg	ttgaaggatg	ctgtctctgt	actgggaaag	2580
ggattttcag	ccctcagaat	cgctccacct	tgcagctctc	cccttctctg	tattctctaga	2640
aaactgacaca	tgcgtgaacat	cacagcttat	ttctcatttt	ttataaatgtc	cttccacaaa	2700
cccagtggtt	taggagcatg	agtgccctgt	gtgtgcgtcc	tgtcggagcc	ctgtctcctc	2760
tctctgtaatt	aaactcattt	ctagcag	2787			

<210> 104
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002462

<400> 104
 actgacacat gctgaacatc acagcttatt tctctatttt tataatgtcc cttcacaaaac 60

<210> 105
 <211> 2808
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002759

<400> 105
 gcggcggcgg cggcgcagtt tgctcatact ttgtgacttg cggctcacagt ggcattcagc 60
 tccacacttt gtgaaccacac aggcacgaca agcatagaaa catcctaatac aatcttcatc 120
 gaggcatcga ggtccatccc aataaaaaatc aggagaccct ggctatcata gaccttagtc 180
 ttccgtggta tactcgtcgt ctgtcaacca gcggttgact ttttttaagc cttctttttt 240
 ctcttttacc agttttctgga gcaaatccag ttgtccttcc tggaattgta aattgtaattg 300

```

acctcaaaac tttagcagtt ctccatctg actcaggttt gttctctctg cggctctcag 360
aatcaacatc cacacttccg tgattatctg cgtgcatttt ggacaaagct tccaaccagg 420
atacgggaag aagaaatggc tggatctctt tcagcaggtt tcttcatgga ggaacttaat 480
acataccgtc agaaagcagg agtagtactt aaatatcaag aactgcctaa ttcaggacct 540
ccacatgata ggaggtttac atttcaagtt ataatagat gaagagaatt tccagaaggt 600
gaagtgatag caaagaagga agcaaaaaat gccgcagcca aattagctgt tgagatactt 660
aataagagaa agaaagcagt tagtccttta ttattgacaa caacgaattc ttcagaagga 720
ttaccatgag ggaattacat aggccttacc aatagaattg ccagaaagaa aagactaact 780
gtaaattatg aacagtgtgc atcgggggtg catggggcag aaggatttca ttataaatgc 840
aaaaatgggac agaaagaata tagtattggt acaggttcta ctaaacagga agcaaaacaa 900
ttggccgtcga aacttgcata tcttcagata ttatcagaag aaacctcagt gaaactgcac 960
tacctgtctc ctgggttctt tctactacg tgtgagctcc aaagcaactg tttagtgacc 1020
agcacactcg cttctgaatc atcatctgaa ggtgacttct cagcagatac atcagagata 1080
aattctaaac gtgacagttt aaacagttct tcgttggcta tgaatggctc cagaaaaaat 1140
caaaaggaag caaaaagatc ttggccacc agatttgacc tctctgacat gaaagaaaca 1200
aagtatactg tggacaagag gtttggcatg gattttaaag aaatagaatt aattggctca 1260
ggtgattttg gccaaagttt caaagcaaaa cacagaattg acggaagac ttacgttatt 1320
aaacgtgtta aatatataaa cgagaaggcg gagcgtgaag taaaagcatt ggcaaaaact 1380
gatcatgtaa atattgttca ctacaatggc tgttgggatg gatttggata tgatcctgag 1440
accagtgtat attctcttga gagcagtgat tatgatcctg agaacagcaa aaatagtcca 1500
agggtcaaga ctaagtgcct ttcatccaa atggaattct gtgataaagg gaaccttgaa 1560
caatggattg aaaaaagaa aggcgagaaa ctagacaaag ttttggcttt ggaactcttt 1620
gaacaaataa caaaaggggt gattatata cattcaaaaa aattaattca tagagacttt 1680
aagccaagta atatatcttt agtagataca aaacaagtaa agattggaga ctttggactt 1740
gtaccatctc tgaaaaaatg tggaaagcga acaaggagta agggaaactt gcgatacatg 1800
accacagaac agatttcttc gcaagactat ggaaggaag tggacctcta cgctttgggg 1860
ctaattcttt ctgaactctt tcatgtatgt gacactgcct ttgaacatc aaagtttttc 1920
acagacctac gggatggcat catctcagat atatttgata aaaaagaaaa aactctcta 1980
cagaaattac tctcaaaaga acctgaggat cgacctaa caactctgaaat actaaggacc 2040
ttgactgtgt ggaagaaaaa ccagagaaa aatgaacgac acacatgtta gaggccttct 2100
gaaaaagtat cctgcttctg atatcgagtt ttccctaaat tatctaaaaat ctgctaggga 2160
atatcaatag atattacct ttatttttaa tttttcttt aattttttac tatttttact 2220
aatctttctg cagaaacaga aaggttttct tctttttgct tcaaaaaaat tcttacattt 2280
tactttttcc tggctcatct cttatttctt ttttttttt tttaaagacag agtctcgctc 2340
tgttgccagc gctggagtgc aatgacacag tcttggctca ctgcaactc tgctcttgg 2400
gttcaagtga ttctcctgcc tcagcctcct gagtagctgg attacaggca tgtgccacc 2460
atcccaactaa tttttgtgtt tttaataaag acagggttcc accatgttgg ccaggctggt 2520
ctcaaaactcc tgacctcaag taatccacct gcctcgacct cccaaagtgc tgggattaca 2580
gggatgagcg acccgcccca gcctcatctc ttgttctaa agatggaaaa accacccca 2640
aaatttcttt ttatactatt aatgaatcaa tcaattcata tctatttatt aaatttctac 2700
cgcttttagt ccaaaaaaat tgaagatcgt tctctgcctc acatagctta caagccagct 2760
ggagaaatat ggtactcatt aaaaaaaaaa aaaaagtgat gtacaacc 2808

```

```

<210> 106
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002759

```

```

<400> 106
tcgttctctg cctcacatag cttacaagcc agctggagaa atatggtact cattaaaaaa 60

```

```

<210> 107
<211> 1678
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002811

```

<400> 107
aagaaggagg ccgcgcgagg gctgacgaac cggaagaaga ggaactgggc ctgaaagggt 60
accggtgacc gctactgctg ccggtgtttg cgtgtggcag ggagccaggc ctggcgagcg 120
gggtgtgtcg cgatgccgga gctggcagtg cagaagggtg tgggtccacc cctgggtgctg 180
ctcaggtgtg tggatcattt caaccgaatc ggcaagggtg gaaaccagaa gcgtgttgtt 240
gggtgtgctt tggggctcatg gcaaaagaaa gtacttgatg tatcgaaacag ttttgcagtt 300
ccttttgatg aagatgacaa agacgattct gtatggttt tagaccatga ttatttggaa 360
aacatgtatg gaatgtttaa gaaagtcaat gccagggaaa gaatagtgtg ctggtaccac 420
acaggcccta aactacacaa gaatgacatt gccatcaacg aactcatgaa aagatactgt 480
cctaattccc tatttgtcat cattgatgtg aagccgaagg acctagggct gcctacagaa 540
gcgtacattc cagtggaaaga agtccatgat gatggaactc caacctcgaa aacatttgaa 600
cacgtgacca gtgaaattgg agcagaggaa gctgaggaa ttggagtgtg acactgtgta 660
cgagatatca aagacacgac ggtgggcact ctgtcccagc ggaatcacaa ccagggtccat 720
ggtttgaagg gactgaactc caagcttctg gatatacagg gctacctgga aaaagtgcgc 780
acaggccaagc tgcccataca ccaccagatc atctaccagc tgcaggacgt cttcaacctg 840
ctgcagatg tcagcctgca ggagtctgct aaggcctttt acctgaagac caatgaccag 900
atggtgtgtg tgtacttgcc ctgcgtgatc cgttccgtgg tcgccctgca caacctcatc 960
aacaacaaga ttgccaaccg ggatgcagag aagaaagaag ggcaggagaa agaagagagc 1020
aaaaaggata ggaagaggga caaggagaaa gataaagata aggaaagaag tgaatgtaaa 1080
aaagaggaga aaaaggagaa aaagtaaaac atgtattaaa tagctttttt aatttgtaaa 1140
ttaaatactt acaaaactaa tcagtgtgct gctagagggt tctttttcac ttgacatgct 1200
tattagaagg ctgacccaac aagagctctc tgccctccgt cactcttgtct gtgggtgctac 1260
gtggaagtga atggagactg atctcaaac tgaactgcag cttctgctg tgtaggtgtg 1320
ggatagtata gtccagctcag gcttcagatt gtatgagaaa aatgaagaga agtcaacaaa 1380
tattttggta cttctcattc attttatctc taaaaccagga gtggaatttt cctcatcttg 1440
aaagactctt ggggtctgtt tctgttatct taaaaaattg ctaagtggaa tgcataaatt 1500
gcattatgct cctctgtaac acgtagagtt cagacccttc tgaaactctg tgataatacc 1560
acacattgtt ctggaccatc agctctggca tctcagggg ttgtgatcca gctccatata 1620
tgttttacct tcaaatgata aattaaatgg cttgattttt aaaaaaaaaa aaaaaaaa 1678

<210> 108
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_002811

<400> 108
aaattgctaa tgggaatgca tgaattgcat tatgtttctc ggtaaacagt agagttcaga 60

<210> 109
<211> 846
<212> DNA
<213> Homo sapiens

<300>
<308> NM_002888

<400> 109
caacgtccgg ggtgccgagc caactttctc gcgtccatgc agccccgcgc gcaacggctg 60
cccgtccctt ggtccgggac cagggggccc cgcgccacgc ccccgctgct cgcgctgctg 120
ctgttgctcg ccccggttgc ggcccccggc ggggtccggg gccccgcaga cctggggcag 180
cctcaggatg ctggggctccc gcgcaggctc ctgcagcaga aggcgcgcgc ggcgcttcac 240
ttcttcaact tccggtccgc ctgcgccagc gcgctgcgag tgcgtggcga ggtgcaggag 300
ggccgcgcgt ggatlaattc aaaaaggagg tgtaaaagt acgtgtgtct cagcacagag 360
gcctacaacc cagagtcttt acttcaggaa ggtgaggagc gtttggggaa atgttctgct 420
cgagtgtttt tcaagaatca gaaaccaga ccaaccatca atgtaactg tacaaggctc 480
atcgagaaaa agaaaaagaca acaaggagat tacctgtctt acaagcaaat gaagcaactg 540
aaaaaccctt tggaaatagt cagcatacct gataatcatg gacatattga tcctctctcg 600

```

agactcatct gggatttggc tttccttga agctcttacg tgatgtggga aatgacaaca 660
cagggtgtcac actactactt ggcacagctc actagtgtga ggcagtgagg aagaaaaaac 720
tgaaaaattaa cttgtgccac aagagttaca atcaaatggg tctccttaga ctgaattcat 780
gtgaacttct aatttcatat caagagttgt aatcacattt atttcaataa atatgtgagt 840
tcctgc 846

<210> 110
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_002888

<400> 110
aagaaaaaga caacaagagg attacctgct ttacaagcaa atgaagcaac tgaaaaaccc 60

<210> 111
<211> 1054
<212> DNA
<213> Homo sapiens

<300>
<308> NM_003090

<400> 111
gaattccgag gagggccacg ggctttccac agcgcggggg aacgggaggg tgcaggatgg 60
tcaagctgac ggcggagctg atcgagcagg cggcgcagta caccaacgag gtgcgcgacc 120
gggagctgga cctccggggg tataaaattc ccgtcattga aaatctagggt gctacgttag 180
accagtttga tgctattgat ttttctgaca atgagatcag gaaactggat ggttttcctt 240
tgttgagaag actgaaaaaca ttgttagtga acaacaacag aatatgccgt ataggtgagg 300
gacttgatca ggctctgccc tgtctgacag aactcattct caccaataat agtctcgtgg 360
aactgggtga tctggaccct ctggcatctc tcaaatcgct gacttaccta agtatcctaa 420
gaaatccggg aaaccaataag aagcattaca gattgtatgt gatattataa gttccgcaag 480
tcagagtact ggatttccag aaagtgaaac taaaagagcg tcaggagaagc gagaaaaatgt 540
tcaagggcaa acgggggtgca cagcttgcaa aggatattgc caggagaagc aaaactttta 600
atccagggtg tgggtttgcca actgacaaaa agagaggtgg gccatctcca ggggatgtag 660
aagcaatcaa gaatgccata gcaaatgctt caactctggc tgaagtggag aggctgaagg 720
ggttgctgca gtctggtcag atccctggca gagaacgcag atcaggggccc actgatgatg 780
gtgaagaaga gatggaagaa gacacagtca caaacgggtc ctgagcagtg aggcagatgt 840
ataataatag gccctcttgg aacaagtctt gcttttcgaa catggataaa tagccttgtt 900
tgtgttagca aagtggaatc tatcagcatt gttgaaatgc ttaagactgc tgctgataat 960
tttgtaatat aagttttgaa atctaaatgt caattttcta caaattataa aaataaactc 1020
cactctctat gctaaaaaaa aaaaaaaggga attc 1054

<210> 112
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_003090

<400> 112
taatatgcctt gtttgtgtta gcaaatgtga atctatcagc attgttgaaa tgcttaagac 60

<210> 113
<211> 2033
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_003158

<400> 113
gaattccggg actgagctct tgaagacttg ggtccttggt cgcagggtgga ggcacgggtc 60
tcaactccatt gccaggccca gagtgcggga tatattgataa gaaacttcag tgaagccggg 120
gcgcgggtgct catgcocgta atccacagcat ttctggaggcg caggagcatca tggaccgcgt 180
taaagaaaac gcattttcag gacctgttaa ggctacagct ccagttggag gtccaaaacg 240
tgtttctcgtg actcagcaat ttcttctgca gaattccatta cctgtaataa gtggccagcg 300
tcagcgggtc ttgtgtctctt caaattcttc ccagcgctgt cctttgcaag cacaaaagct 360
tgtctccagt cacaagccgg ttcagaatca gaagcagaag caattgcagc caaccagtg 420
acctcatctt gtctccaggc cactgaataa cacccaaaag agcaagcagc cctggccatc 480
gcacctgaaa ataactccga ggaggaaact gcatcaaaaag aaaaaaatga agaatacaaaa 540
agaggcgatg gctttggaag actttgaaat tggctgcctt ctgggttaaa gaaagtttgg 600
taattgtttat ttggcaagag aaaaagcaaa caagttttat ctggctctta aagtgttatt 660
taaagctcag ctgggagaaag ccggagtgga gcatcagctc agaagagaa tagaataaca 720
gtccacacctt cggcatccta atattcttag actgtatggt tatttccatg atgctaccag 780
agctcatcaca attctggaat atgcaccact tggaaacagtt tatagagaa tcagaaaact 840
ttcaaaagttt gatgagcaga gaactgctaa cttatataac agaattgcaa atgccctgtc 900
ttactgtcat tcgaagagag ttattcatag agacattaa cagagaaact tacttcttgg 960
attcagctgga gagctttaa ttgcagattt tgggtggcca gtacatgctc tacttccag 1020
gaggaccact ctctgtggca ccttggaacta cctgccccct gaaatgattg aaggctcgga 1080
gcatgatgag aaggtggatc tctggagcct tggagtctt tgctatgaa ttttagttgg 1140
gaagcctcct tttagggcaa acacatacca agagacctac aaaaagaata cagggttga 1200
attcacattt cctgactttg taacagaggg agccagggac ctcatctcaa gactgttgaa 1260
gcataatccc agccagaggg caatgctcag agaagtactt gaacacctt ggtacacagc 1320
aaattcatca aaaccatcaa attgccaaaa caaagaatca gctagcaaac agtcttagga 1380
ctcgtgcaag gggagaaaac cttgagccag ggctgccata taacctgaca ggaacatgct 1440
actgaagttt attttaccat tgaactgtgc cctcaatcta gaacgctaca caagaataat 1500
ttgtttttta ctgcagcagg gtgccttaac ctccctattc aaaaagctcc aatcaataa 1560
acatgacact ctgaagtga agtagccacg agaattgtgc tacttatact ggaacataat 1620
ctggaggcaa ggttcgactg cagtgcgaac ttgcctccag attatgaacc agtataagta 1680
gcacaattct cgtggctact ttcaactcag agtgatcatg ttatgtatgt ggagctttct 1740
gaatagggag gttaaaggcac acctgctgag taaaacaaat atttcttctg tacgcttctt 1800
aggaatctgg tgtctgtccg gccccggtag gctgtttggg ttcttagtcc tcttaccat 1860
catctccata tgagagtgtg aaaaaggaa cactgtctct acctccattt agggatttgc 1920
ttgggataca gaagaggcca tgtgtctcag agctgttaag ggcttatttt tttaaaact 1980
tgaggtcata gcatgtgtgt aaactttaaa tatgcaggcc tctgtggctc gag 2033

```

```

<210> 114
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_003158

<400> 114
ttgggtttct agtctctcctt accatcatct ccatatgaga gtgtgaaat aggaacacgt 60

```

```

<210> 115
<211> 1421
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_003258

<400> 115
acttactgctg ggaagccctt ggagagtact cgggttcgtg aacttcccgg aggcgcaatg 60
agctgcatta acctgccac tgtgtgtccc ggctccccca gcaagaccgg ggggcagatc 120

```

cagggtgattc	tccggccgat	gtttccagga	aaaagcacag	agttgatgag	acgcgtccgt	180
cgcttccaga	ttgctcagta	caagtgcctg	gtgatcaagt	atgccaaaga	cactcgctac	240
acgacgacgt	tctgcacaca	tgaccggaac	accatggagg	cgctgcccg	ctgcttgcctc	300
cgagacgtgg	cccaggaggc	cctggggcgtg	gctgtcatag	gcacgcagca	ggggcagttt	360
ttccctgaca	tcattggagt	ctgcgaggcc	atggccaaag	ccggggaagac	cgtaattgtg	420
gctgcactgg	atgggacctt	ccagaggaag	ccatttgggg	ccatcctgaa	cctggtgccg	480
ctggccgaga	gcgtggtgaa	gctgacggcg	gtgtgcattg	agtgcttcgc	ggaagccgcc	540
tataccaaga	ggctcggcac	agagaaggag	gtcgaggtga	ttggggggagc	agacaagtac	600
cactccgtgt	gtcggctctg	ctacttcaag	aaggcctcag	gccagcctgc	cgggccggac	660
aacaagaaga	actgccagat	gccaggaaag	ccaggggaaag	ccgtgctgc	caggaaagctc	720
tttggccccc	agcagattct	gcaatgcagc	cctgccaaat	gaggggacctg	caggggccgc	780
ccgctccctt	cctgccactg	ccgcctactg	gacgctgccc	tgcatgtgc	ccagccaatc	840
caggaggaag	tccggaggcg	tgagggtgta	ccacaccttg	gccttctggg	aactctcctt	900
tgtgtggctg	ccccacctgc	cgcatgtctc	ctcctctcct	acccactggg	ctgcttaaaag	960
cttccctctc	agctgctggg	acgatcgccc	aggctggagc	tgcccgcgct	tggtggcctg	1020
ggatctggca	cactccctct	ccttgggggtg	agggacagag	ccccacgctg	tgacatcag	1080
ctctcttctt	ccctctgcg	gctttcactg	ctgagtctt	gttctccctg	ggaagcctgt	1140
gccagcactt	ttgagccttg	gcccacactg	aggcttaggc	ctctctgcct	gggatgggct	1200
cccacccctc	cctgaggatg	gcctggattc	acgccctctt	gttctctttt	gggctcaaaag	1260
ccctctctac	ctctggtgat	ggtttccaca	ggaacaacag	catctttcac	caagatgggt	1320
ggcaccaaac	ttgctgggac	ttggatccca	ggggcttatc	tcttcaagt	tggagagggc	1380
agggccaacg	cctctgctgt	agcttatgaa	attaactaat	t	1421	

<210> 116
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003258

<400> 116
 cttctacact ctggtgatgg ttccacagg aacaacagca tctttcacca agatgggtgg 60

<210> 117
 <211> 913
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003311

<400> 117						
agagccggcg	ccgtcacccg	ccgcattgcc	gtctccagtc	ccgcgctcgg	cacgacatga	60
agatccccca	cgaggtgcta	cgcgaggggc	agttggagaa	gcgcagcgac	agcctcttcc	120
aatctaggaa	gaagaagcgc	ggggtgctca	cctccgacgc	cctgagccctg	ttccccgca	180
gcgcccgccg	cgcccccacg	gagctgcgct	tcacatccat	cctcaagggtg	gactgcgtgg	240
agccacacgg	caagtaacgtg	tacttcacca	tcgtcaacc	cgaccacaag	gagatcgact	300
tcctctgcgc	ggggcgagagc	tgctggaacg	ggccatccg	gctggcgctg	atcgatttcc	360
agaaccggcg	cgccctgcag	gactttcgca	ccgcgcagga	acgcacccga	ccgcgcgcac	420
ccgccgagga	cgccgtggtc	gcgcggggcg	ccgcacccct	cgagccctcg	gagccctcca	480
ggccatcccc	gcagcccaaa	ccccgcacgc	catgagcccg	ccgcggggcca	tacgctggag	540
gagctggacc	gaggtctagga	cgctggccgg	gctctccagc	cctgcacgag	aagaacttcc	600
cgatgcggcg	gatcctcgct	ccgttgcaag	ggcccttaa	gttattgga	tatctaatat	660
cttctgattt	atttctcggtg	ttctttgtag	tacacatttt	tatagctcta	atatcttgtt	720
tttgatcac	tgtgcccatt	gcaaaataat	cacttggcca	gtttgtcttt	ctaccatccg	780
gctgtggctc	agtgagactc	gctgtgggag	ggtggaggcc	caggaatggg	cgggcaggag	840
accctcatcc	agtcctgcgg	ggctgggtgtg	aaaggcgctg	ggaaccggct	ttgaatgaat	900
aaatgaatcg	tgt	913				

<210> 118

<211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003311

<400> 118
 atttcgctgg ttctttgtag tcacatattt tatagtctta atatcttgtt ttgcatcac 60

<210> 119
 <211> 1723
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003376

<400> 119
 tcgcggaggc ttggggcgag cgggtagctc ggaggctcgt gcgctggggg ctagcaccag 60
 cgctctgtcg ggagggcgag cggttaggtg gaccggtcag cggactcacc ggccaggggc 120
 ctcggtgctg gaatttgata ttcatgtatc cgggttttat cctctctctt tttctctaaa 180
 caattttttt taaaactgta ttgtttctcg ttttaattta tttttgcttg ccattcccca 240
 cttgaatcgg gccgacggct tggggagatt gctctacttc cccaaatcac tgtggatttt 300
 ggaaaccagc agaaagagga aagaggttagc aagagctcca gagagaagtc gaggaagaga 360
 gagacggggg cagagagagc gcgcggggcgt gcgagcagcg aaagcgacag gggcaaatgt 420
 agtgacctgc tttttgggggt gaccgcccga gcgcggcggt agccctcccc cttgggatcc 480
 cgcagctgac cagtcgcgct gacggacaga cagacagaca ccgccccac cccagctac 540
 cacctctctc ccggccggcg gcggacagtg gacgcggcgg cgagccggcg gcaggggccg 600
 gagcccgccg ccggagggcg ggtggagggg gtccggggctc gcggcgctcg actgaaactt 660
 ttctgtccaa ttctgggctg ttctcgcttc ggaggagccg tggctccgcg gggggaagcc 720
 gagccgagcg gagccgcgag aagtgcctagc tcggggccgg agggagccga gccggaggag 780
 ggggaggagg aagaagagaa ggaagaggag agggggccgc agtgggcgact cggcgctcgg 840
 aagccgggct catggacggg tagggcggcg gtgtgcgcag acagtgtctc agccgcgcgc 900
 gctcccccag ccctggcccg ggccctgggc cggggaggaa gagtactcgc ccaggagccc 960
 gaggagagcg ggccgcccga cagcccgagc cggagaggga gcgcgagcgc ccggcgcccc 1020
 ggctcgggct ccgaaacat gaactttctg ctgtcttggg tgcatgtgag ccttgccctg 1080
 ctgctctacc tccaccatgc caagtgttcc caggctgcac ccattggcaga aggaggaggg 1140
 cagaatcatc acgaagtgtg gaagtccatg gatgtctatc agcgcgacta ctgccatcca 1200
 atcgagacct tgggtggacat ctccaggag taccctgatg agatcgagta catcttcaag 1260
 ccactcgtgt tgcccctgat gcgatggcgg ggctgtctga atgacgaggc cctggagtgt 1320
 gtgcccactg aggagtccaa catcaccatg cagattatgc ggaatcaaac tcaccaaggc 1380
 cagcacatag gagagatgag ctctctacag cacaacaaat gtgaatgcag accaaagaaa 1440
 gatagagcaa gacaagaaaa aaaaatcagtt cgaggaaaag gaaaggggca aaaaacgaaag 1500
 gcgaagaaat ccgggtataa gtccctggagc gttccctgtg gcccttgctc agagcggaga 1560
 aagcatttgt ttgtacaaga tcgcgagagc tgtaaatgtt cctgcaaaaa cacagactcg 1620
 cggttcaagg cgaggcagct tagttaaac gaacgtactt gcagatgtga caagccgagg 1680
 cggtagcgcc ggacaggagga aggagcctcc ctcagggttt cgg 1723

<210> 120
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003376

<400> 120
 ccagcacata ggagagatga gttctctaca gcacaacaaa tgtgaatgca gaccaaagaa 60

<210> 121
 <211> 2834
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003406

<400> 121
 gccactccc accgccagct ggaacctgtg ggactacgac gtccctcaaa cctgtcttct 60
 agggatataa aagaacatcc agtcatggat aaaaatgagc tgggtcagaa ggccaaactg 120
 gccgagcagg ctgagcgata tgatgacatg gcagcctgca tgaagtctgt aactgagcaa 180
 ggagctgaat tatccaatga ggagaggaat ctctctcag ttgcttataa aaatgttgta 240
 ggagcccgta ggtcatcttg gagggtcgtc tcaagtattg aacaaaagac ggaaggtgct 300
 gagaaaaaac agcagatggc tcgagaatac agagagaaaa ttgagacgga gctaagagat 360
 atctcgcaat atgtactgtc tcttttggaa aagttcttga tccccaatgc ttcacaagca 420
 gagagcaaaag tcttctattt gaaaaatgaa ggagattact accgttactt ggctgaggtt 480
 gccgctggtg atgacaagaa agggattgtc gatcagtcac aacaagcata ccaagaagct 540
 ttgaaatca gcaaaaagga aatgcaacca acacatccta tcagactggg tctggccctt 600
 aactctctct tgttctatta tgagattctg aactccccag agaaagcctg ctctcttgca 660
 aagacagcct ttgatgaaag cattgtctgaa ctgtatacat taagtgaaga gtcatataaa 720
 gacagcagcg taataatgca attactgaga gacaacttga cattgtggac atcgataacc 780
 caaggagacg aagctgaagc aggagaagga ggggaaaaat aaccggcctt ccaacttttg 840
 ctgctcatct tctaaaattt acacagtaga ccatttgtca tccatgtctg ccacaaaata 900
 gttttttgtt tacgatttat gacaggttta tgttactctt atttgaattt ctatatttcc 960
 catgtgtttt ttatgtttaa tattagggga gttagagccag ttaacatta ggagattatc 1020
 tgttttccat ttgaggtggc caatatgggg atgtggaaat ttatacaaa tttaagatgt 1080
 ttgctatagt acttttggta catttggctt tcaaaaaggc cagtgtaaaa ctgtctccat 1140
 gtctaaagca agaaaaactgc ctacatactg gtttgtctg gcggggaata aaaggatca 1200
 ttggttccag tcacaggtgt agtaattgtg gttactttaa gttttggagc acttacaagg 1260
 ctgtggtaga atcatacccc atggataacca catattaaac catgtatatc tgtggaatac 1320
 tcaatgtgta cacccttgac tacagctgca gaagtgttcc tttagacaaa gttgtgacct 1380
 attttactct ggataaaggc agaaaacggtt cacattccat tatttgtaaa gttacctgct 1440
 gttagcttcc attatttttg ctacactcat ttattttgta tttaaatggt ttaggcaacc 1500
 taagaacaaa tgtaaaagta aagatgcagg aaaaatgaa ttgctgtgat tctattcttc 1560
 atgtatatca agcacagcag taaaaacaaa acccatgtat ttaacttttt tttaggattt 1620
 ttgctttttg gatttttttt tttttttttt gatacttgc ttacatgcat gtcgtgtaaa 1680
 aatagttaac agggaaataa cttagatgta tggctagctt tgtttaatgt cttagaaatt 1740
 ttctatgaac aatccaagca taattgttaa gaacacgtgt attaaattca tttaagtgga 1800
 taaaaagttt tatgaatgga cttttcaact actttctcta cagcttttca tgtaaattag 1860
 tcttggttct gaaaactctc taaaagaaat tgtacatttt ttgaaattta ttccttatct 1920
 cctcttggca gctaatgggc tcttaccagg ttttaacaca aaatttatca taacaaaaat 1980
 actactataa taactactgt ttccatgtcc catgatcccc tctctctctc cccacctgta 2040
 aaaaatgag ttctattttt ttctgggaga gggggggatt gattagaaaa aatgttagtg 2100
 gtttccattt aaaaattttg catatggcat ttctaaactt aggaagccac aatgttcttg 2160
 gccctatctg acattgggta gcattaactg gctttttgtg taagtccaaa ccttttttgg 2220
 tttttaaaga ttctctgata ctcttatagc ctgccttcaa tttgtatcct ttattcttct 2280
 tattttcgag gtgcacaaga ttacctctct gttttagcct tcttctcttg caccacccat 2340
 ctctacttgg tggccatgta ctgtgaaaaa ggcgcgatga tcttcttggc tccactcaat 2400
 gtctaagcga cctgccttcc ttgtcttgca tccacagac tatttccctc atctatttta 2460
 ctgcagcaaa tctctcctta gttgatgaga ctgtgtttat ctccctttaa aacctacat 2520
 atctctgaat gctctgctat gctctgcttt aaaaactctc ctctttcttc ctctcttatt 2580
 ctctaaataa tgatgggctg aagttatacc ttaacaaact ttacacaaat attctctag 2640
 tactttcgag aaaaacacaa acaaaaatgc catttttaaa aaggtgtatt ttctcttata 2700
 gaatgtaagc tctcaagagc cagggaacat gttttctgta tgttctatgt tctctagtac 2760
 actgttaaat ctcaataaat attgatgatg ggaggcagtg agtcttgatg ataagggtga 2820
 gaaactgaaa tccc 2834

<210> 122
 <211> 60
 <212> DNA


```

<213> Homo sapiens

<300>
<308> NM_003406

<400> 122
tttagccttc tgtcttgta ccaaccattc ttacttggtg gccatgtact tggaaaaagg 60

<210> 123
<211> 1938
<212> DNA
<213> Homo sapiens

<300>
<308> NM_003504

<400> 123
gatttggcgg gagtcttgac cgcgcgcggg ctcttggtac ctcagcgga ggcgaggcg 60
tcggcgccgc gtggctatgt tcgtgtccga ttccgcgaaa gaggttctac aggtgggtcca 120
gagccagagag gtccctctct tcgtggcctc ggacgtggat gctctgtgtg cgtgcaagat 180
cttcaggcgc ttgtccaggt gtgaccacgt gcaatatacg ctggttccag tttctgggtg 240
gcaagaacctt gaaactgcatt ttcttgagca taaagaacag tttcattatt ttattctcat 300
aaactgtgga gctaattgag acctattgga tattcttcaa cctgatgaag acactatatt 360
ctttgtgtgt gacacccata ggccagtcaa tgcgtcaaat gtatacaacg ataccagat 420
caaattactc attaaacaag atgatgacct tgaagtcccc gccatgaag acatcttcag 480
ggatgaagag gaggatgaag agcattcagg aatgacagt gatgggtcag agccttctga 540
gaagcgacac cgtttagaag aggagatagt ggagcaaac atcgcgaggga ggcagcgcg 600
agagtgggag gcccgagaaa gagacatcct ctttgactac gagcagatg aatatcatgg 660
gacatcgtca gccatgtgta tgtttgagct ggcttggtat ctgtccaaag acctgaatga 720
catgctgtgg tgggccatcg ttggactaac agaccagtgg gtgcaagaca agatcaacta 780
aatgaaatac gtgactgatg ttggtgtcct gcagcgccac gtttcccgcc acaaccoccg 840
gaacgaggat gaggagaaca cactctccgt ggactgcaca cggatctcct ttgagtatga 900
cctccgcctg gtgctctacc agcactgggc tccctatgac agcctgtgca acaccagcta 960
taccgcagcc aggttcaagc tgggtgtctg gcattggacag aagcggtccc aggagtctct 1020
tgcaagacat ggtcttcccc tgaagcaggt gaagcagaag ttccaggcca tggacatctc 1080
cttgaaggag aatttgcggg aatgatttga agagtctgca aataaattt ggatgaagga 1140
catgcgcgtg cagactttca gcaattcatt tgggttcaag cacaagtttc tggccagcga 1200
cgtgtgtctt gccaccatgt ctttgatgga gagccccgag aaggatggct caggggacaga 1260
tcaacttcac caggctctgg acagcctctc caggagtaac ctggacaagc tgtaccatgg 1320
cctggaaact gccaaagaag agctgcgagc caccacgacg accattgccca gctgcctttg 1380
caccacaactc gtcatctccc aggggccttt cctgtactgc tctctcatgg agggcactcc 1440
agatgtcatg tctgtctcta ggcgcgcac cctaagcctg ctacgcaaac acctgctcaa 1500
gtcccttgtg tgttcgacaa agaaccggcg ctgcaaaactg ctgcgccctg tgatggctgc 1560
ccccctgagc atggagcatg gcacagtgc cgtggtgggc atccccccag agaccgacag 1620
ctcggacagc aagaactttt ttgggagggc gtttgagaag gcagcggaag gcaccagctc 1680
cggatgcgtg cacaaccatt ttgacctctc agtaattgag ctgaaaagctg aggatcgga 1740
caagtctctg gacgcaacta ttccctcct gtccatagaa tttgattctt ccagaatgac 1800
cttctattt atgtaaactg cttcattta gattgtaagt tatggacatg atttgatg 1860
tagaagccat tttttattaa ataaaatgct tattttaggc tccgtcccca aaaaaaaaaa 1920
aaaaaaaaa aaaaaaaa 1938

<210> 124
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_003504

<400> 124
caagtctctg gacgcactta ttccctcct gtccatagaa ttgattctt ccagaatgac 60

```

<210> 125
 <211> 2346
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003600

<400> 125
 accaaggcagc ctcgctcgag cgcaggccaa tgcgctttct agctagaggg tttactctct 60
 atttataaaa aagaaccttt gaattctaac ggtctagctc ttggaagact tgggtctctg 120
 ggctcgaggt gggagccgac ggggtggtag accgtggggg atactctcagt ggcggacgag 180
 gacggcgggg acaaggggcg gctggtcggg gtggcgagac gtcaagctccc ctgtcggttc 240
 ctccgtccct gagtgcctt ggcgctgcct tgtgccgcc cagcgccctt gcctccgctc 300
 ctgggcaccc aggcgcctct taggatactg cttgttactt attacagcta gaggcatcat 360
 ggacgcagct aaagaaaact gcatttcagg acctgttaag gctacagctc cagttggagg 420
 tccaaaacgt gttctcgtga ctcagcaatt tccttgcag aatccattac ctgtaaatag 480
 tggccaggct cagcgggtct tgtgtccttc aaattcttcc cagcgcatto ctttgcaagc 540
 acaaaagctt gtctccagtc acaagccggt tcagaatcag aagcagaagc aattgcaggc 600
 aaccagtgtc cctcatcctg tctccaggcc actgaataac acccaaaaga gcaagcagcc 660
 cctgccatcg gcacctgaaa ataactctga ggaggaaact gcatcaaaaac gaaaaaatga 720
 agaatacaaaa aagaggcagt gggctttgga agactttgaa attggtcgcc ctctgggtta 780
 aggaagttt ggtaatgttt atttggcaag agaaaagcaa agcaagttta tcttggtctc 840
 taaagtgtta tttaaagctc agctggagaa agcggaggtg gagcatcagc tcagaagaga 900
 agtagaataa cagtcccacc ttccgcatcc taatatcttt agactgtatg gttatttcca 960
 tgatgctacc agagtctacc taattctgga atatgcacca cttggaacag tttatagaga 1020
 cttcagaaaa cttcaaaagt ttgatgagca gagaactgct acttatataa cagaattggc 1080
 aaatgccctg tcttactgtc attcgaagag agttatctat agagacatta agccagagaa 1140
 ctactcttct ggatcagctg gagagcttaa aattgcagat tttgggtgtg cagtacatgc 1200
 tccatcttcc aggaggacca ctctctgtgg caccctggac taactgcccc ctgaaatgat 1260
 tgaaggtcgg atgcatgat agaaggtgga tctctggagc cttggagttc tttgctatga 1320
 atttttagtt gggaagcctc cttttgagcg aaacacatac caagagacct acaaaagaat 1380
 atccagggtt gaattccact tccctgactt tgaatacagag ggagccaggg acctcatttc 1440
 aagactgttg aagcataatc ccagccagag gccaatgtct agagaagtac ttgaacaccc 1500
 ctggatcaca gcaaatctat caaaaccatc aaattgccaa acaaaagaaat cagctagcaa 1560
 acagtcttga gaatcgtgca gggggagaaa tctttagccc agggctgcca tataacctga 1620
 caggaaatcg ctactgaagt ttattttacc attgactgct gccctcaatc tagaacgcta 1680
 cacaagaaat atttgtttta ctccagcagg gtgccttaac ctccctattc agaaagctcc 1740
 acatcataaa acatgacact ctgaagttaa agtagccagc agaattgtgc taactatact 1800
 gttcataaat ctggaggcaa gttctgactg cagccgcccc gtcagcctgt cctaggcagt 1860
 gtgtcttcac agggaggcaa tccagagcct ggtctggggg aaagtgaacca gctgcctctg 1920
 acccgatcat gttaaaggag tgtgcaataa ccttctcagt acctgagtg gttgttaact 1980
 tattgggttg gcgaagcctg taaaagctgt tggaaatgagt atgtgatctc ttttaagtat 2040
 gaaaaataag atatatgtac agacttgtat ttttctctg gtggcattcc ttttaggaatg 2100
 ctgtgtgtct tctccggacc ccggtaggcc tgattggggt tctagtctcc ctaaacctc 2160
 tacttccccat atgagagtgt gaaaaatagg aacacgtgct ctacctccat tttaggattt 2220
 gcttgggata cagaagagc catgtgtctc agagctgtta agggcttatt tttttaaacc 2280
 attggagtca tagcatgtgt gtaaacctta aatatgcaaa taataagata tctatgtcta 2340
 aaaaaa 2346

<210> 126
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_003600

<400> 126

```

agagtgtgaa aaataggaac acgtgctcta cctccattta gggatttgcg tgggatacag 60

<210> 127
<211> 853
<212> DNA
<213> Homo sapiens

<300>
<308> NM_003641

<400> 127
ctagtctctga cttcacttct gatgaggaag cctctctctc tagccttcag cctttctctc 60
cacccctgcc taagtaattt gatccctcaag aagttaaacc acacctcatt ggtccctggc 120
taattcacca atttacaac agcaggaaat agaaacttaa gagaaataca cacttctgag 180
aaactgaaac gacaggggaa aggagggtct actgagcacc gtcccagcat ccggacacca 240
cagcggccct tcgctccacg cagaaaacca cacttctcaa accttcactc aacacttctc 300
tcccacaaag cagaagatgc acaaggagga acatgaggtg gctgtgctgg ggccaccccc 360
cagcaccatc cttccaaggt ccaccgtgat caacatccac agcgagacct ccgtgcccca 420
ccatgtcgtc tgggtccctgt tcaacacctt cttcttgaa tgggtctgtc tgggtctcat 480
agcattcgcc tactccgtga agtctaggga caggaagatg gttggcgacg tgaccggggc 540
ccaggcttat gcctccaccg ccaagtgcct gaacatctgg gccctgattc tgggcattct 600
catgaccatt ggaattcatc ttgtactcgt attcggctct gtgacagtct accatattat 660
gttacagata atacaggaaa aacgggggta ctagtaccg cccatagctt gcaacctttg 720
cactccactg tgcaatgctg gccctgcacg ctggggctgt tgccctggcc cacttgggtc 780
tgccctcaga tacacagatt tataccacca cactgtctta cagtgtcatt caataaagtg 840
cacgtgcttg tga 853

<210> 128
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_003641

<400> 128
attatgttac agataataca ggaaaaacgg gggtactagt agccgcccat agcctgcaac 60

<210> 129
<211> 1280
<212> DNA
<213> Homo sapiens

<300>
<308> NM_003756

<400> 129
gaaagatggc gtcccgcag gaaggtaccg gctctactgc cactcttctc agctccaccg 60
ccggcgacgc agggaaaggc aaaggcacaag gcggctcggg agattcacgc gtgaagcaag 120
tgacgataga tggccttggt gtattaaaga taatcaacaa ttatcaagaa gaaggacaag 180
gaactgaagt tgttcaagga gtgcttttgg gtctggttgt agaagatcgg cttgaaaatta 240
ccaaactgctt tcttttccct cagcacacag aggatgatgc tgactttgat gaagtccaat 300
atcagatgga aatgatgcgg agccttcgcc atgtaaaact tgatcatctt cactggggct 360
ggtatcagtc cacatactat ggctcattgc ttaccggggc actcctggac tctcagttta 420
gttaccagca tgccattgaa gaatctgtcg ttctcattta tgatcccata aaaactgccc 480
aaggatctct ctcaactaaag gcatacagac tgactcctaa actgatggaa tttgtaaaag 540
aaaaagattt ttccctgaa gcattgaaaa aagcaaatat cactcttgag tacatgtttg 600
aagaagtgcg gattgtaatt aaaaattcac atctgatcaa tgcctaatg tgggaacttg 660
aaaagaagtc agctgttgca gataaacatg aattgctcag ccttgccacg agcaatcatt 720
tggggaagaa tctacagttg ctgatggaca gagtggatga aatgagccaa gatatagtta 780

```

aatacaacac	atacatgagg	aatactagta	aacaacagca	gcagaaacat	cagtatcagc	840
agcgctgcc	gcaggagaat	atgcagcgcc	agagccgagg	agaacccccg	ctccctgagg	900
aggacctgtc	caaactcttc	aaaccaccac	agccgcctgc	caggatggac	tcgctgctca	960
ttgcaggcca	gataaacact	tactgccaga	acatcaagga	gttcaactgcc	caaaacttag	1020
gcaagctctt	catggccagg	gctcttcaag	aatacaacaa	ctaagaaaag	gaagtgtcca	1080
gaaaagaagt	taacatgaac	tcttgaagtc	acaccagggc	aactcttggg	agaaatatat	1140
ttgcataatg	aaaagcacag	aggattttct	tagtgtcatt	gccgattttg	gctataacag	1200
tgtctttcta	gccataataa	aataaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	1260
aaaaaaaaaa	aaaaaaaaaa	1280				

<210> 130

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003756

<400> 130

tgagccaaga ttagttaa tacaacacat acatgaggaa tactagtaa caacagcagc 60

<210> 131

<211> 839

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003832

<400> 131

aagccacagc	ctccctggct	ggcgccagct	aaagtggctg	ttgggtgtcc	gcagggttct	60
gacctggcgc	gcgcgcctat	aagctaccag	gaggagcttt	acgaactccc	gtccctgcggg	120
aaagtggcggg	cacgatcgca	aggtagcgca	gaagcttctc	aatggccagc	gccagctgca	180
gccccggcgg	cgcactcgcc	tcacctgagc	ctggggaggaa	aattcttcca	aggatgatct	240
cccactcaga	gctgaggaag	cttttctact	cagcagatgc	tgtgtgtttt	gatgttgaca	300
gcacggtcat	cagtgaagaa	ggaatcggat	gctttcattg	gatttggagg	aaatgtgatc	360
aggcaacaag	tcaaggataa	cgccaaatgg	tatatcaactg	attttgtaga	gctgtgggga	420
gaaccggaag	aataacatcc	attgtcatc	agctccaac	aacttcagat	gaatttttac	480
aagttacaca	gattgatact	gtttgcttac	aattgcctat	tacaacttgc	tataaaaagt	540
tggtacagat	gatctgcact	gtcaagtaaa	ctacagttag	gaatcctcaa	agattggttt	600
gtttgttttt	aactgtagtt	ccagtattat	atgatcacta	tcgatttcc	ggagaggttt	660
gtaacttgaa	ttctttatgt	atattcctag	ctatatttca	tacaagtgt	tttaagagt	720
gagagtcgat	taaacacott	tactcttagg	aatatagatt	cggcagcctt	cagtgaatat	780
tgtgtttttt	cccttttgta	tgtcaataaa	agtttatcca	tgtgtcagaa	aaaaaaaaa	839

<210> 132

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003832

<400> 132

gaagaaggaa tcggatgctt tcattggatt tggaggaaat gtgatcaggc aacaagtcaa 60

<210> 133

<211> 3128

<212> DNA

<213> Homo sapiens

<300>
<308> NM_003981

<400> 133

gtctgcgcgc	gtggcgcggt	ttgaaat	gtggggtc	acggctcg	gagcggtac	60
gcggagtgac	atcgccggtg	tttgcgggtg	gtgtgtgtc	tcggggcggt	gtggagtagg	120
ctctggacgtg	gactcacggc	gtcttggagc	gtccgccatg	agggaagtg	aggtgctggc	180
ggaggagctcc	atagtatgtc	tcgcaaaagc	cctaaatcac	cttcgggaaa	tatgggagct	240
aattgggatt	ccagagagcc	agcggttaca	aagaactgag	gtgttaaaag	agcatatcaa	300
ggaactcctg	gatatgattg	ttgttgaaga	ggaagcctg	aaggaagaag	tcatcaaaag	360
catatccgtc	gttcagaaa	agctgaacac	ctctgtcagc	gatttcatcg	ttgagccatt	420
tcaggagaag	ggagagacga	ccatcttgca	actagaaaa	gattttcgca	cccaagtga	480
attgatgcga	aaacagaaaa	aggagagaaa	acaggaaactg	aagctacttc	aagagcaaga	540
tcagaagactg	tgcgaaattc	tttgtatgcc	ccactatgat	attgacagtg	cctcagtgcc	600
cagcttagaa	gagctgaacc	agttcaggca	acatgtgaca	actttgaggg	aaacaaaggc	660
ttctaggcgt	gaggagtttg	tcagtataaa	gagacagatc	atactgtgtg	tggaagaatt	720
agaccacatc	ccagacacaa	gctttgaaag	agatgtgtgtg	tgtgaagacg	aagatgcctt	780
ttgtttgtct	ttggagataa	ttgcaacact	acaaaagtgtg	ctacggcagc	tggaagtga	840
gaaatcacaa	aatgaagcag	tgtgtgaggg	gctgcgtact	caaatccgag	agctctggga	900
cagggttgcaa	atacctgaag	aagaaaagaga	agctgtggcc	accattatgt	ctgggtcaaa	960
ggccaaagctg	cggaaaagcgc	tgcaattaga	agtggatcgg	ttggaagaac	tgaaaatgca	1020
aaacatgaag	aaagtgatg	aggcaattcg	agtggagctg	gttcagtagt	gggaccagtg	1080
cttttatagc	caggagcaga	gacaagcttt	tgcccttttc	gtgtgtagg	actacacaga	1140
aaagtctgctc	cagctccacg	atgctgagat	gtgtcggtta	aaaaactact	atgaagtcca	1200
caaggaaactc	tttgaagagt	tcagaaagt	tggaagaaac	ttgagagctt	ttctagagtt	1260
tgagagaaaa	gcttcagatc	caaatcgatt	tcaaaaccga	ggagaaatc	ttctaaaga	1320
agaaaaacaa	cgagccaaag	tcagaaaaat	gctgccaaag	ctggaagaag	agttgaaggc	1380
acgaattgaa	ttgtgggaac	aggaacattc	aaagcatttt	atggtgaatg	ggcagaattt	1440
catggagtagt	gtggcagaa	aatgggagat	gcactcgattg	gagaaaagaga	gagccaaaga	1500
gaaaagacaa	ctgaagaaca	aaaaacagac	agagacagag	atgctgtatg	gcagcgctcc	1560
tcgaacacct	agcaagcggc	gaggactggc	tcaccaatca	ccgggcaag	cacgttaagt	1620
gaacactacc	accatgtcca	atgctacggc	caatagtagc	attcggccta	tctttggagg	1680
gacagtctac	cactccccgc	tgtctcgact	tcctccttct	ggcagcaagc	cagtcgctgc	1740
ttccacctgt	tcagggaaga	aaacacccgc	tactggcagg	catggagcca	acaaggagaa	1800
cttggagctc	aacggcagca	tcctgagtgg	tggttaccct	ggctcggccc	ccctccagct	1860
caacttcacg	atataattctg	ttgccagcac	ctattctgag	tttgcgaagg	atccgctcct	1920
ctctgacagt	tcacactgtg	ggcttcagcg	agaactttca	aaggcttcca	aatctgatgc	1980
tactcttgga	atctccaatt	caaccaacat	ccagtcctga	gaagccctga	tcagtcaccc	2040
agctgtggct	tcctgtgcct	agactggacc	taattatatg	ggggtgactt	tagtttttct	2100
tcagcttagg	cgtgcttgaa	accttggcca	ggttccatga	ccatgggcct	aacttaaaaa	2160
tttgaatgag	tggtacagtt	gaaagcccat	cataggttta	gtggctcctg	gagacttggt	2220
tgtacttat	atacatgaaa	agtttatggc	aagaagtgtca	aattttagca	tatggggcct	2280
gactctctca	ccacataatt	ctacttgcgt	aagcatgatc	aaagcttgtt	ttatctccac	2340
actctaggaa	aatgattgac	tatgccatc	cctgggggta	atattggcat	gtatacctgt	2400
aactagtaat	taacatcttt	tttgttttag	catgttcaat	taatgtctga	gctatcatag	2460
ctttgtctct	acctgagacc	ttgtccccc	cacacagagc	agccttcctc	ctgaagagaa	2520
tgtctttgtg	gttccgaagt	tgagatggcc	tgccctactg	ccaagagggt	gcaggaagag	2580
ctgggagcag	ctttgtttaa	ttgtgttcag	ttctgtttca	cagtgcatgt	ccacttgttg	2640
ggggtatgca	tgtatgaaca	ccatgtgctt	tcggaacgct	ttctcggcgt	ttgtcccttg	2700
gcctctcatc	cccccatctc	ttgtgcctact	ttgtcctgagt	ttctctacgc	ccgcagttgc	2760
cagctcaact	gggagtctgt	ttgttccaat	gggttgagct	gtcttttacc	ttgagatctg	2820
gaacttttga	catgtcacta	ctggggagggt	gttctcgtctc	tagcttccac	gatgaggcgc	2880
cactctttacc	tatcctctca	atcactactc	ttcttgaagc	actattattt	attctctcgc	2940
tgtctgcctg	cagcagtagt	actgtcaaca	tagtgtaaat	ggttctcctaa	agcttaccag	3000
ttgtgagctt	gtgttgacca	cgtctgtttac	tatacacgta	cgtgttcctga	ttttaaaata	3060
tacaattatt	cttaaaaaata	aattaaaatc	tgtatactta	catttcaaaa	agaaaaaaaa	3120
aaaaaaa	3128					

<210> 134

<211> 60
 <212> DNA
 <213> Homo sapiens

 <300>
 <308> NM_003981

 <400> 134
 tgcagcagta ctactgtcaa catagtgtaa atggtttcca aaagcttacc agtgtggact 60

 <210> 135
 <211> 1816
 <212> DNA
 <213> Homo sapiens

 <300>
 <308> NM_004029

 <400> 135
 gccaccagg gtcggcgctg cgccttcccg ccaggcctgg acactgggtc aacacctgtg 60
 acttcattgt tgcggccggg ccacacctgc agtcacacct gttagccccc ctgccaaagag 120
 atccataccg aggcagcgct ggtgggtaca agccctcagt ccacacctgt ggacacctgt 180
 gacacctggc cacacgacct gtggccggcg cctggcgctc gctgcgacag gagcccttac 240
 ctccccctgtt ataacacctg accgccacct aactgcccct gcagaaggag caatggcctt 300
 ggctcctgag agggcagccc caccgctgct gttcggagag tggctccttg gagagatcag 360
 cagcggtctgc tatgaggggc tgcagtggct ggacgaggcc cgcacctgtt tccgctgccc 420
 ctgggaagcac ttccgcgcca aggacctgag caggcccgac gcgcgcatct tcaaggcctg 480
 ggctgtggcc cgcggcaggt gcccgcctag cagcagggga ggtggcccg ccccgaggcg 540
 tqagactgag gagcgccggc gctggaaaac caacttccgc tgcgactgc gcagcacgag 600
 tcgcttcgtg atgcttgcggg ataactcggg ggacccggcc gaccgcaca aggtgtacgc 660
 gctcagccgg gagctgtgct ggcgagaagg ccaggcacg gaccagactg aggcagaggc 720
 ccccgcaagt gtcccacacac acaggggtgg gccccaggg ccattotttg cacacacaca 780
 tgctggactc caagcccagg gccccctccc tgcctcagct ggtgacaagg gggacctcct 840
 gctccaggca gtgcaacaga gctgctggc agaccatctg ctgacagcgt catggggggc 900
 agatccagtc ccaaccaagg ctctgggaga gggacaagaa gggcttcccc tgactggggc 960
 ctgtgtgcca ggccaggccg cggccccaga gtccccgcac caggcagagc cgtacctgtc 1020
 accctcccca agcgcctgca ccgcggtgca agagcccagc ccaggggcgc tggacgtgac 1080
 catcatgtac aaggcccgca cggctgctgca gaagtggtg ggacaccga gctgcacgtt 1140
 cctatcacgc ccccagacc cagctgtccg ggccacagac cccagcagg tagcattccc 1200
 cagccctgcc gagctccggc accagaagca gctgcgctac acggaggaaac tgcgcggca 1260
 cgtggccctc gggttgcacc tggagcttgc ggggcacagc ctgtggggcc ggcgcatggg 1320
 caagtgcagg gtgactagg aggtggggcg acccccaggc tcggccagcc cctccacccc 1380
 agcctgcctg ctgcctcgga actgtgacac ccccatcttc gaactcagag tcttcttcca 1440
 agagctgggt gaattccggg cacggcagcg ccgtggctcc ccacgtata ccatctacct 1500
 gggcttcggg caggacctgt cagctgggag gcccaaggag aagagccttg tctgtgtgaa 1560
 ctgggaaccc tggctgtgccc gagtgcacct agagggcacg cagcgtgagg gtgtgtcttc 1620
 cctggatagc agcagcctca gcctctgcct gtccagcggc aacagcctct atgacgacat 1680
 cgagtctctc cttatggagc tggagcagcc cgcttagaac ccagctaat gagaactcca 1740
 gaaaagctgga gcagcccacc tagagctggc cgcggccggc cagtctaata aaaagaactc 1800
 cagaacaaaa aaaaaa 1816

 <210> 136
 <211> 60
 <212> DNA
 <213> Homo sapiens

 <300>
 <308> NM_004029

 <400> 136
 agcagcccac cttagagctgg ccggggccgc ccagtctaata aaaaagaact ccagaacaaa 60

<210> 137
 <211> 2121
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004203

<400> 137
 tggaaattttt ggccgcgagca gctccgcgcg cgttcacggg ccgtttcccc tcacgggagtg 60
 cctccgcgcg ggcgtccgga acagtcgcag gcagactcgc gcccgctgag ccaccgcgagg 120
 ggtcccgctgg cctccgcgga cccggaatct gggccctcgc ggaccgcgcg cccgcccagtg 180
 cgccccaggg cttccccaca cccacggagt gaagtcagcc gcggccctgc ctgggaggaa 240
 cttaccgtct acgcggaaag gtggccagca gatgtgtcgg gccctggtgag aggggtaggcg 300
 gagacggccc gatcggccag ggccccggaa gctgcggagg tcacccccgc ctggccttag 360
 ctacgggaca ccctggattc acgtgggagc ccctgctcct gccctccccg tcccaccact 420
 gaggctgttg ggccaggcca gtcatgttag aacggctccc tgcaactgcca atgcccatgc 480
 ccacggaggg caccgcccca cctctgagtg gcaccccat ccagtgccc gcctacttcc 540
 gccacggaga acctggattc tccctcaaga ggccccgggg gctcagccgg agcctccacc 600
 ctccgccccc tgccaagggc agcattccca tcagccgcct ctccctcct cggaccccag 660
 gctggcacc a gctgcagccc cggcgggtgt cattccgggg cagggcctca gagactctgc 720
 agagccctgg gtagtaccaca agccggccag agtccctctt ccagcagagc ttccagaggcg 780
 tcagccgcct gggccatggc tcctacggag aggtcttcaa ggtgcgtccc aaggaggacg 840
 gcgggctcta tgccgtaaa gcttccatgt caccattccg gggcccccaag gaccggggccc 900
 gcaagtggcg cgaagtgggc agccacgaga aggtggggca gcacccatgc tgcgtgcggc 960
 tgaggcaggc ctggggaggag ggccgcatcc tgtacctgca gacggagctg tgcggggcca 1020
 gcttcagca caactgtgag gccctgggtg ccagcctgcc tgagcccgct gctggggct 1080
 acctcgggga cagcgtgctt gccctggccc atctgcacag ccaggggcctg gtgcaccttg 1140
 atgtcaagcc tgccaacatc ttctctgggg ccggggggcg tgcgaactg ggtgacttcg 1200
 gactgctggt ggagctgggt acagcaggag ctggtgaggt ccaggaggga gacccccgct 1260
 acatggcccc cgagctgctg cagggtcctt atgggacagc agcggatgtg ttcaagtctg 1320
 gctcaccat cctggaagt gcatgcaaca tggagctgcc ccacggtggg gagggtggc 1380
 agcagctgct ccagggtac ctgccccctg agttcactgc cggctctgtct tccgagctgc 1440
 gttctgtctt tgtcatgat ctggagccag accccaagct gcggggccacg gccgaggccc 1500
 tgctggcaact gccctgttgt aggcagccgc gggccctggg tgtgtctgtg tgcattggcag 1560
 cggaggccct gagccgagg tgggcccctg gccagggcct gcttgccctg ctctgctggc 1620
 tctggcatgg gctggctcac cctgcccagct ggtacagccc cctggggccc ccagccacc 1680
 cgctggctc accaccctgc agtttgcctc tggacagcag cctctccagc aactgggatg 1740
 acgacagcct agggccttca ctctcccctg aggtcttctt ggcccgagct gtggggagca 1800
 cctccacccc ccggagcagg tgcaacacca gggatgcctt ggacctaatg gacatacaat 1860
 cagagcctcc tcggggctcc ttcctcctt ttgagcctgc gaaacctctc agcctgtttg 1920
 aggacacccc agacccaacc tgagccccag actctgcctc tgcaatttta acctttatc 1980
 ctgtgtctct ccctgcgccc ttgaaagctg gggccctcgc ggaacttcca tggctctctc 2040
 tgcttgcccg tgtctataaa aaagtatttg aaccttggga gcacccaagc ttgctcatgt 2100
 ggcaaaaaaa a 2121

<210> 138
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004203

<400> 138
 ctggccgtgt ctaataaaaa gtatttgaa cttgggagca ccaagcttg ctcatgtggc 60

<210> 139
 <211> 1982
 <212> DNA

<213> Homo sapiens

<300>

<308> NM_004207

<400> 139

```
ggcgagaggg gggctgaggg gggccagcgg cggcaggtga ggcggaacca accctcctgg 60
ccatgggagg gggcgtgggt gacgagggcc ccacaggcgt caaggcccct gacggcggt 120
ggggctgggg cgtgctcttc ggctgtttcg tcatcactgg ctctctctac gccttcccca 180
agggcgtcag tgtctctctc aaggagctca tacaggagtt tgggatcgcg tacagcgaca 240
cagctcgtgat ctectccatc ctgctggcca tgcctctacgg gacaggtccg ctctgcagtg 300
tgtcgtgtaa ccgcttttggc tggcgcccg tcatgcttgt ggggggtctc tttgcgtcgc 360
tgggcatggt ggcctgcgtcc ttttgcggga gcatcatcca ggtctacatc accactgggg 420
tcatcacggg gttgggtttg gcactcaact tccagccctc gctcatcatg ctgaaccgct 480
acttcagcaa gggcgccccc atggccaacg ggctggcggc agcaggtagc cctgtcttcc 540
tgtgtgccct gaggccgctg gggcagctgc tgcaggaccg ctacggctgg cggggcggt 600
tctcatcctt gggcgccctg ctgctcaact gctgcgtgtg tgccgcactc atgaggcccc 660
tgggtgtcac gggccagccg ggcctcggggc cggcgccagc ctcccggcgc ctgctagacc 720
tgagctcttt ccgggaccgc ggctttgtgc tttacgccgt gggcgccctc gctatgggac 780
tggggctctt cgtcccccgc gtgttcgtgg tgagctacgc caaggacctg ggcgtgcccg 840
acaccaaggc cgccttccct ctcaccatcc tgggcttcat tgacatcttc gcgcgccgg 900
ccgcgggcct cgtggcgggg cttgggaagg tggcgcccta ctccgtctac ctcttcagct 960
tctcatgtt cttaacaggc ctccgggacc tggcgggctc tacggcgggc gactacgggg 1020
gacctggtgt ctctgcac tctcttgcca tctctacgg catggtgggg gccctgcagt 1080
tcgaggtgct catggccatc gtgggcaacc acaagtcttc cagtgcattt ggcctggtgc 1140
tgctgatgca ggcggtggcc gtgctcgtcg gggccctctc gggaggcaca ctctggatg 1200
cgaccaccgt ctacatgtac gtgttcatcc tggcgggggc cgaggtgctc acctcctccc 1260
tgattttgtc gctgggcaac tctctctgca ttaggaaagaa gcccaaaagc ccacagcctg 1320
aggtggcgcc cggcgaggag gagaagctcc acaagcctcc tcgacactcg ggggtggact 1380
tgccggaggt ggagcatttc ctgaaggctg agcctgagaa aaacggggag gtggttcaaa 1440
ccccgaaaaa aagtgtctga gtggtggggc gggcgccgca gccacaggga ggaggtacag 1500
aagccggcaa cgcctgtcat ttattttaca aactggactg gctcaggcag gggccaggct 1560
gggctccagc tgccggccca gcggtatctc gcccgatcag tgttttgagg gggaggtggt 1620
cggggtggga accgtgtcat tccagagtgg atctcgcggt aagccaaagg gcaaggttac 1680
aaggcatcct caccaggggc ccgcctgct gctccagggt ggcctgcggc cactgctatg 1740
ctcaaggacc tggaaaccca tgcctcgaga caactgtact ttaatgggag ggtgggtggg 1800
ccgcagacag gctggcaggg caggtgctgc gtggggccct ctccagcccg tcttaccctg 1860
ggctcacatg gggcctgtgc ccacccctct tgagtgtctt ggggacagct ctttccaccc 1920
ctggaagatg gaaataaac tgcgtgtggg tggagtgttc tegtccgcaa tcaaaaagc 1980
tt 1982
```

<210> 140

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004207

<400> 140

cctcttgagt gtcttgggga cagctcttcc cacccttgga agatggaaat aaacctgcgt 60

<210> 141

<211> 2054

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004209

<400> 141

cgaggaggcg	cagcggtctgc	agcgtttggt	gcacatcagat	cagcatcagc	ggcagcgagg	60
cgggcctcgg	cgggggcg	ccggacggac	agcgggacag	aaggcgccag	ggcgcgcggt	120
ccggccggg	ccggccatgg	agggcgccct	cttcggcgcg	ggcgcgccag	ggcgcccgct	180
ggaccccggt	agctttgcgc	ggcgccccc	gacctgtctc	ggcgcgccag	cttggtgtgt	240
ctccatcgcc	gtcttcgggg	ccatcgtcaa	cgagggtctac	gtgaacaccg	acagcgggccc	300
cgagctcgcg	tcgctgttca	acgggaacgc	ggcgcgctgc	cgcttcggcg	tcgctgtggg	360
ctctggagcc	ttctctcgct	ggcgccgctt	ctgtgtgtct	gatgtgcgct	tcacagaaat	420
cagcagcgtc	cgcgaccgccc	ggcgcgcggt	gttgcgtggac	ctgggcttct	caggactctg	480
gtctctctgt	tgggttcgtgt	gcttctgctt	ctccacaaat	cagtgcgcag	gcacggcgccc	540
agggcgggcc	acgacgcagg	cgggggcgcc	ggcgggggcc	gccatcgctc	tcagcttctt	600
ctccatctct	agctgggtgg	cgctcaccgt	gaaggccctg	cagcggttcc	gcctggggcac	660
cgacatgtca	ctcttcggca	ccgaacagct	gagcaccggg	gcgagccagg	ctaccccg	720
ctatccgggt	ggcagcgccg	tggaggggac	cgagacctac	cagagcccg	ccctcaccga	780
gacctcgagc	accagcccca	aagggtacca	ggtgcccgcc	tactagcgcg	tggcagggcac	840
agaccagggc	tcacaaggcca	ccccaccaac	gcaggcccca	gggtctccgg	gacctccctt	900
gggtctcttc	agctcagtcg	cgcgacaga	gtaggtggcc	gcttctcgcc	atccggggccc	960
aagagggggg	ggaccgcgct	gtctggcgct	ccctcgccaa	gtccctcaga	tcctccagca	1020
ctctggccca	ggactgaggt	cttgagaagg	ggatagcact	gcccaggagc	tgtgtcccta	1080
gcttggaaat	gactggcctg	gggaaggctt	ctccctcttg	ggccacacct	gctcactctg	1140
gggttggggg	tcacgctgcc	ctctacgctc	aggtgcaggg	gctgcccagg	acaaagcggg	1200
ggcaggggaa	agacaccacc	ctcgcccca	gactggggat	gctggccact	gtcccatcc	1260
catgtccctg	tgggtagtga	ctgtctcgtt	tctgtcatgg	tgtgtcgctc	cgctccggagc	1320
cactctccac	ttctctctac	aggtctgtag	aacagccagc	ccctgtcagt	gttgtgatca	1380
tgttccaagt	ttcgggtttc	acctcctagt	actccacaag	ctgtctctct	ctctgtggcc	1440
ccggccctcg	ccaggtgtgt	ggtgtgtctg	gccaggaaag	cacaaggtag	ctgtggggcca	1500
agacaccagc	ccgttcctag	cccttcagta	agaccttgcc	aggagaggag	aaggatgcct	1560
gggtgcagg	caagacaagc	ccctcagcag	gagagaggcc	cagaggctcc	agctggccac	1620
cggtgccccc	aagatggccc	ctgtgtgtgt	ccctttacct	tgtgtctctg	gcccagctcc	1680
tgctctctca	ctctgaacct	gcttctctgg	ccagtccagc	gttggagatc	ctctgtcatg	1740
ctgactacca	atgcattgct	caaaagctgg	ttttcacatt	aagtcaaac	caaacgtgtg	1800
tgccacattt	catcagacag	acacctccct	ctggagatgc	agttgagtga	caaccttgtt	1860
acattgttag	ctagaccat	cttgtgtgga	tatttaagtg	aacatgttta	caatttttgt	1920
atatatcact	ctctccctct	ctgaaagac	cagagattgt	gtattttcag	gttcccatgt	1980
tcgcatgtca	ctctctttac	aataaagact	gttaactgagc	tgactgtgaa	aaaaaaaaaa	2040
aaaaaaaaaa	aaaa	2054				

<210> 142
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004209

<400> 142
 gatgcagttg agtgacaacc ttgttacatt gtatgcctaga ccaattctgt gtggatattt 60

<210> 143
 <211> 1224
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004217

<400> 143
 ggccgggaga gtatcagtc cttggacccc agctctctcc cccctttctc tctaaggatg 60
 gcccaagaag agaactccta ccctggcccc tacggcgac agacggctcc atctggcctg 120
 agcacccctg cccagcgagt cctccggaaa gagcctgtca ccccatctgc acttgtctcc 180
 atgagccgct ccaattgtcca gccacagct gccctggccc agaaggtgat ggagatatgc 240
 agtgggacac cagacatttt aacgcggcac ttcaaatgt atgactttga gatggggcgt 300

ctctctgggca	aaggcaagtt	tggaaacgtg	tactttggctc	gggagaagaa	aagccatttc	360
atcgctggcgc	tcaaggtctct	cttcaagtc	cagatagaga	aggagggcgt	ggagcatcag	420
ctgcgcagag	agatcgaaat	ccaggccac	ctgcaccatc	ccaacatcct	gcgtctctac	480
aactattttt	atgaccggag	gaggatctac	ttgattctag	agtatgcccc	ccgcggggag	540
ctctacaagg	agctgcagaa	gagctgcaca	tttgacgagc	agcgaacagc	cacgatcatg	600
gaggagttgg	cagatgtctct	aatgtactgc	catgggaaga	aggtgattca	cagagacata	660
aagccagaaa	atctgctctt	agggctcaag	ggagagctga	agattgtctga	cttcggcttg	720
ctctgtcatg	cgccctccct	gaggaggaag	acaatgtgtg	gcaccttgga	ctacctgcc	780
ccagagatga	ttgagggggc	catgcacaat	gagaaggtgg	atctgtgtgtg	catgtggagt	840
ctttgtctatg	agctcgtggt	ggggaaccga	ccctttgaga	gtgcatcaca	caacgagacc	900
tatcgccgca	tcgtcaaggt	ggacctaaag	ttccccgctt	ctgtgcccac	gggagcccag	960
gacctcatct	ccaaactgct	caaggcataac	ccctcggaac	ggctgcccc	ggcccaggtc	1020
tcagcccacc	cttgggtccg	ggccaaactct	cggaggggtc	tgccctccctc	tgcccttcaa	1080
tctgtcgcc	gatgttccct	gtcattcact	cgggtgcgtg	tgtttgtatg	tctgtgtatg	1140
tataggggaa	agaagggaat	ccctaactgtt	cccttatctg	ttttctacct	cctcctttgt	1200
ttataaaag	ctgaagcttt	ttgt	1224			

<210> 144
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004217

<400> 144
 gtctgtgtat gtatagggga aagaagggat ccctaactgt tccttatct gttttctacc 60

<210> 145
 <211> 983
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004335

<400> 145
 gtggaattca tggcatctac ttcgtatgac tattgcagag tgcccatgga agacggggat 60
 aagcgctgta agcttctgct ggggatagga attctgtgtc tctgtatcat cgtgattctg 120
 ggggtgccct tggattatct caccatcaag gccaacagcg aggcctgccg ggacggccct 180
 cgggcagatga tggagtgtcg caatgtcacc catctcctgc aacaagagct gaccgaggcc 240
 cagaagggtc ttcaggatgt ggaggcccag gccgccacct gcaaccacac tgtgatggcc 300
 ccaatggcct ccctggatgc agagaaggcc caaggacaaa agaaagtggg ggagcttgag 360
 ggagagatca ctacattaaa ccataagctt caggacgcgt ctgcagaggt ggagcgactg 420
 agaagagaaa accaggctctt aagcgtgaga atcgcggaca agaagtacta cccagctccc 480
 caggactcca gctccgctgc ggcgccccag ctgctgattg tgctgtggg cctcagcgct 540
 ctgctgcaat gagatccagc gaagctggca catcttgaa ggtccgtctc gctcgcttt 600
 tgcgttgaa attccttga tctcatcagt tctgagcggg tcatggggca acacggttag 660
 cggggagagc acggggtaac cgggaagggg cctctggagc aggtctggag ggcccatggg 720
 cgactctcgg gtgtggggac acagtctggg tgaccagggg ctgtctccct ccagagccct 780
 cctccggaca atgagtcctc cctcttgtct cccaccctga gattgggcat ggggtgcggt 840
 tgggggggca tgtctgtcct gttgttatgg gtttttttgg cggggggggg tgcctttttc 900
 tggggtcttt gagctccaaa aaataaacac ttcctttgag ggagagcaca aaaaaaaaaa 960
 aaaaaaaaaa aaaaaaaaaa aaa 983

<210> 146
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_004335

<400> 146

ggttgctttt tctctggggtc ttgagctcc aaaaaataaa cacttctctt gagggagagc 60

<210> 147

<211> 3446

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004336

<400> 147

ttctagtttg cggttcaggt ttgccgctgc cggccagcgt cctctggcca tggacacccc 60
ggaaaatgtc cttcagatgc ttgaagccca catgcagagc tacaagggca atgaccctct 120
tggtaatgga gaaagatata tacagtgggt agaagagaat ttctctgaga ataaagaata 180
cttgataact ttactagaac atttaattgaa ggaattttta gataaagaaga aataccacaa 240
tgacccaaga ttcacagatt attgttttaa atttgctgag tacaacagtg acctccatca 300
attttttggg ttctctgaca accatgggat tggaaacctg tcatccctct tgtaatttgc 360
ctgggctgggg catctgggag cccaaggaga gtgcagcatg gccagtgctg tctctcagag 420
aggaattcaa aaccaggctg aaccagagga gtctctgcga caacaatata ggttatttca 480
gacacgctcc actgaiaacc atttgccagc tcaagctaga acctcagaa cctctgataa 540
tgttcaggtt ttaaatcaaa tgataacatc aaaatcaaat ccaggaaata acatggcctg 600
catcttcaag aatcagggtt cagagctttc tggagtgata tcttcaagct gtgataaaga 660
gtcaaaatag gaacgaagag tgatcacgat ttctaaatca gaatatctctg tgcaactc 720
tttggcatcc aaagttagtg ttgagcaggt tgttatgtat tgcaaggaga agcttattctg 780
tggggaatca gaattttcct ttgaagaatt gagagcccag aaatacaatc aacggagaaa 840
catgagacaa tgggtaaatg aagacagaca ttatatgaaa aggaagaag caaatgcttt 900
tgaagaacac ctattaaaac agaaaatgga tgaacttcat aagaagtggc atcagtggtg 960
ggagacatcc catgaggatc tgcgcgcttc ccaggaaaagg tccgaggtta atccagcac 1020
tatggggcca agtgtagctg cccagcagga actgagagcg ccatgtcttc cagtaacctg 1080
tcagcagaca ccagtgaaac tggaaaagaa cccaagagag gccctctctg ttgttctccc 1140
tttggcaaat gctatttctg cagcttttgt gtccccagcc accagccaga gcatgtctcc 1200
tctctgtcct ttgaaagccc agacagtaac agactccatg ttgagtggtg ccagcaaaaga 1260
tgctggatgt gtgaataaga gtactcatga attcaagcca cagagtggaag cagagatcaa 1320
agaaagggtg gaaacacata aggttgccaa caaagttctc ttccacacaa ccccaaacac 1380
atcactggga atgtgttcag caacgccatc caaagtcag ccatcaccac cgtgtcacac 1440
aaaagaagca ttaggtttca tcatgaatat gtttcaggct cctacatcct ctgatatttc 1500
gatgacaaa gatgaatggc aatctctaga tcaaaatgaa gatgcatttg aagcccagtt 1560
tcaaaaaaat gtaagtcact ctggggcttg gggagtcatt aagatcatct cttctttgtc 1620
atctgctttt catgtgtttg aagatggaaa caaagaaaaa tatggattac cacagcctaa 1680
aaataaaccc acaggagcca ggaacttttg agaaagctct gtgcagagac ttccctcaaa 1740
accaaaggag gaagtgcctc attgctgaaga gtttttgat gactcaactg tatggggtat 1800
ctgctgcaac aaaaaccttg caccagctcc taagagccca ggagacttca catctgctgc 1860
acaactctgc tctcacacat tccacaagct tccagtggaag tcaagtccca ttttagaaga 1920
taaaagaaat ctggttagcaa aacagtgtag ccaggcgact ttggtattct gtgagaaaa 1980
catggtgggt ccttcaaggg attgaaaaat cagtcacatt caagagaaaaa gcccaaacca 2040
ggccttgtgc tctcacatgt attcagcatc cttactctgt ctgagcactc ctgctcaggg 2100
tgggtactct acctgtgagc cagagtttgg ctgtgagctg gcagactga cagacactga 2160
cgctgcattt gcagaagatc caccagatgc tattgtctgg ctccaagcag aatgggatga 2220
gatgagttca cttgggactg ttgatgtctc aaactctatt gtgtgggaacc catgggatga 2280
taagctgatt tccaactttt tactggggtc ttctaaacca gtgagtctct atcccaatac 2340
ttttgaatgg caatgtaaac ttccagccat caagcccaag actgaaattc aatttgggtt 2400
taagctggtc tatgtccatc acctcttgg agaaaggagcc ttgtgccagg tgtacgaagc 2460
taccagggga gatctgaatg attgtaaaaa taaacagaaa ttgtgttaa aggtccaaaa 2520
gctctgcaac cctgtggaat tctacattgg gaccagttg attgaaaagc taaagccatc 2580
tatgcagcac atgtttatga agttctattc tggccactta tccagagatg gcaagtgtatt 2640
agtaggagac ctctacagct atggaacatt attaaatgcc attaacctct ataaaaatac 2700
ccctgaaaaa gtgatgcctc aaggtcttgt catctctttt gctatgagaa tgtctttacat 2760
gattgagcaa gtgcattgact gtgaaatcat tcatggagac attaaaccag acaatttcat 2820

```

acttggaac  ggtattttg  aacaggatga  tgaagatgat  ttatctgctg  gcttggcact  2880
gattgacctg  ggctcagagta  tagatatgaa  actttttcca  aaaggaacta  tattcacagc  2940
aaagtgtgaa  acatctgggt  ttcagtggtg  tgagatgctc  agcaacaaac  catggaacta  3000
ccagatcgat  tactttgggg  ttgctgcaac  agtatattgc  atgctctttg  gcacttacat  3060
gaaagtgaac  aatgaaggag  gagagtgtaa  gcctgaagg  ctttttagaa  ggcttcctca  3120
tttgataatg  tggaaatgaa  ttttcatgt  tatgttgaa  attccagatt  gcatcatct  3180
tccatctttg  gatttgttaa  ggcaaaagct  gaagaaagta  ttccaacaac  actatactaa  3240
caagattagg  gccctacgtg  ataggctaat  tgtactgctc  ttagaatgta  agcgttcacg  3300
aaaaataaat  ttggatatag  acagtcctta  aaaatcacac  tgtaaatatg  aatctgctca  3360
ctttaaacc  gtttttttt  catttattg  ttatgtaaat  gttgtttaa  aataaatccc  3420
atggaatatt  tccatgtaa  aaaaaa  3446

```

```

<210> 148
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_004336

```

```

<400> 148
ttagggccct  acgtaatagg  ctaattgtac  tgctcttaga  atgtaagcgt  tcacgaaaat  60

```

```

<210> 149
<211> 739
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_004345

```

```

<400> 149
taaagcaaac  cccagcccac  accctggcag  gcagccagg  atgggtggat  caggaaggct  60
cctggttggg  cttttgcac  aggcctcagg  tgggcataaa  ggaggctcct  gtgggctaga  120
gggaaggcaga  catggggacc  atgaagacc  aaagggatgg  ccactccctg  gggcggtggt  180
cactggtgct  cctgctgctg  ggcctggtga  tgcccttgcc  catcattgcc  caggctcctca  240
gctacaagg  agctgtgctt  cgtgctatag  atggcatcaa  ccagcggtcc  tcggatgcta  300
acctctaccg  cctcctggac  ctggacccca  ggcacacgat  ggatggggac  ccagacacgc  360
aaaagcctgt  gagcttcaca  gtgaaggaga  cagtgtgccc  caggacgaca  cagcagtcac  420
cagaggattg  tgacttcaag  aaggacgggc  tggtgaaagg  gtgatggggg  acagtgaacc  480
tcaaccaggc  caggggctcc  ttgacatca  gttgtgataa  ggataacaa  agatttgccc  540
tgctgggtga  tttcttccgg  aaatctaaag  agaagattgg  caaagagttt  aaaagaattg  600
tcacagagaat  caaggatttt  ttgcgggaat  ttgtaccag  gacagagtc  tagtgtgtgc  660
cctaccctgg  ctcaggcttc  tgggctctga  gaaaataact  atgagagcaa  tttcaaaaaa  720
aaaaaaaaaa  aaaaaaaa  739

```

```

<210> 150
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_004345

```

```

<400> 150
gcaaaagatt  taaaagaatt  gtccagagaa  tcaaggattt  ttgcggaat  cttgtaccca  60

```

```

<210> 151
<211> 1432
<212> DNA
<213> Homo sapiens

```

<300>
<308> NM_004577

```

<400> 151
gaggaaaatt cttccagcga tggctctcca ctccagagctg aggaagcttt tctactcagc 60
agatgctgtg tgttttgatg ttgacagcac ggtcatcaga gaagaaggaa tcgatgagct 120
agccaaaatc tgtggcgctg aggacgcggt gtccagaaatg acacggcgag ccatgggcgg 180
ggcagtgctt ttcaaaagctg ctctcacaga gcgcttagcc ctcatccagc cctccaggga 240
gcaggtgcag agactcatag cagagcaacc cccacacctg accccggcca taaggagct 300
gtctaagtcg ctacaggagc gaaatgttca ggttttctcta atatctgggt gctttaggag 360
tattgtagag catgttgctt caaagctcaa tatccagcga accaatgtat tgccaaatag 420
gctgaaattc tactttaacg gtgaatatgc aggttttgat gagacgcagc caacagctga 480
atctggtgga aaaggaaaag tgattaaact tttaaaggaa aaatttcatt ttaagaaaa 540
aatcatgatt ggagatgggt ccacagatat ggaagcctgt cctcctgctg atgctttcat 600
tggttttgga ggaatgtga tcaggcaaca agtcaaggat aacgcctaat ggtatatcac 660
tgattttgta gagctgctgg gagaactgga agaataacat ccattgtcgt acagctccaa 720
acaaactcag atgaattttt acaagttata cagattgata ctgtttgctt acagttgcct 780
attacaactt gctatagaaa gttggtaaaa atgatctgta ctttaaaacta cagttaggaa 840
tcttagaaga ttgctttttt ttttttttta actgtagttc cagtattata tgatgactat 900
tgattttctg gagaggtttt tttttttttt gagacagaat ctgctctgtg tgcccaggct 960
ggagtgcagt ggccggtctt cggtcactg caagctctgc ctcccagggt caccgcatc 1020
tctgctctca gctcccagag tagctgggac tacaggcacc cgccaccaca tccggctaact 1080
tttttgattt ttatagtag acggggtttg accgtgttag ccaggatggg ctgtgactcc 1140
tgacctgtgt atccgctctg ctccagctcc caaagtgctg ggaattacagg cttggggcac 1200
gcgcgccagc caatgtccta gagagttttg tgactgtaat tcttttgtag tttttgtagc 1260
tatatttcat acaaaagtgt ttaagtggtg agagtcaatt aaacacctt atctcttagaa 1320
atacggattc ggcaagcttc agtgaatatt ggtttctctt tggtatgtca ataaaagttt 1380
atccgtatgt cagaacggat ttgtgaaaaa aaaaaaaaaa aaaaaaaaaa aa 1432

```

<210> 152
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_004577

```

<400> 152
tagaaatcac gattcgagc ccttcagtga atattggttt ctctttggtg tgtcaataaa 60

```

<210> 153
<211> 1530
<212> DNA
<213> Homo sapiens

<300>
<308> NM_004701

```

<400> 153
aatctctggaa caaggtcaca gcgtcgaaga tcccagcgc tcggggtctg gagagcagtc 60
ctaacggcgc ctgcctacgt agtgcctccc cttttcagtc cgcgtccctc cctgggcccgg 120
gtcggaactc ttgcctctcc cgtccctcat gcgcctgctc cgaaccccca cgtgttccag 180
tgattttggg aatattgaca caggagttaa ttctaaggtt aagatgcagt tgactattag 240
gcgaactggt ttagaagaaa ttggaaatag agttacaacc agagcagcac aagttagctaa 300
gaaagctcag aacaccaaag ttccagttca accacacaaa acaacaaatg tcaacaaaca 360
actgaaacct actgctctcg tcaaacccagt acagatggaa aagttggctc caaagggtcc 420
tctctccaca cctgaggatg tctccatgaa ggaagagaat ctctgcgaag ctttttctga 480
tgctctgctc tgcaaaatcg aggacattga taacgaagat tgggagaacc ctacgctctg 540
cagtgactac gttaaggata tctatcagta tctcaggcag ctggaggttt tgcagctcat 600
aaaccacat ttcttagatg gaagagatat aaatggacgc atgcgtgccca tcttagtgga 660

```

ttggctggtg	caagtcaccat	ccaagtttag	gcttctgcag	gagactctgt	acatgtgcgt	720
tggcattatg	gatcgatttt	tacaggttca	gccagtttcc	cggaagaagc	tccaatttagt	780
tgggattact	gctctgctct	tggcttccaa	gtatgaggag	atgttttctc	caaatattga	840
agactttgtt	tacatcacag	acaatgctta	taccagttcc	caaatccgag	aaatggaaac	900
tctaattttg	aaagaattga	aatttgagtt	gggtcgaccc	ttgccactac	acttcttaag	960
gcgagcatca	aaagccgggg	aggttgatgt	tgaacagcac	actttagcca	agtatttgat	1020
ggagctgact	ctcatcgact	atgatatggt	gcattatcat	ctttctaagg	tagcagcagc	1080
tgcttctgct	ttgtctcaga	aggttctagg	acaaggaaaa	tggaaacttaa	agcagcagta	1140
ttacacagga	tacacagaga	atgaagtatt	ggaagtcagt	cagcacatgg	ccaagaatgt	1200
ggtgaaggtg	aatgaaactc	taactaaatt	catcgccatc	atgcaagcag	ggttcattgt	1260
caaatctctg	aaagatcagca	tgatccctca	gctgaactca	aaagccgtga	aagaccttgc	1320
ctcccactgc	ataggaagggt	cctaggctgc	cgtgggcccc	gggattgtgt	gcttatttgt	1380
gccctttttc	ttattggttt	agaactcttg	attttgtaca	tagtctctgt	gtctatctca	1440
tgaacctctc	tctcagacca	gttttctaaa	catatatgtg	ggaaaaataa	agcgattggt	1500
tttttctaag	gtaaaaaaa	aaaaaaaaa	1530			

<210> 154
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004701

<400> 154	agaactcttg	attttgtaca	tagtctctgt	gtctatctca	tgaacctctc	tctcagacca	60
-----------	------------	------------	------------	------------	------------	------------	----

<210> 155
 <211> 2536
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004702

<400> 155	agcggggtgc	ggcggggacc	ggccccgcct	atatattggg	ttggcgccgg	cgccagctga	60
	gccagcggtg	agctgggtctg	gcgaggtttt	atacacctga	aagaagagaa	tgtcaagacg	120
	aagtaccgtt	ttacaagcta	agcagcagcc	ccagcccgag	cagacggaa	cccccaaga	180
	agcccgagata	atccaggcca	agaagaggaa	aactaccagg	gatgtcaaaa	gaagtctggc	240
	taaacatggtt	aaaaaaggag	agcagatatg	ttcatgacaa	acattttgaa	gttctgatt	300
	ctgacttgga	accacagatg	aggctccatc	ttctagactg	gcttttagag	gtatgtgaag	360
	tatacacact	tcatagggaa	acattttatc	ttgcacaaga	cttttttgat	agatttatgt	420
	tgacacaaaa	ggatataaat	aaaaaatatg	ttcaactcat	tggaaatcac	tcatattcaa	480
	ttgcttccaa	acttgaggaa	atctatgtct	ctaaactcca	agagtttgct	tacgtcaactg	540
	atggtgcttg	cagtgaaagag	gatattcttaa	ggatggaa	catatatata	aaagctttaa	600
	aatgggaact	ttgtcctgta	acaatcatct	ccgtgctaaa	ctctcttctc	caagtgtgatg	660
	ctcttaaaag	tgctcctaaa	gttcttctac	ctcagttatc	tcaggaaaaa	ttcaattcaaa	720
	tagctcagct	tttagatctg	gttatcttag	ccattgattc	attagagttc	cagttacagaa	780
	tactgactgc	tgctgccttg	tgccatttta	ctccatttga	agtggttaa	aaagcctcag	840
	gtttggagtg	ggacagattt	tcagaatgtg	tagatttgat	ggtacacctt	gtcaatgtag	900
	taaaaagtac	tagtccagtg	aagctgaaga	cttttaagaa	gattcctatg	gaagacagac	960
	ataatatcca	gacacataca	aactatttgg	ctatgctgga	ggaagtataa	tacataaaaa	1020
	cccttcagaaa	agggggagag	ttgtcaccag	ttgtcaattg	aggcattatg	acaccacgca	1080
	agagcactga	aaaaccaccca	ggaaaacact	aaagaagata	actaagcaaa	caagtgtgaa	1140
	ctgcacaaaga	ttgggtagaa	ctggtatcac	tgaactacta	aaagttttaca	gaaagttagt	1200
	ttgtgattga	tgcccttagc	caattccaaa	gttacctgac	catcttgatt	ttaaaaacta	1260
	caattggcgc	taagaataac	tttaatttat	ttcctatgtt	agctgtttaa	gaacacagca	1320
	gaactgttta	caaagatgtc	ttcatcccca	aggttactgg	atagaagaaa	acacagctct	1380
	ataccatagc	aatgtttttc	ctttaatcca	gtgttactgt	gtttatcttg	ataaactagg	1440
	aattttgtca	ctggagtttt	ggactggata	agtgctacct	taaaggggat	actaagtgat	1500

acagtacttt	gaatctagtt	gttagattct	caaaattcct	acactcttga	ctagtgaact	1560
ttgggttctg	aaaatttaaa	ttaaacttgt	ttacaaaggt	ttagttttgt	aataaggtga	1620
ctaattttac	tatagctgct	atagcaagct	attataaaac	ttgaatttct	acaaattggg	1680
aaattttaatg	ttttttaaac	tagttttatt	gccttgccat	aacacatttt	ttactaata	1740
aggcttagat	gaacatgggt	ttcaacctgt	gctctaaaca	gtgggagtag	caaagaaatt	1800
ataaacaaga	taaatgctgt	ggctccttcc	taactggggc	ttcttgtaga	tgtaggttgc	1860
ttggtaataa	ccctttttgt	tatcaccaat	tgggtgaaaa	acttaagtag	cccttcaaac	1920
tattttatat	aggaagtcac	tttactactc	taagatatcc	ctaaggaatt	ttttttttta	1980
attttagtgt	actaaggcct	tattttatgt	tgtgaaactg	tttaaggctc	ttctaaattc	2040
ctccattgtg	agataaggac	agtgtcaaa	tgataaagct	taacacttga	ctcaaacctc	2100
tattttctta	aggaagaaga	gtattaaata	tatactgact	cctagaatct	tattttattaa	2160
aaaaagacat	gaaaacttgc	gtacataagg	ctagctattt	ctaaatattt	taaatagctg	2220
tttctaaaaa	aaaaatccag	ctctcataag	tagattagaa	aactagattg	ctagtttatt	2280
ttgttatcag	atatgtgaat	ctcttctccc	tttgaagaaa	ctatcacatt	attgttacgg	2340
tatgaagtct	ctctgtatgt	ttgtttttaa	actaatattt	gtttcagtag	ttgtgctgaa	2400
aagaaaaaac	cactaattgt	gtacatatgt	attatataaa	cttaaccttt	taatactgtt	2460
tatttttagc	ccattgttta	aaaaataaaa	gttaaaaaaa	tttaactgct	taaaagtaaa	2520
aaaaaaaaaa	aaaaaa	2536				

<210> 156
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004702

<400> 156	
gtttgtgaaa	ctgttaagggt cctttctaaa ttctctcatt gtgagataag gacagtgtca 60

<210> 157
 <211> 1491
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004710

<400> 157						
gcggcgccgc	cagcgccgcg	gacggcgaca	tgagagcgg	ggcctacggc	gcggccaagg	60
cgggcgccgc	cttcgacctg	cggcgcttcc	tgacgcagcc	gcagggtggt	gcgcgcgcgc	120
tgtgcttggt	cttcgccttg	atcgtgttct	ectgcactca	tggtgaaggg	tcacagcaatg	180
ccacagagtc	taagcagatg	tactgcgtgt	tcaacgcgaa	cgaggatgcc	tgccgctatg	240
gcagtgccat	cggggtgctg	gccttccctg	ccctggcctt	cttcttggtg	gtcgcagcgt	300
atttccccca	gatcagcaac	gccactgacc	gcaagtacct	ggctcatggt	gaacctgctct	360
ctcagctctc	ctggaccttc	ctgtggtttg	ttggtttctg	cttccctacc	aaccagtggg	420
cagtcaccaa	cccgaaaggc	gtgctggttg	gggcccagtc	tgtgagggca	gccatcacct	480
tcagctctct	ttccatcttc	tctctgggtg	tgtggcctcc	ccctgcctac	cagcgctaca	540
aggctggcgt	ggacgacttc	atccagaatt	acgttgaccc	cactccggac	cccaaacactg	600
ctacgccttc	ctaccagcgt	gcactctgtg	acaactacca	acagccacc	ttccaccaga	660
acgcggagac	caccgagggc	taccagccgc	ccctgtgtga	ctgagcggcg	gttagcgtgg	720
gaagggggac	agagaggggc	ctccctctgc	ccctggactt	tcacctgagc	ctcctggaac	780
tgccagcccc	ttctctttcac	ctgttccatc	ctgtgcagct	gacacacagc	taaggagcct	840
catagcctg	cgggggctgg	cagagccaca	cccaagatgc	ctgtgcccaag	agggttccag	900
tcagccctc	actcctccag	ggcattttta	ggaaagggtt	ttcagctagt	gtttttctcc	960
gcttttaagt	acctcagccc	cgctgcaggt	ggctagaagc	cagcaggtgt	ccatgtgtca	1020
ctgacaagtg	ctcagacttc	cccccgcccc	gggtcagccc	gtgggagccg	ctattatctg	1080
ggcttctctg	caaaagactc	tgggggcca	cacactgtcc	ctgtgcagcg	gagccggacc	1140
aggctctgtc	gtctccactc	aggtttgctt	ccctgtgtcc	cactgtctga	tgatctgggg	1200
gccaccaccc	tgtgccgggt	gcctctgggc	tgcttccctg	ggtgtgaggg	cggggctggg	1260
gctcatggca	cttctctctt	gtctccaccc	ctggcagcag	ggaagggtct	tgcttgacaa	1320

```

ccccagctt  tatgtaata  ttctgcagtt  gttacttagg  aagcctgggg  agggcagggg  1380
tccccatgg  ctccagact  ctgtctgtgc  cgagtgtatt  ataaaatcgt  gggggagatg  1440
ccggcctgg  gatgctgttt  ggagacggaa  taaatgtttt  ctcttcagtt  a  1491

<210> 158
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_004710

<400> 158
ttgctgcaga  acaccagctt  ttatgtaaat  attctgcagt  tgttacttag  gaagcctggg  60

<210> 159
<211> 3324
<212> DNA
<213> Homo sapiens

<300>
<308> NM_004856

<400> 159
gcagagcacc  gcgccttagc  cgcgaagttc  tagttcttgc  tgcgggtcct  aacgtcccg  60
agctcttcgc  agccagccgt  cccgcatgcg  cgtttgggcg  gcgtggagcc  tgctgccatg  120
aagtccagca  gagctaaagc  accccggaaa  cctaccgtga  aaaaagggtc  ccaaacgaac  180
cttaaaagcc  cagttggggg  atactgtagg  gtgcgcccac  tgggctcttc  tgatcaagag  240
tggttcagta  aagtgatcaa  taatacaact  gttcagcttc  atactcctga  gggctacaga  300
ctcaaccgaa  atggagacta  taaggagact  cagttattcat  ttaacaagt  atttggcact  360
cacaccacca  agaaggaact  ctttgatgtt  gtggctaact  ccttggtcaa  tgacctttct  420
catggcaaaa  atggtctctt  tttacatat  ggtgtgacgg  gaagtggaaa  aactcacaca  480
atgactcggt  ctccagggga  aggagggctg  gttctcctgt  gtttggacat  gatctttaac  540
agtatagggt  catttcaagc  taaacgatat  gttttcaaat  ctaatgatag  gaatagtatg  600
gatatacagt  gtgaggttga  tgctttatta  gaacgtcaga  aaagagaagc  tatgcccaat  660
ccaaagactc  cttctagcaa  acgacaagta  gatccagagt  ttgcagatat  gataactgta  720
caagaattct  gcaaaagcga  agaggttgat  gaagatagtg  tctatgggtt  attgtctct  780
tatattgaaa  tatataataa  ttacatatat  gatctattgg  aagaggtgcc  gtttgatccc  840
ataaaaccca  aacctccaca  atctaattg  cttcgtgaag  ataagaacca  taactgtgat  900
gttgaggagt  gtacagaagt  taaagtgaaa  tctactgagg  aggcttttga  agttttctgt  960
agaggccaga  aaaaagacag  tattgctaatt  acccatttga  atcgtgagtc  acgcgcttcc  1020
catagcgtgt  tcaacattaa  attagtcca  gctcccttgg  atgcagatgg  agacaaatgc  1080
ttacaggaaa  aagaacaaat  cactataagt  cagttgtcct  tggtagatct  tgctgggaat  1140
gaaagaacta  accggaccag  acgagaagg  aacagattac  gtgaagctgg  taatattaat  1200
cagtcactaa  tgacgctaag  aacatgtatg  gatgtcctaa  gagagaacca  aatgtatgga  1260
actacaaga  tggttccata  tcgagattca  aagttaaacc  atctgttcaa  gaactacttt  1320
gatggggga  gaaaagtgcg  gatgatcgtg  tgtgtgaacc  ccaaggtcta  agattatgaa  1380
gaaaacttgc  aagtcatgag  atttgcggaa  gtgactcaag  aagttgaagt  agcaagaact  1440
gtagacaagg  caatatgtgg  tttacgcctg  gggaggagat  acagaacca  gccctgaggt  1500
ccagttggaa  atgaaccatt  ggttactgac  gtggttttgc  agagttttcc  acccttgcg  1560
ctatgcgaaa  ttttggatat  caacgatgag  cagacatttc  caaggctgat  tgaagcetta  1620
gagaacgcac  ataacttacg  acaaatgatg  attgatgagt  ttaacaaaa  atctaattgt  1680
tttaaagctt  tgttacaaga  atttgacaat  gctgttttaa  gtaaaagaaa  cccatgcgaa  1740
gggaactaaa  atgaaaagga  gaagatgatc  tcaggacaga  aatttgaagt  agaactgact  1800
gaaaagtaaa  acaaaaacttt  agaataatag  attagagatt  tagagaataac  aactactatc  1860
tatgaggaaa  ataaacgcga  ttgtcaacag  gaacttgaaa  ctgagaacca  gaaacttcat  1920
cgacagtttt  ctgacaaacg  cagattagaa  gccaggttgc  aagcagaggt  gacagaaacg  1980
acaatgaagt  ggggaaaaga  atgtgagcgt  agagtggcag  ccaaacagct  ggagatgcag  2040
ataaacctct  gggtttaaga  tgaaaagctg  aaacaactga  aggctattgt  tactgaacct  2100
aaaactgaga  agccagagag  accctctcgg  gagcagatc  gagaaaaagt  tactcaaaag  2160
tctgtttctc  catcacctgt  gcctttactc  tttcaacctg  atcagaacgc  accaccaatt  2220

```


cgctctccgac	acagacgcatc	acgctctcgca	ggagacagat	gggtagatca	taagcccgcc	2280
tctaacaatgc	aaactgaaac	agtcatgcag	ccacatgtcc	ctcatgccat	cacagtatct	2340
gttgcaaatg	aaaagcgact	agctaaagt	gagaagtaca	tgtcgacca	ccaggaaacta	2400
gcctccgatg	gggagattga	aactaaacta	attaaagggtg	atatattataa	aacaagggggt	2460
gggtgacaat	ctgttcagtt	tactgatatt	gagactttaa	agcaagaatc	accaaagtgt	2520
agtcgaaaac	gaagatcttc	cacagtagca	cctgcccac	cagatggtgc	agagtctgaa	2580
tggaccgatg	tagaaacaag	gtgttctgtg	gctgtggaga	tgagagcagg	atcccagctg	2640
ggacctggat	atcagcatca	cgcaacaccc	aagcgcaaaa	agccatgaac	tgacagtcctc	2700
agctactgaaa	gaacattttc	atttgtgtgg	atgattttctc	gaaagccatg	ccagaagcag	2760
tcttccaggt	catcttgtag	aactccagct	ttgttgaaaa	tcacggacct	cagctacatc	2820
atatactgac	ccagagcaaa	gctttcccta	tggttccaaa	gacaaactagt	attcaacaaa	2880
ctttgtatag	tatatgtttt	gccatattta	atattaatag	cagaggaaga	ctcctttttt	2940
catcaactgta	tgaatttttt	ataatgtttt	tttaaaatat	atttctatga	tacttataaa	3000
ctaattcaca	caagtgtttg	tcttagatga	ttaaggaaga	ctatatctag	atcatgtctg	3060
attttttatt	gtgacttctc	cagccctggg	ctgaatttct	taaggtttta	taacaacatg	3120
ctgctattta	ttagctgcga	gaatgcactt	tgacaattat	gactttcaca	gactttcaca	3180
tataaagatgt	aaatgactgg	ccaataataa	ccatttttag	aaggtgtttt	gaattctgtg	3240
gttatatatt	cactttctga	catttagata	tgccaaaaga	attaaaaatca	aaagcactaa	3300
gaaataaaaa	aaaaaaaaa	aaaa	3324			

<210> 160
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004856

<400> 160
 caaagctttc cctatggttc aaagacaact agtattcaac aaacctgtga tagtgtatgt 60

<210> 161
 <211> 1536
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004900

<400> 161						
acagagcttc	aaaaaaagag	ggggacaggg	acaagcgat	ctaagaggct	gaacatgaat	60
ccacagatca	gaaatccgat	ggagcggatg	tatcgagaca	catttctacga	caactttgaa	120
aacgaaccca	tccctctatgg	tcggagctac	acttggtctg	gctatgaagt	gaaataaaag	180
agggggccgt	caaatctcct	ttgggacaca	ggggtctttc	gaggccaggt	gatattcaag	240
ctctcagtacc	acgcagaaat	gtgcttcttc	tcttggttct	gtggcaacca	gctgcttctg	300
tacaagtgtt	tccagatcac	ctggtttgta	tcttggaacc	ctgtgtggcg	ctgtgtggcg	360
aagctggccg	aattctctgc	tgagcacccc	aatgtcaccc	tgaccatctc	tgccgcccgc	420
ctctactact	actgggaaaag	agattaccga	agggcgctct	gcaggctgag	tcaggcagga	480
gcccgctgtg	cgatcatgga	ctatgaagaa	tttgataact	gctgggaaaa	cttttgtgtac	540
aatgaaggtg	agcaattcat	gccttggtac	aaattcgatg	aaaattatgc	attctgtcac	600
cgacacgctaa	aggagattct	cagataacctg	atggatccag	acacattcac	tttcaacttt	660
aataaatgacc	ctttggctct	tcgacggcgc	cagacctact	tgtgtctatga	ggtggagcgc	720
ctggacaatg	gcacctgggt	cctgatggac	cagcacatgg	gctttctatg	caacaggctg	780
aagaatcttc	tctgtggctt	ttacggccgc	catgcggagc	tcgcgttctt	ggacctgggt	840
ctctctttgc	agttggaccc	ggcccagatc	tacagggtca	cttggttcat	ctctggagac	900
ccctgcttct	ccctgggctg	tgcccgggaa	gtgcgtgcgt	tccttcaggga	gaacacacac	960
gtgagactgc	gcactctcgc	tgcccgcate	tatgattacg	accccctata	taaggaggcg	1020
ctgcaaatgc	tgccgggatgc	tggggcccag	gtctccatca	tgacctacga	tgagttttgag	1080
tactgctggg	acacctttgt	gtaccgccag	ggatgtccct	tcagccctgc	ggatggacta	1140
gaggagcaca	gccaaagcct	gagtgaggag	ctgcggggca	ttctccagaa	tcagggaaac	1200
tgaaggatgg	gcctcagctc	ctaagggaag	cagagacctg	ggttgagacg	cagaataaaa	1260

gatctctcttc	caagaaatgc	aaacagacgc	ttcaccacca	tctccagctg	ctcacagaca	1320
ccagcaaaagc	aatgtgtctc	tgatcaagta	gatttttttaa	aaatcagagt	caattaattt	1380
taattgaaaa	tttctcttat	gttccaagtg	tacaagagta	agatttatgt	caatattccc	1440
agaatagttt	tcaatgtatt	aatgaagtga	tttaattgct	ccatattttg	actaataaaa	1500
cattaagaat	cttcacataa	tgtttccaca	aacct	1536		

<210> 162
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004900

<400> 162
 tgctcacaga caccagcaaa gcaatgtgct cctgatcaag tagatttttt aaaaatcaga 60

<210> 163
 <211> 1722
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004988

<400> 163
 cgtagagttc ggccgaagga acctgaccca ggctctgtga ggaggcaagg ttttcagggg 60
 acaggccaac ccagaggaca ggattccctg gaggccacag aggagcaca aggagaagat 120
 ctgcctgtgg gtcttcattg ccagctcctt gccacacctc ctgcctgtgt ccctgacgag 180
 agtcatcatg tctcttgagc agaggagtct gcactgcaag cctgaggaag cccttgaggc 240
 ccaacaagag gccctgggcc tgggtgtgtgt gcaagctgcc gccctcctct cctctcctct 300
 ggtcctgggc accctggagg aggtgccacc tgcctgggtc acagatcctc ccagagtgcc 360
 tcagggaagc tccgccttcc ccaactaccat caactcact cgacagaggc aaccocagtg 420
 gggttccagc agccgtgaaag agggggggcc aagcacctct tgcattcctg agtccttgtt 480
 ccgagcagta atcaactaaga aggtggctga tttggttgtt tttctgtctc tcaaatatcg 540
 agccaggagg ccagtcacaa aggcagaat gctggagagt gtcataaaaa attacaagca 600
 ctgttttctt gagatcttcg gcaaaagctc tgagtctctt cagctgggtc ttggcattga 660
 cgtgaaggaa cgagacccca ccggccacctc ctatgtcctt gtcacctgcc taggtctctc 720
 ctatgatggc ctgctgggtg ataactcagat catgcccaag acaggcttcc tgataattgt 780
 cctggtcatg attgcaatgg agggcgccca tgcctcctgag gaggaaatct gggaggagct 840
 gagtgtgatg gaggtgtatg atgggagggg ccacagtgcc tatggggagc ccaggaaagct 900
 gctcacccaa gatttgggtg aggaaaaagta cctggagtag cggcaggtgc cggacagtg 960
 tcccgcacgc tatgagttcc tgtggggctc aagggccctt gctgaaaccca gctatgtgaa 1020
 agtctcttgc tatgtgatca aggtcagtg aagagtctgc tttttcttcc catccctgcg 1080
 tgaagcagct tfgagagagg aggaagaggg agtctgagca tgagtgcag ccaggggcag 1140
 tgggaggggg actggggccag tgcaccttcc agggccgctg cctccctgcc 1200
 tgggtgacat agggccattc ttcactctga agagagcgtt cagtgtctc agtagtaggt 1260
 tctgttctta ttgggtgact tggagattta tctttgtctt ctcttggaaat gtttcaaatg 1320
 ttttttttta agggatggtt gaatgaactt cagcatccaa gtttatgaat gacagcagtc 1380
 acacagttct gtgatataag tttaaaggta agagtctgtt gttttatcta gattgggaaa 1440
 tccattctct tttgtgaatt gggataataa cagcagtgga ataagtagt gataaagtga 1500
 aaaaatgagc gtaaaaataga tagataaag aactaaagaa attaaagagt agtcaattct 1560
 tgccttatca ctcagctctat tctgtaaaaa ttttaaaagt atatgcatac ctggatttcc 1620
 ttggtctctt tgagaatgta agagaaatga aatctgaata aagaattctt cctgttaaaa 1680
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aa 1722

<210> 164
 <211> 60
 <212> DNA
 <213> Homo sapiens

```

<300>
<308> NM_004988

<400> 164
cagattggga aatccattct attttgtgaa ttgggataat aacagcagtg gaataagtac 60

<210> 165
<211> 2334
<212> DNA
<213> Homo sapiens

<300>
<308> NM_004994

<400> 165
agacacctct gccctcacca tgagcctctg gcagcccttg gtctctggtgc tectggtgct 60
gggctgtctgc ttgtgtcccc ccagacagcg ccagtcacc accgtgtctct tccctggaga 120
cctgagaacc aatctccacc acaggcagct ggagagagaa tacctgtacc gctatggtta 180
cactcgggtg gcagagatgc gtggagagtc gaaatctctg gggcctgcgc tgcgtctctc 240
ccagaagcaa ctgtccctgc ccgagaccgg tgagctggat agcgccaccg tgaagggccat 300
gcgaacccca cgggtgcgggg tcccagacct gggcagattc caaacctttg agggcgacct 360
caagtggcac caccacaaca tcacctattg gatccaaaac tactcggaag acttgccgcg 420
ggcgggtgatt gacgacgcct ttgcccgcgc cttgcgactg tggagccggg tgacgcccgt 480
caccttcaact cgcgtgtaca gcggggacgc agacatcgtc atccagtttg gtgtcgcgga 540
gcacggagac gggatccctc tcgacgggaa ggacgggctc ctggcacacg cctttccctc 600
tgccccggcg attcaggag acgcccattt cgacgatgac gagtgtggtt cctggggcaa 660
gggctgctgt gttccaactc ggtttggaaa cgagatggc gggcctgcc acttcccctt 720
catcttcgag ggccgctcct actctgcctg caccaccgac ggtcgctccg acggcttggc 780
ctggtgcagt accacggcca actacgacac cgacgaccgg ttgtgcttct gccccagcga 840
gagactctac acccggtcac gcaatgctga tgggaaaccc tgcagtttcc cattcatctt 900
ccaagggcaa tctactccg cctgcaccac ggacggtcgc tccgacggct accgctgggt 960
cgccaccacc gccaaactac accgggacaa gctcttcggc ttctgccga ccagagctga 1020
ctcgacgggt atggggggca actcggcggg ggagctgtgc gtcttcccc tcaacttctc 1080
gggtaaggag tactcgacct gtaccagcga gggcccgagg gatggggccc tctggtgcgc 1140
taccacctcg aactcttgaca gcgacaagaa gtggggcttc tgcccggacc aaggatacac 1200
tttgtctctc ttggcgcgcg atgagttcgg ccacgcgctg ggcttagatc attcctcagt 1260
gcgggaggcg ctcatgtacc ctatgtaccg cttcactgag gggccccctt gcataaaga 1320
cgacgtgaat ggcattccgg accctctatg tctcgcctcc gaacctgagc cagggcctcc 1380
aaccaccacc aacccgcagc ccacggctcc ccgacggtc tgccccaccg gacccccacc 1440
tgtccaccce tcagagcgcc ccacagctgg cccccacagt cccccctcag ctggccccac 1500
aggtcccccc actgctggcc ctctacggc cactactgct cctttgagtc cgttggaaga 1560
tgccctgaac gtgaacatct tcgacgccat cgcggagatt ggggaaccag ttatttctgt 1620
caaggtgggg aagtactggc gattctctga gggcaggggg agccggcgcc agggccctct 1680
ccttatcgcc gacaagtggc ccgcgctgcc ccgcaagctg gactcggtct ttgaggagcc 1740
gctctcgaag aagcttttct tcttctctgt gcgcaggtg tgggtgtaca caggcgctc 1800
gggtctgggg ccgagggctc ttgacaagct gggcctggga gcgcagctgg ccaggtgac 1860
ggggggccctc cggagtgaca gggggaagat gctgctgttc agcggcgggc gctctggag 1920
gttcgcagtg aagcgcgaca tgggtggatcc ccgagcgccc agcagagtg agcgatgtt 1980
ccccggggtg cctttggaca cgacgacgtc cttccagta cgagagaaag cctatttctg 2040
ccaggacggc ttctactggc cggtagtgac ccggagtga ttgaaccaag tggaccaagt 2100
gggctacgtg acctatgaca tctcagctg ccttgaggac tagggctccc gtctgtctt 2160
cgagtgccat gtataacccc actgggacaa accctgggga aggagccagt ttcccgata 2220
caaacgggta tctgttctg gaggaaaggg aggagtgag gtggctggg cctctctctc 2280
tcacctttgt tttttgttg agtgttttca ataaacttgg attctctaac cttt 2334

```

```

<210> 166
<211> 60
<212> DNA
<213> Homo sapiens

<300>

```

<308> NM_004994

<400> 166
ggccctctct tctcaccttt gttttttgtt ggagtggttc taataaactt ggattctcta 60

<210> 167

<211> 5329

<212> DNA

<213> Homo sapiens

<220>

<221> Modified base

<222> 1 ... 5329

<223> n = a, c, g, or t

<300>

<308> NM_005063

<400> 167
gtggtgtcgg tgtcggcagg atcccccgcg ccctgctcgg tgcgcggagg ccctcggcct 60
ctgttctcct cccctctccc cccttacct cagcggggac cgcccgcgcc agtcaactcc 120
tcgcactttg cccctgctgt gcagcgggata aaagggggct gaggaaaatc cggacacgtc 180
caccggcttg cagctctagc ctttaaattc ccggctcggg acctccacgc accgggctag 240
cgccgacaac cagctagcgt gcaaggcgcc gcggctcagc gcgtaccggc gggcttcgaa 300
accgcagtc tccggcgacc ccgaactccg ctccggagcc tcagcccccct ggaaagtgat 360
cccgcatcg gagagccaag atgccggccc acttgctgca ggacgatac tctagctcct 420
ataccaccac caccaccatt acagcgctcc cctccagggt cctgcagaat ggaggagata 480
agttggagac gatgcccttc tacttggaag acgacattcg ccttgatata aaagatgata 540
tataatgacc cacttacaag gataaggaa gcccaggccc caaggttgaa tatgtctgga 600
gaaacatcat ccttatgtct ctgtacact tggagccct gtatgggac actttgattc 660
ctacctgcaa gttctacacc ttgctttggg gggtattcta ctattttgtc agtgccctgg 720
cgataacgaa aggaagctcat cgtctgtgga gccacgcctc ttacaaagct cggtcgcccc 780
tacggctcct tctgatcatt gccaaacaaa tggcattcca gaatgatgtc tatgaatggg 840
ctcgtgacca ccgtgcccac cacaagtttt cagaaacaca tgctgatcct cataattccc 900
gacgtggcct ttctctctct cacgtgggtt ggctgcttgt gcgcaaacac ccagctgtca 960
aagagaaggg gagtacgcta gacttgctct acctagaagc tgagaaactg gtgatgttcc 1020
agaggaggta ctacaaacct ggcttgctgc tgaatgtgct catctgcgcc acgctgtgtc 1080
cctgggtatt ctgggggtgaa acttttcaaa acagtgtggt cgttgccact ttcttgcgat 1140
atgctgtggt gctttaatgcc acctggctgg tgaacagtg tgccccactc ttcggatctc 1200
gtccttatga caagaacatt agccccggg agaatactct ggtttcactt ggagctgtgg 1260
gtgagggctt ccacaactac caccactcct tccctatga ctactctgc agtagtacc 1320
gctggacat caacttcaac acatttctca ttgattgcat ggccgcctcc ggtctggcct 1380
atgaccggaa gaaagtctcc aaggccgcca tcttggccag gattaaaaga accggagatg 1440
gaaactacaa gagtggctga gtttggggtc cctcagggtc ctttttcaaa aaccagccag 1500
gcagaggttt taatgtctgt ttattaaacta ctgaataatg ctaccaggat gctaaagatg 1560
atgatgttaa cccattccag tacagtattc tttttaaatt caaaagtatt gaaacccaac 1620
aactctgcct tctatgatgt aagctgatat tatttctct ctatctctct ctctcttcta 1680
ggcccatgtt cctccttttc actttaatgc ccctccttcc cttattgcgc tccaggcgaa 1740
gcagctgtgc agtctttgtc cagtgccag cctccaaagc ctagacaaac ttctctgtag 1800
ctaaaaacga ttgcttttgc tccagataac ctctcttctc tgagctgttg ttgactttga 1860
agtagggtgg ttgagctaga gataaaacag aatcttctgg gtatgccct gttgatttat 1920
tctagcccgag gcttttgcta gatggaatgg aaagcaact tcatttgaca caaagcttct 1980
aaagcnaagg aaattgtcgg gggagagagt tagcatgtat gaagtgaagg atgagggaag 2040
cgaaggaaac tctcgccatg atcagacata cagctgccta cctaatgagg acttcaagcc 2100
ccaccacata gcatgcttcc ttctctcct ggctcggggt aaaaagtggc tggctgtgtt 2160
ggcaatgcta attcaatgcc gcaacatata gttgaggccg aggataaaga aaagacattt 2220
taagtttgta ttaaaaagggt tctctgctgg ggaagggttt tctttcttct ttttctttaa 2280
taacaaggag atttcttagt tcatatatca agaagctctg aagttgggtg ttccagaaat 2340
tggtaaaaac agcagctcat gaaattttga tatccatg agctctcat ttacagttct 2400
tcctcttctc gctctgccat cttcaggata ttggttcttc cctcctatag aataagatgg 2460
ctgtggcatt tccaaacatc caaaaaaagg gaaggattta aggaggtgaa gtcgggtcaa 2520

aaataaaaata	tatatatacata	tatacatattgc	ttagaacggt	aaactatttag	agtattttccc	2580
ttccaaagag	ggatgtgttgg	aaaaaactct	gaaggagagg	aggaattagt	tgggatgccca	2640
atttccctctc	cactgcttggg	catgagatgg	agaggctgag	ggacaggatc	tataggcagc	2700
ttctaagagc	gaacttcaca	taggaaggga	ctcgagaaca	cgttcagggg	ttgagaaggt	2760
tactgagtga	gttatttggga	gtcttaataa	actagatatt	aggtccattc	attaattagt	2820
tccagtttct	ccttgaatg	agtaaaaact	agaaggcttc	ttcccacagt	ctgttgcccc	2880
ttcactcatt	tttttttgg	gagaaggggg	ttctctgtta	catctagcct	aaagtataca	2940
aactgctctg	ggggcagggt	taggaatctc	ttcactaccc	tgattcttga	ttccctggctc	3000
taccctgtct	gtcccttttc	tttgaccaga	ttttctctct	ccctgaacgt	ttctctctct	3060
ccctggacag	cgagcctcct	ttgtgtgtat	tcagaggcag	tgatgactct	ctgtccaggc	3120
agctccctcc	tgcacacaga	atgtccaggg	tcactgaacc	actgctcttc	ttttgaaagt	3180
agagctagct	gccactttca	cgtggcctcc	cgagtgcttc	ccactacacc	ccctgtgtccc	3240
cctgccacac	tgatggctca	agacaaggct	ggcaaacctc	ccagaaacca	ttcttgcccc	3300
agaaagcctc	ttctccctcc	ctctctcat	gagaagccaa	gcgctcatgt	tgagccagtg	3360
ggcgagccac	agagcaaaa	agggtttatt	ttcagtcctc	ttctctctgg	tcagaaccag	3420
aggcgctgct	gaatgccccc	tgcttacttg	gtgagggtgc	ccgcctcag	tcagtgtctc	3480
cagctggcag	tgcaatcctt	gtagaagtga	gaggaacaac	ttctcactgg	taagaagcaa	3540
gggcaagaac	ccaagtgcct	cacctcgaaa	ggaggccctg	ttccctcgag	tcagggtgaa	3600
ctgcaaaagt	ttggctgtgt	ccctgggatt	gagataccac	aaacctgtgt	gaacacagtg	3660
ttctgttcag	aaactaacca	gcattcccta	cagcctaggg	cagacaaagt	tatagaagtc	3720
tggaaaaaaa	caaaaaacaga	atttgagaac	cttggaccac	ttctgtccct	gtagctcagt	3780
catcaaagca	gaagtctggc	tttgctctat	taagattgga	aatgtacact	accaaactct	3840
cagtcacctg	ttgagcccca	gtgctggaag	ggaggaaggc	ctttctctgt	tgatttaattgc	3900
gggtgagcta	cagggtgttg	ccgggactaa	aggcatcctt	gtctttgagc	tatccacttc	3960
agctagaagag	gatctaaagg	aagatcactg	tagtttagtt	ctgttgacct	gtgcacctac	4020
cccttggaaa	tgtctgctgg	tatttctaat	tcacacagtc	atcagatgcc	tgcttgataa	4080
tataataaca	ataaaaacaa	ctttcacttc	ttcctattgt	aatcgtgtgc	catggatctg	4140
atctgtacca	tgaccctaca	taaggctgga	tggcacctca	ggctgagggc	cccaatgtat	4200
gtgtggctgt	gggtgtgggt	gggagtgtgt	ctgctgagta	aggaacacga	ttttcaagat	4260
ttctaagctc	aattcgaagt	acacattaat	gataaactca	gatctgatca	agagctccga	4320
ttttctaacg	ttcttgcctt	gggggggtgt	ctggcaactt	agctcaggtg	ccttacatct	4380
tttctaatac	cagtgttgca	tatgagctcg	ccctcactcc	ctctgcagaa	ttccctttgca	4440
cttgagaccc	tactgaagtg	gctggtagaa	aaaggggctc	gagtggagga	tcatcgatga	4500
cacgatttgc	aggattccct	ttcgggcttc	attctggaaa	cttttgtag	ggctgctttt	4560
cttaagtgc	cacatttgat	ggagggtgga	aataatttga	atgtatttga	ttataaagt	4620
tttttttttt	tttgggttaa	aagatggttg	tagcatttaa	aatggaaaa	ttctcctctg	4680
gtttgtcagt	atcttgggtg	tattctctgt	aagtgtagct	caaataagtc	atcatgaaag	4740
gttaaaaaag	cgaggtggcc	atgttatgct	ggtgtgtgcc	agggcctcca	accactgtgc	4800
cactgacttg	ctgtgtgacc	ctgggcaagt	cacttaacta	taaggtctcc	cagttttcct	4860
ttctgttaaa	tggggataat	aatactgacc	tacctcaag	ggcagtttga	aggcatgact	4920
aatgcttttt	agaaagcatt	ttgggactct	tcagcacagg	aattctcaag	accctgagat	4980
tttttataat	aggaatgtcc	acctgaact	tgatacgtcc	gtgtgtccca	gatgctgtca	5040
ttagtctata	tgtttctcca	agaaaactgaa	tgaatccatt	ggagaagcgg	tggaataacta	5100
gccagacaaa	atttgagaat	acataaaaca	cgcattgcca	cggagatgca	cagaggatgc	5160
cttttctctg	attgggtggg	attttttccc	tttttatgtg	ggatatagta	gttacttgtg	5220
acaagaataa	ttttggaata	atttctatta	atatcaactc	tgaagctaat	tgactactac	5280
tgagattgtg	tttgtctata	ataaaagtga	agtgaactcg	attgcactg	5329	

<210> 168
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005063

<400> 168
 aataatgcta ccaggatgct aaagatgatg atgttaaccc attccagtac agtattcttt 60

<210> 169
 <211> 634

<212> DNA
<213> Homo sapiens

<300>
<308> NM_005101

<400> 169
cggtctgagag cgacgcaact catcttttgc agtacaggag cttgtgccgt ggcccacagc 60
ccacagccca cagccatggg ctgggacctg acggtgaaga tgcgtggcgg caaccgaattc 120
caggtgtccc tgagcagctc catgtcgggt tcagagctga agcgcagat caccagaag 180
attgctgtgc acgcttccca gcagcgtctg gctgtccacc cgagcgggtg ggcgtgtgac 240
gacagggtcc ccttctgccag ccagggcctg ggcctggca gcacggtcct gctggtgtgtg 300
gacaaatgag acgaacctct gagcatcctg gtgaggaata acaaggcccg cagcagcacc 360
tacgaggtcc ggtctgacga gaccgtggcc caccgtgaag agcaagttag cgggctggag 420
gggtgtcagg acgaacctgt ctggctgacc ttcgagggga agccccctga ggaccagctc 480
ccgctggggg agtaccgctc caagccctg agcaccctgt tcatgaattc gcgcctgcgg 540
ggaggcgcca cagagcctgg cggggcgagc taagggcctc caccagcatc cgagcaggat 600
caaggcccg aataaaaggc tgttgtaaga gaat 634

<210> 170
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005101

<400> 170
tgggtggtgga caaatgcgac gaacctctga gcattcctgt gaggaataac aagggccgca 60

<210> 171
<211> 1339
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005139

<400> 171
gaattccgat tagtgtgacg tcagctcaag gcaaaagggtg gatatacatg catctatctg 60
ggttggacac cgagggaacag taagagatta tccagacttt agccccatg tggatgctga 120
agctattcag aaagcaatca gaggaatttg aactgatgag aaaatgtcca tcagcattct 180
gactgagagag tcaaatgcac agcggcagct gattgttaag gaatatcaag cagcatatgg 240
aaaggagctg aaagatgact tcctctctggc cactttgagc atctcatggt 300
ggcctctagt actccaccag cagtctttga tgcaaaagcag ctaaaagaaat ccataaggg 360
cgagggaaca aacgaagatg ccttgattga aatcttaact accaggacaa caggcacaat 420
gaaggatata tctcaagcct attatacagt atacaagaag agtcttggag atgacattag 480
ttccgaaaaca tctggtgact tcgggaaagc tctgttgact ttggcagatg gcagaagaga 540
tgaaagtctg aaagtggatg agcatctggc caaacaagat gccagattc tctataaagc 600
tgggtgagac agatggggca cggatgaaga caaattcact gagatcctgt gtttaaggag 660
ctttctctcaa ttaaaaactaa catttgatga atacagaat atcagccaaa aggacattgt 720
ggacagcata aaaggagaat tatctgggca ttttgaagac ttaactgttg ccatagttaa 780
ttgtgtgagg aacacgccgg cctttttagc gaaaagactg catcgagctt caaagggtat 840
tggaactgat gaggtttact tgaaccgaat aatggtgtcc agatcagaaa ttgacctttt 900
ggacattcga acagagttca agaagcatta tggctattcc ctatatccag caattaaatc 960
ggatacttct ggagactatg aaatcacact cttaaaaatc ttggtgtgag atgactgaac 1020
caagaagata attctccaaag gtccacgatg ggctttccca acagctccac cttaacttct 1080
ctcatactat ttaaggaac agcaaatat aaacagcaac ttgtgttctt acacgaattt 1140
ttatttttct tataacaaca acaacaaaag cgattattat tttagagatc ctgatttata 1200
atgtagcagc tcataaatga aattgaaaat ggtattaaag atctgcaact actatccaac 1260
ttatttttct gctttcaag ttaagaatct ttatagtctt actccattaa atataaagca 1320

agataataaa acggaattc 1339

<210> 172
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005139

<400> 172
ttcagcaatt aaatcggata cttctggaga ctatgaaatc acactcttaa aaatctgtgg 60

<210> 173
<211> 1582
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005165

<400> 173
ccgagctgtg cttgtggctg cggctgctaa ctggtctgag acagggagct gtcaccatgc 60
ctcactcgta cccagccctt tctgctgagc agaagaagga gttgtctgac attgcccctgc 120
ggattgttagc cccgggcaaa ggcatctctg ctgcggatga gtctgttaggc agcatggcca 180
agcggctgag ccaaatggg gtggaaca cagaggagaa ccgccggctg taccgccagg 240
tcctgttcag tgctgatgac cgtgtgaaaa agtgcattgg aggcgtcatt ttcttccatg 300
agaccctcta ccagaagat gataatggtg ttcccttctg ccgaaccatc caggataaag 360
gcacgtcgtg gggcatcaag gttgacaagg gtgtggtgccc tctagctggg actgatggag 420
aaaccaccac tcaaggcgtg gatgggctct cagaacgctg tgcccaatc aagaaggatg 480
gtgctgactt tgccaagtgg cgctgtgtgc tgaataatcag tgagcgtaca cctctgcac 540
ttgccattct ggagaacgcc aacgtgctgg cccgttatgc cagtatctgc cagcagaatg 600
gcattgtgcc tattgtggaa cctgaaatat tgcctgatgg agaccacgac ctcaaacgtt 660
gtcagtatgt tacagagaag gtcttggctg ctgtgtacaa ggccctgagt gaccatcatg 720
tatacctgga ggggaccctg ctcaagccca acatggtgac cccgggccat gctgtccca 780
tcaagtatac cccagaggag attgccatgg caactgtcac tgcctgcgt cgcaactgtg 840
cccagctgt cccaggagt accttctgt ctgggggtca gagcgaagaa gaggcacatc 900
tcaacctcaa tgccatcaac cgctgcccc ttccccgacc ctgggcgctt accttctct 960
atggcgctgc cctgcaagcc tctgcaacta atgcctggcg agggcaacgg gacaatgctg 1020
gggctgccac tgaggagtgc atcaagcggg ctgaggtgaa tgggctgca gcccagggca 1080
agtatgaagg cagtggagaa gatggtggag cagcagaca gtaactctac attgccaacc 1140
atgcctactg agtatccact ccataaccaca gcccttggcc cagccatctg caccacttt 1200
tgctgttagt catggccagg gccaaatagc tatgcagagc agagatgcct tcacctggca 1260
ccaacttgct tcctttctc tcttccctc ccctctctca ttgctgcac tgggaccata 1320
ggatggggag atagggagcc cctcatgact gagggcagaa gaaattgcta gaagtacaga 1380
caggtagggt gggctctccc ctacctctc cagctccac aattttccca ttatgaggt 1440
gcttctccct gggctctcct tcttgcctgc cctgtctcct gggatcagag ggtagtacag 1500
aagccctgac tcatgccttg agtacatacc atacagcaaa taaatggtag caaaacaaaa 1560
aaaaaaaaa aaaaaaaaaa aa 1582

<210> 174
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005165

<400> 174
gagggtagta cagaagccct gactcatgcc ttgagtacat accatacagc aaataaatgg 60

```

<210> 175
<211> 451
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005213

<400> 175
acttccctgt tcacttttgt tccagcatcc tgtccagcaa agaagcaatc agccaaaatg 60
ataccttgag gcttatctga ggccaaaccc gccactccag aaatccagga gattgttgat 120
aagggttaaac cacagcttga agaaaaaaca aatgagactt atggaaaatt ggaagctgtg 180
cagtataaaa ctcaagttgt tgctggaaca aattactaca ttaaggtaac agcaggtgat 240
aataaatata tgcacttgaa agtattcaaa agtcttcccg gacaaaatga ggacttggtg 300
cttactggat accagggtga caaaaaacaag gatgacgagc tgacgggctt ttagcagcat 360
gtacccaaag tgttctgatt ccttcaactg gctactgagt catgatcctt gctgataaat 420
ataacctca ataaagaagc attctttttc a 451

<210> 176
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005213

<400> 176
aactggtctac tgagtcatga tccttgctga taaatataac catcaataaa gaagcattct 60

<210> 177
<211> 366
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005218

<400> 177
gtcagctcag cctccaaaag agccagcctc tcccagttc ctgaaatcct gagtgttgcc 60
tgccagtcgc catgagaact tcctaccttc tctgtttac tctctgtcta cttttgtctg 120
agatggcctc agtggttaac ttcttcacag gcottggcca cagatctgat cattacaatt 180
gcgtcagcag tggaggggcaa tgtctctatt ctgctctgcc gatctttacc aaaattcaag 240
gcaactgtta cagaggggaag gccaaagtgt gcaagtgagc tgggagtgac cagaagaaat 300
gacgcagaag tgaaatgaac tttttataag cattctttta ataaaggaaa attgcttttg 360
aagtat 366

<210> 178
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005218

<400> 178
gggagtgacc agaagaaatg acgcagaagt gaaatgaact ttttataagc attcttttaa 60

<210> 179
<211> 1519
<212> DNA
<213> Homo sapiens

```



```

<300>
<308> NM_005326

<400> 179
ctgcctcgga acgtgtgcc ccgcagcgac ggcccggtcc acctcgcat ctgccgggta 60
ccccggcgcc gtggcgctcg gcctccaggg atccactgtg cggtgccaaa aaagaggcgg 120
aggctcgcgg cacagctctc cggcgcgagc tctcgggccg ccgccggccg tcccaggccc 180
gtctcccggc cgtggcagtg cggggctcgc ggacaaaaca agttgagcgc gaggcggttg 240
attggttggc ggacggtgag aggtggacgc tgattggctg agggcagcgc gaggcggggc 300
ctgattggct ggacgcgcgc gacgcgggtg ttttgcagtc ctggcgagct cggcagttca 360
ccccggcccg ggtcatgggt gtgggcccag ggctgctcgg ccgccgcagc ctgcgcgcgc 420
tgggagccgc ctgcgcgcgc cgaggcctcg gtccagccct gctgggagtt tctgccaca 480
cagatttgcg gaagaacctg accgtggacg agggcaccat gaaggtagag gtgctgcctg 540
ccctgaacga caactacatg tacctgggtc ttgatgatga gaccaaggag gctgccattg 600
tggatccggg gcagccccag aaggtcgtgg acgcggcgag aaagcacggg gtgaaactga 660
ccacagtgtc caccacccac caccactggg accatgctgg cgggaatgag aaactggta 720
agctggagtg gggactgaag gtgtacgggg gtgacgacgc tatcgggggc ctgactcaca 780
agatcaactc cctgtccaca ctgcagggtg ggtctctgaa cgtcaagtgc ctggcgaccc 840
cgtgccacac ttcaggacac atttgttact tctgagcaa ccccgagggc tcggagcccc 900
ctgccgtgtt cacaggtgac accttgtttg tggctggctg cgggaagttc tatgaaggga 960
ctgcggatga gatgtgtaaa gctctgctgg aggtcttggg ccggtctccc ccggacacaa 1020
gagtctactg tggccacgag tacaccatca acaacctcaa gtttgacgc cactggagc 1080
ccggcaatgc gccatccggg gagaagctgg cctggggcaa ggagaagtac agcatcgggg 1140
agcccaacgt gccatccacc ctggcagagg agtttacct caacctctc atgagagtga 1200
gggagaagac ggtgcagcag cacgcagggt agacggaccc ggtgaccacc atcgggggc 1260
tgcgcaggga gaaggaccag ttcaagatgc cccgggactg agggcgccct gcacctcag 1320
cgatttggg gattaggctc ttttagttaa ctgcttttcc tgcgtgtccg tgcgggaaat 1380
tcagtcttga ttaaacctta attttacagc ccttggtgtg tgttatcgga cattctaatg 1440
catatttata agagaagttt aacaagtatt tattcccata aaaaaaaaaa aaaaaaaaaa 1500
aaaaaaaaaa aaaaaaaaaa 1519

<210> 180
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005326

<400> 180
cttgtgttat cggacattct aatgcatatt tataagagaa gtttaacaag tatttatccc 60

<210> 181
<211> 3378
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005461

<400> 181
acagctgcac cgccgagctg cgagcggctg cgagcggagc agcgtaaag caagagagct 60
agagagcgag caacggggcac tgcgcccacg cctccccca gccccaccgc gcgctccgct 120
tgctcttcca ccccggccga ccttaccggg ccgggtccct gcgcgggcac agcccgagac 180
tctggggcgg tgcaggcagc ctcgggactc tccggcgccg ccgcgcgtcc ccagacaaa 240
cttggccggc gcgcccccgc cgcgtgcgcc ctgcctcccc gctccccag ctcttctccg 300
ctcttcccc ccgcgcttgg ctcgccgcgc tccggccggc cgcgaagtgt ccggggcgcc 360
agcggcggtc gcgcctcgct tcacgcatgg ccgcggagct gacgatgggg ccagagctgc 420
ccaccagccc gctggccatg gagtatgtca acgacttcca cctgctcaag ttcacgtga 480
agaaggagcc actggggcgc gcggagcgtc cgggcaggcc ctgcacacgc ctgcagccag 540

```

ccgctcgggt	gtcctccaca	ccgctcagca	ctccgtgtag	ctccgtgccc	tctcgtccca	600
gcttcagccc	gaccgaacag	aagacacacc	tccgaggtat	gtactggatg	gcgagcaact	660
accagcagat	gaaccccgag	gcgctcaacc	tgagcccgga	gaagccggtg	gaagccgtca	720
tccgctcgca	cccagtgcca	cagcccgctgc	aaagcttcga	cagctttcgc	ggcgctcacc	780
accaccacca	tcaccaccac	cctcaccgcg	accacgcgta	cccggggccc	ggcggtggcc	840
acgcagagct	gggcccgcac	gctcaccgcg	accatcacca	tcatacccaa	gcgtcgccgc	900
cgccgctccag	cgccgctagg	ccggcgcaac	agctgcccac	tagccacccc	gggcccggcg	960
cgcagcgac	ggcctcggcg	acggcgccgg	gcggcaacgg	cagcgtggag	gaccgcttct	1020
cgacgacca	gctcgtgtcc	atgtccgtgc	gcgagctgaa	ccgccacctg	cggggcttca	1080
ccaaggacga	ggtgatccgc	ctgaagcaga	agccgcggac	cctgaagaac	cggggtctacg	1140
cccagttctg	caggtatata	cgctccacgc	agaagcacc	cctggagaat	gagaagacgc	1200
agctcattca	cgaggtggag	cagcttaagc	aggaggtgtc	cgcggtgccc	gcgagagag	1260
acgcctacaa	ggtcaagtgc	gagaaactcg	ccaactccgg	cttcaggagg	gcgggctcca	1320
ccagcgacag	ccccctctct	cccaggttct	ttctgtgagt	cgtaggcggg	cctggccccc	1380
gccccttgccc	cgcccccggac	tcctctgtccc	acgtccctag	tcacagacta	ccccggaccc	1440
tgctccctgcc	ggcgccccag	ccttgacctg	tttgacttga	gcgagaggga	ggaaggcgcc	1500
gcggcgccg	ggggcagggg	gggtgcggcg	gcgggcaggg	gaaccttgct	aaggcgagag	1560
tagcgacgc	cagcgccgcg	tcctagactc	gagcagagcc	ggagagagag	acgagagggt	1620
ggagagttcc	ggagttaact	ctctccagcg	tgaaggcgcg	cgagcctatg	tcgccgaaag	1680
tcaccaaggc	catctggaga	ctcctggctt	tctgaacttt	gcgcgttaag	ccgggacagc	1740
tgcttttgctg	ccgggagagt	agtcgcgcgc	aggaagagag	caacgaggaa	cgagagaggga	1800
ctctggcgctc	ccggcaggcg	agaggcgagg	ctgagcgaaa	gaaggaggga	cagacggacc	1860
tgctgtgcac	agttccggga	acactggctc	tcagccctga	gacacaggcc	tcagttaggga	1920
cgctcgggcgc	ccaaaactca	tcagttttat	tgctgtgctg	attatataga	aaaaatacaa	1980
aaatctgcgat	taaaaaatatt	aatctctcat	gctggacatg	tatggtaata	attttctattt	2040
tgtaccattt	ttcttggttaa	cttttagcatg	ttgttgatca	tggtcatcac	tcctcttggt	2100
ttctttgggtg	agaagggatc	gcagtttgga	aactccggcg	gctgcgtgcg	gggtttcagt	2160
cccagctgta	ggcttctgtaa	taccgcgcgc	gccaaaccgc	atagagaacg	ttgacgcaag	2220
ctgaggggtct	ttgtttgggt	ttattattac	ggtatttttg	tttgtaagtt	aaaaagaaaa	2280
aaaaaaaaga	aaagtcccg	gcattttgca	tcagaaaaca	actttgcttt	ggggcacact	2340
tggaagttgc	atgttttctt	tccttccctt	atccccattc	ggtcctcttt	ttcctctctc	2400
gctttagttt	tcaacctgtg	tggtgctgag	agagagaacc	gagaggtccc	agtacaaagg	2460
caggggaggg	gcgaagctgc	gcaccccgga	ggagtgtctc	ggactacagc	ggactacagc	2520
cttgtcttat	ggtcaaatgt	atacccttaa	taagaaaagg	aaggaaaagg	aaacagatcc	2580
tcctctctgc	ttttttattg	aaccagaatc	accctgaggt	ccctctcgaa	ccctctggcg	2640
ctgcgctaat	tgtaggagcc	acagcgctcc	taggggtaga	ggcttagcca	tccttgacc	2700
tggcagtgca	ctggttaagca	gacactgcac	tgaaccaact	gctatgccta	gaatgtacca	2760
gaaacccaaa	cattggcaag	taattttgca	actttcaagt	gcgtttctta	gaccaatgca	2820
ttcgctttct	ttccctgctt	ttgagatagt	aggaagagtt	cttggtgtgtg	tcctcccccct	2880
tcaattcttc	agttgtatag	tagttatagg	gaagatatgg	gtgtttttct	ttattattac	2940
tttttttttt	ctgcaggtca	gtaaaaggat	ttaagttgca	ctgacaaaaa	tacaaaaata	3000
aaagtgtatt	tttaagttcc	catttgaaat	tgctggcgct	gctggccgga	tgcatttttg	3060
agtttgtatt	agttgtataa	ttaacagtaa	taacaagatt	gtatgaaccc	catggtgctt	3120
gcagtttttaa	atattgtgga	tatttgtctc	gcatacagaa	cgagctttgg	tttttacaga	3180
ttcaactgtg	ttgaaatcaa	acctgccgca	acagaaattg	tttttatttc	atgtaaaaaa	3240
agggatcaat	ttcaaacctc	gcttatgata	tgaaaatatt	aaaacattgc	ctatttgtagt	3300
ttttattcaga	ctggtttctg	ttttttggtt	attaaaaatg	tttctatttt	tgcttattaa	3360
aaaaaaaaaa		3378				

<210> 182
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005461

<400> 182
 atttgtcctg catcagaac gagctttggt ttttacagat tcaactgtgt tgaatcaaa 60

<210> 183

```

<211> 597
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005532

<400> 183
agctgaagtt gaggatctct tactctctaa gccacggaat taaccgcgac aggcattggag 60
gcctctgtct tcacctcatc agcagtgacc agtgtggcca aagtgtgtcag ggtggcctct 120
gacctctgcc tagtttttgc cctggccagg attgctacag ttgtgattgg aggagttgtg 180
gccatggcgg ctgtgcccat ggtgctcagt gccatgggct tcactgcggc gggaatcgcc 240
tcgtctccca tagcagccaa gatgatgtcc gcggcggcca ttgccaatgg ggtgtggagt 300
gcctcgggca gccctgtggg tactctgcag tcactgggag caactggact ctccggattg 360
accaggttca tcctgggctc cattgggtct gccattgagg ctgtcattgc gaggttctac 420
tagctcctg cccctcgccc tgcagagaag agaaccatgc caggggagaa ggcaccacag 480
catctcgacc cagcgaggag ccaactatcc caaatatacc tgggtgaaat ataccaaatt 540
ctgcatctcc agagggaaaaa aagaaataaa gatgaattgt tgcaactctt aaaaaaa 597

<210> 184
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005532

<400> 184
agccaactat cccaatata cctgggtgaa atataccaaa ttctgcattc ccagaggaaa 60

<210> 185
<211> 1661
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005566

<400> 185
tgetgcaagc cgtgcgccc attccggatc tcattgccac ggcggcccca cgaccgccg 60
acgtgcaatc cogatttcct ttggttccaa gtocaaatat gcaactctaa aggatcagct 120
gatttataat cttctaaagg aagaacagac cccccagaat aagattacag ttgttgggg 180
tggtgtctgt ggcattggcc gtgccatcag tatcttaatg aaggacttgg cagatgaact 240
tgcctctgtt gatgtcatgc aagacaaaatt gaaggagag atgatggatc tccaacatg 300
cagccttttc cttagaacac caaagattgt ctctggcaca gactataatg taactgcaaa 360
ctccaagctg gtcattatca cgctgggggc acgtcagcaa gaggagaaa gccgtcttaa 420
tttggtccag cgtaacgtga acatatttaa attcatcatt cctaattgtt taaaatacac 480
cccgaaactgc aagttgccta ttggttccaa tccagtggat atcttgacct acgtgctgt 540
gaagataagt ggttttccca aaaaccgtgt tattggaagt ggttgcaatc tggattcagc 600
ccgattccgt tacctgatgg gggaaaaggc gggagtccac ccattaagct gtcattgggt 660
ggtccttggg gaacatggag attccaagt gctctgtatg agtggaaatg atgttgcctg 720
tgtctctctc aagactctgc acccagattt agggactgat aagataaagg aacagtggaa 780
agaggttcac aagcaggtgg ttgagagtgc ttatgaggtg atcaaaactc aaggctacac 840
atcctgggct attggactct ctgtagcaga ttgtgcagag agtataatga agaattcag 900
gcgggtgcac ccagtttcca ccagtcttaa ggtctttac ggaataaagg atgatgtct 960
ccttgatggt ccttgcattt tgggacagaa tggaaatcca gaccttgtga aggtgactct 1020
gactctcgag gaagaggccc gtttgaagaa gactgcagat acactttggg ggaatccaaa 1080
ggagctgcaa ttttaaagtc tctctgatgc atatcattc actgtctagg ctacaacagg 1140
attctaggtg gaggttgtgc atgtgtctct ttttatctga acgcagtaat 1200
attttaaagt ggcattggaa aaacatcaac tcttgaagtt aaaaataaga atggtttgta 1260
aaatccacag ctatatctct atgtcggatg gtattaatct tgtgtagctc tcaactggtt 1320

```

agtgtgaat	agttctgcc	ctctgacgc	accactgcc	atgctgtacg	tactgcattt	1380
gccccctgag	ccaggtggat	gtttaccgtg	tggtatataa	cttccctggct	ccttccactga	1440
acatgccatg	tccaacattt	tttcccagtg	agtcacatcc	tgggatccag	tgtataaatc	1500
caatatcatg	tcttgtgcat	aattcttcca	aaggatctta	ttttgtgaac	tatatcagta	1560
gtgtacatta	ccatataatg	taaaaagatc	tacatacaaa	caatgcaacc	aactatccaa	1620
gtgtataacc	aactaaaacc	cccaataaac	cttgaacagt	g	1661	

<210> 186
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005566

<400> 186
 catcaactcc tgaagttaga aataagaatg gttttgtaaaa tccacagcta tctcctgatg 60

<210> 187
 <211> 2993
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005689

<400> 187

gggcctgcag	ttggcagaag	ggtcccgggc	ccagagccag	cggggccgtg	ctgagacggc	60
gtacgtgccc	tgcgtagtg	cgtagcgggc	gcgcgtgcgc	taggggagtg	ggcggtgagg	120
cctgtgccac	gtgcgtccct	tcccgggacc	cccgcagctt	ggcgccccagc	ggctacgtga	180
gccaaaggcac	ccggatgtcc	gcgcccctct	ccgagtgaca	agtcocggcc	tccgggtcccg	240
cagtgcccgc	agcctcgggc	ggcgctccacg	cattgccatg	gtgactgtgg	gcaactactg	300
cgaggccgaa	gggcccgtgc	tcccgccctg	gatgcaggat	ggcctgagtc	ctcgtctctt	360
cttcacgctc	gtgcctccga	cgcgatgggc	tctatggga	ctggccttgg	tgtgtgctct	420
tccctgcaga	cgccggggagc	ggcccgctgg	tgtgtattcg	ctgtcttggg	gggcccggcc	480
tgcctctct	ccctacgtgc	tgcagctgct	tctggccaca	cttcaggcgg	cgtcgtccct	540
ggccggcctg	gctggccggg	tgggcaactgc	ccagtcgcaa	gctatctact	600	
tctggcctcc	gtgctggaga	gtctggccgg	cgccctgtgc	ctgtggctgc	ttgtctgtga	660
gcggagccag	gcaacggcagc	gtctggcaat	gggcactctg	atcaagttca	ggcacagccc	720
tggtctcctg	ctctctctgga	ctgtggcggt	tgcagctgag	aaacttggccc	tggtgtcttg	780
gaacagccca	cagtggtggt	gggcaagggc	agaacttggc	caacaggttc	agtttagcct	840
gtgggtgctg	cggtatgtgg	tctctggagg	gctgtttgtc	ctgggtctct	gggcccctgg	900
actcgttccc	cagtcctata	caattgcagg	tcatgaagag	gaccaagatg	tggaaaggag	960
ccaggttcgg	tcagcagccc	aacagctctac	ctggcgagat	tttggcagga	agctccgcct	1020
cctgagtggc	tacctgtggc	ctcgaggagg	tccagctctg	cagctgggtg	tgtctactgt	1080
ctcggggctc	atggggttgg	aacgggcact	caatgtgttg	agctctatat	tctataggaa	1140
ctatgtgaac	ttgctgactg	agaaggcaac	ttggaactct	ctggcctgga	ctgttaccag	1200
ttacgtcttc	ctcaagtctc	tccagggggg	tggcactggc	agtcacagct	tcgtgagcaa	1260
cctgcgcacc	tctctgtgga	tccgggtgca	gcagttcacg	ctcggcgggg	tggagctgct	1320
catcttctcc	caactgcacg	agctctcact	gcgctggcac	ctggggcgcc	gcacagggga	1380
ggtgctcgcg	atcgcggatc	ggggcacatc	cagtgctaca	gggctgtcca	gctacctggt	1440
gttcaatgtc	atccccacac	tggccgacat	catcattggc	atcatctact	tcagatagtt	1500
cttcaacggc	tggtttggcc	tcattgtggt	cctgtgcgat	agtcctttacc	tcacctgac	1560
catctgtggt	cactgagttga	gaaccaagtt	tcgtctgtct	atgaacacac	aggagaaagg	1620
taccggggca	cgagcagctg	actctctgct	aaacttcgag	acgggtgaag	attacaacgc	1680
cgagagttag	gaagtgggaa	gctatcgaga	ggccatcatc	aaatctcagg	gtttggagtg	1740
gaagtctgac	gcttcaactg	ttttactaaa	tcagaccagc	aaactgtgta	ttgggctcgg	1800
gctcctcgcc	ggctccctgc	tttgcgata	ctttgtcact	gagcagaagc	tacaggttgg	1860
ggcactatgt	ctctttggca	ctacattat	ccagctgtac	atgcccctca	attgggttgg	1920
cacctactac	aggatgatcc	agaccaactt	cattgacatg	gagaacatgt	ttgacttgct	1980
gaaagaggag	acagaagtga	aggaccttcc	tggagcaggg	ccccttcgct	ttcagaaggg	2040

ccgtattgag	tttgagaacg	tgcacttcag	ctatgccgat	ggcggggaga	ctctgcaggga	2100
cgtgtctttc	actgtgatgc	ctggacagac	acttgcctcg	gtgggcccat	ctggggcagg	2160
gaagagcaca	atcttgcgcc	tgctgtttcg	cttctacgac	atcagctctg	gctgcatccg	2220
aatagatggg	caggacattt	cacaggtgac	ccaggcctct	ctccggtctc	acattggagt	2280
tgtgccccaa	gacactgtcc	tctttaatga	caccatcgcc	gacaatatcc	gttacggccg	2340
tgtcacagct	gggaatgatg	aggtggaggc	tgctgctcag	gctgcaggca	tccatgatgc	2400
cattatggct	ttccctgaag	ggtacaggac	acaggtgggc	gagcggggac	tgaagctgag	2460
cgcgggggag	aagcagcgcg	tgcgcattgc	ccgcaccatc	ctcaaggctc	cgggcatcat	2520
tctgctggat	gaggcaacgt	cagcgctgga	tacatctaat	gagagggcca	tcaggctctc	2580
tctggtccaa	gtctgtgcca	accgcaccac	catcgtagtg	gcacacaggc	tctcaactgt	2640
ggtaaatgct	gaccagatcc	tcgtcatcaa	ggatggctgc	atcggtggaga	ggggacgaca	2700
cgaggtctct	tgtgccgag	tggtgggtga	tgctgacatg	tgcaagctgc	agcagggtaca	2760
ggaagaaacc	tctgaagaca	ctaagcctca	gaccatggaa	cggtgacaaa	agtttggcca	2820
tctccctctc	aaagactaac	ccagaaggga	ataagatgtg	tctcctttcc	ctggcttatt	2880
tcctcctggt	cttgggggat	ggtgctagct	atggtaaggg	aaagggaacct	ttccgaaaaa	2940
catcttttgg	ggaaataaaa	atgtgggactg	tgaaaaaaaa	aaaaaaaaaa	aaa	2993

<210> 188
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005689

<400> 188						
ggaaagggac	ctttccgaaa	aacatctttt	ggggaaataa	aaatgtggac	tgtgaaaaaa	60

<210> 189
 <211> 1830
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005749

<400> 189						
ggggagttga	aacctaat	tgtggcgtag	cagctatgca	gcttgaatc	caagtagcac	60
taaaattttt	tatttcgtat	ttgtacaata	agcttccag	gagacgtgtc	aacatttttg	120
gtgaagaact	tgaaagactt	cttaagaaga	aatatgaagg	gcactgggat	ccgtgaaagc	180
catcaaaagg	atcggggttt	agatgtatgc	acatagggga	gaaagtggac	caggtgattg	240
aacaagcatc	caaaagagat	ggtttggaca	ttgatgatgt	tcgtggcgaat	ctgccacagg	300
atcttagtgt	ttggatcgac	ccatttgagg	tttcttacca	aatgtgtgaa	aagggaccag	360
tgaagggtgt	ttacgtggat	gataataatg	aaaatggatg	tgagttggat	aaggagatca	420
aaaacagctt	taaccagagat	gcccagggtt	ttatgcccat	aagtgaccga	gcctcatcag	480
tgtccagctc	tccatcgcc	ccctttggct	actctgctgc	tgtaagccct	accttcacatg	540
cccgggtccac	tcagccctta	acctttacca	ctgccacttt	tgctgccacc	aagttcggct	600
ctacaaaaat	gaagaatagt	ggccgtagca	acgaaggtgc	actgactctc	cccatcaacc	660
tcggctgtgaa	tgtgaatgat	ctcttgaagc	agaaagccat	ctcttcccca	atgcactctc	720
tgtatgggtct	tggctttgggt	agccagcagc	agccacagca	acagcagcag	ccagcccgag	780
cgccaccgcc	accaccacca	ccacagcagc	aacaacagca	gaaaacctct	gctctttctc	840
tgtaatgccaa	ggaattttat	tttccctaata	tgccaggtca	aggtagtagt	accaatggaa	900
ctttcccgag	tgacagcccc	cttaacctca	gtccctccca	gtacagtagt	gcctttgatg	960
tgtttgcagc	ctatggaggc	ctcaatgaag	agtcctttgt	agatggcttg	aatttttagct	1020
taaaataacat	cgagtattct	aaccagcaat	tccagcctgt	tatggctaac	tacttcacatg	1080
aaaattgtat	gtacaagtta	aatgacgagc	gcccaagggg	gaactttttt	ttcacctcct	1140
tgagaatttt	tttttttaag	cttatagttaa	ggatacattc	aaagtttggt	aaaaaaataa	1200
taataaaaaa	tgcatcattt	ttcatttgcc	aaccaagcac	aaagttattt	tatactgact	1260
gtatatttta	aagtatactc	tcagatatgg	ccctttacag	tatttaagga	atacagaagg	1320
catggctgat	ttttttttat	aaaaattggc	actaataagt	gggttttatg	gtcttttcta	1380
attgtataat	ttaattttagt	acaaaatttg	taaaatatca	gaggatatat	atatatttgt	1440

tctacgacat	ggtattgcat	ttatatcttt	ttactacagt	gatctgtgac	agcagcagct	1500
tcatgttgta	ttttttttac	tgaaattgta	aaatatccat	cttaaagaca	tcaactattc	1560
taaaattgt	gtacaggata	ttcctttagt	ggtggaatta	aaatgtacga	atacttgctt	1620
tttcaaaaaa	atgtattttc	tgttaaaaagt	ttaaagattt	ttgctatata	ttatggaaga	1680
aaaatgtaat	cgtaaatatt	aattttgtac	ctatatgtg	caatacttga	aaaaaacggt	1740
ataaaagtat	tttgagtcag	tgtctttacat	gttaagaggg	actgaaatag	tttatattaa	1800
gtttgtatta	aaattcttta	aaattaaaaa	1830			

<210> 190
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005749

<400> 190
 aaacctctgc tcttttctct aatgccaagg aattttattt tcctaatatg cagggtcaag 60

<210> 191
 <211> 1534
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005804

<400> 191						
ggaagcgacg	caactctgtg	ctgagcgccc	ggcggaatac	cgaagtgtga	agtgtctctt	60
agcagcgccg	ggagaaagaac	ggggagccag	catcatggca	gaacaggatg	tggaaaaaga	120
ttcttttgat	tacgatgaag	aggaagagcc	ccaggctcct	caagagagca	caccagctcc	180
ccctaagaaa	gacatcaagg	gatcctaagt	ttccatccac	agctctggct	tccgggacct	240
tctgctgaag	ccggagctcc	tgcgggccat	cgtggaatgt	ggcttggagc	atccttctga	300
ggtccagcat	gagtgcattc	cccaggccat	cctgggcatg	gagctcctgt	gccaggccaa	360
gtccgggatg	ggcaagacag	cggctctctg	gctggccacc	ctacagcaga	ttgagcctgt	420
caacggacag	gtgacggctc	tggtcatgtg	ccacacgagg	gagctggcct	ttcagatcag	480
caaggaatat	gagcgctttt	ccaagtacat	gccacagctc	aaagtgtctg	tgttcttcgg	540
tggtctctcc	atcaagaagg	atgaagaagt	gttgaagaag	aactgtcccc	atgtcgttgt	600
ggggaccctg	ggccgcattc	tggcgctcgt	gcggaatagg	agcttcagcc	taaaagaatgt	660
gaagcacttt	gtgctggacg	agtggtgaca	gatgctggag	cagctggaca	tgcggcgagg	720
tgtgcaggag	atcttcgcgc	tgacaccaca	cgagaagcag	tgcattgatg	tccagcgccac	780
cctgagcaag	gacatccggc	ctgtgtgcag	gaagtctcat	caggatccca	tggagggtgt	840
tgtggcagac	gagaccaagc	tcacgcctga	cgccctgcag	cagtaactac	tcaaaactca	900
agacagttag	aagaaccgca	agctctttga	tctcttggtt	gtgctggagt	ttaaaccagt	960
gataatcttc	gtcaagtcag	tgcagcgctg	catggccctg	gccacgctcc	tctgtggagca	1020
gaactctccg	gccatcgcca	tccaccgggg	catggccccc	gaggagcgcc	tgtcacgcta	1080
tcagcagttc	aaggatttcc	agcggcgagt	cctggtggcc	accaactctg	ttggccgggg	1140
gatggacatc	gagcagtgta	acatcgtctt	taactacgac	atgcctgagg	atccggacac	1200
ctacctgcac	cgggttgccc	ggcgcggtcg	clttggcacc	aaaggcctag	ccatcaactt	1260
tgtgtctgac	gagaatgatg	ccaaaatcct	caatgacgtc	caggaccggt	ttgaagttaa	1320
tgtggcagaa	cttccagagg	aaatcgacat	ctccacatag	atcgagcaga	gccggttaacc	1380
accacgtgcc	agagcgcccc	accggagacc	gcccgcatgc	agcttcaact	cccctttcca	1440
ggcgccactg	ttgagaagct	agagattgta	tgagaataaa	cttgtttatta	tggaaaaaaa	1500
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaa	1534		

<210> 192
 <211> 60
 <212> DNA
 <213> Homo sapiens

```

<300>
<308> NM_005804

<400> 192
gttgagaagc tagagattgt atgagaataa agtgttatta tgaatatgaag aagcctcacc 60

<210> 193
<211> 1416
<212> DNA
<213> Homo sapiens

<220>
<221> Modified base
<222> 1 ... 1416
<223> n = a,c,g, or t

<300>
<308> NM_005945

<400> 193
aggaattccg gaattccgga attccgatgg atggaacaga aaataaatct aagtttgggtg 60
cgaacgccat tctgggggtg tcccttgccg tctgcaaaagc tgggtgccgtt gagaaggggg 120
tccctctgtac cgccacatcg cgtacttggc tggcaacttc gaagtcattc tgcagagtc 180
ggcggttaacg tgtcatcatc aatggcggtt ctcatgctgg caacaagctg gccatgcaga 240
gtctgtcctc ccagtcgggtg cagcaaaactc agggaaagcca tgcgcgattg gacgacaggt 300
ttaccacaac ctgaagaatg tcatcaagga gaaatatggg aaagatgccca ccaatgtggg 360
gatttgcgcg ggtttgctcc caacatcctg gagaataaag aaggcctgga gctgctgaag 420
actgctattg gaaagcctgg cctacactgt aaaggtggtc atggcatgga cgtagcggcc 480
tccgagttct tcaggtcagg gaactatgac ctggacttca agtctcccgga tgacccagc 540
aggatcatct cgccctgacca gctggctgac ctgtacaagt ccttcacaa ggactacca 600
gtggtgtcta tcgaagatcc ctttgaccag gatgactggg gaggcttcaga agttcacagc 660
cagtgacaga atccaagtag tggggggatg actcacagtg accaacccaa agaggatcgc 720
caaggcgtaga acgagaagtc ctgcaactgc ctctgtctca aagtcaacca gattggctcc 780
gtgaccgagt ctcttcaggc gtgcaagctg gccagggcca atgggtgggg cgtcatggtg 840
tctcatcggt cggggggagac tgaagatacc ttcatcgctg acctggtgtg ggggctgtgc 900
actggggcag atcaagactg gtgccccttg ccgactcacg gcttggccaa gtacaaccag 960
ctcctcagaa ttgaagagga gctgggcagc aaggctaaat ttgccggcag gaacttcaga 1020
aaccccttgg ccaagtaagc tgtgggcagg caagccttcg gtcacctgtt ggctacagac 1080
ccctccctg gtgtcagctc aggcagctcg agggcccccga ccaacactg caggggtccc 1140
tgctagttag cgccccaccg cgtggagttc gtaccgcttc cttagaactc tacagaagcc 1200
aagctccctg gaagccctgt tggcagctct agctttgcag ttgtgtaatt ggcccaagtc 1260
attgtttttc tcgccttact ttccaccaag tgtctagagt catgtgagcc tngtgtcatc 1320
tccgggggtg ccacaggcta gatccccggt ggttttgtgc tcaaaaataa aagcctcagt 1380
gacccatgaa aaaaaaaaaa gaattccgga attccg 1416

<210> 194
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_005945

<400> 194
ttgtgtaatt ggcccaagtc attgtttttc tcgccttact ttccaccaag tgtctagagt 60

<210> 195
<211> 961
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_006014

<400> 195
ggcgaccacg gtgtcttcaa aagccccgtc agggttggct tctctggggc ggaccgactg 60
tgggtcagtt tgcaccagcg ctctggaaac gagttacgcg cgaaggggca gagtttcttg 120
aggaaaaccgc agcctctcaa ccgctgacgg ggtctcagaa ggcgcccgcc agggcccgctt 180
ggcgggaact gaccacgcgc cagtcaggct ctccagggac ctgcgcaggc gctgtgtggcg 240
ggagtctgtgc gcaggggggcg gggtctcggg aaggagccac agagaggggc ggcgttagga 300
cctgcgcttc gggggtgtgag tcggagcggc gcggcgggcg tcatgcggga cgcggatgca 360
gacgcaggcg gaggcgctgc cggcggggat ggcgggggtg gccacagctg ccgcgggggc 420
gtggcacacg ccgcagctcc ggccggtgga gctccccag cgcacgcgcc aggtccggcg 480
agagacgcgc cgtctcggcg caggggggtca cgaatgcggc cgcacatatt acccttcagc 540
gtgcctttcc cgacccccctt ggaggcgga atcgcccatg ggtccctggc accagatgcc 600
gagccccacc aaagggtggt tgggaaggat ctacacagtg gtggcaggat cctggtcgtc 660
cgctggaagg ctgaagactg tcgcctgctc cgaatttccg tcatcaactt tcttgaccag 720
ctttcccttg tgggtcggag catgcagcgc ttggggcccc ccgtttcccg ctaagccttg 780
cctgggcгаа tggagcgagc tcccactttg cgtctccttg taggcagtcg gtccatcctt 840
ccctagggca ggaattccca cagttgtctac ttctctggga ggcctcatg ttttatctgg 900
ttcttaaatg tttgttacta cagaaaaata aactgcgcta ctaaaaaaa aaaaaaaaaa 960
a 961

<210> 196
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_006014

<400> 196
ggcctcatgt tttatctggt tcttaaatgt ttgttactac agaaaataaa actgaggtat 60

<210> 197
<211> 1648
<212> DNA
<213> Homo sapiens

<300>
<308> NM_006086

<400> 197
atcggggaga tcgtgcacat ccaggccggc cagtgccgca accagatcgg ggccaagttc 60
tgggaagtca tcaagtatga gcatggcacc gacccacgcg gcaactacgt gggcgactcg 120
gacttgcagc tggagcggat cagcgtctac tacaaacgag cctcttctca caagtacgtg 180
cctcgagcca ttctgggtga cctggaaccc ggaaccatgg acagtgctcg ctacggggcc 240
tttggacatc tcttcaggcc tgacaatttc atcttggctc agagtggggc cggcaacaa 300
tgggccaagg gtcaactcac ggagggggcg gagctgggtg attcggtcct ggaatgtggg 360
cggaaggagt gtgaaaactg cgaactgcctg cagggtctcc agctgaccca ctgcctgggg 420
ggggggacgg gctccggcat gggcacgttg ctcatcagca aggtgcgtga ggaatctccc 480
gaccgcacat tgaacacett cagcgtctgt ccctcaccca aggtgtcaga cacggtgggtg 540
gaacccctaca acgccaacgt gtccatccac cagctggtgg aaaaacagga tgaacctacc 600
tgcatcgaca acgagggcgt ctacgacatc tgcttccgca ccctcaagct gcccacgccc 660
acctacgggg acctcaacca cctggtatcg gccaccatga cgggagtcac cacctctgt 720
cgcttccggc gccagctcaa cgtgacctg ccgaagctgg ccgtcaacct ggtgcccttc 780
ccgcgctcgc acttctctcat gcccggtctc gcccccctca ccaggcgggg cagccagcag 840
taccggggccc tgaccgctgcc cagcctcacc cagcagatgt cgtgcgcaa gaacatgat 900
gccgcctcgc acccgcgcca gccgcgctac ctgacgggtg ccacgctgtt ccggggccgc 960
atgtccatga accgaggtgga cagcagatg cttgccatcc agacagtaa cagcagctac 1020
ttcgtggagt ggtatcccaa caactgtaa gtggccgtgt gtgacatccc gcccccgcc 1080
ctcaagatgt cctccacctt catcggaac agcacggcca tccaggagct gttcaagcgc 1140

```


atctccgagc	agttcacggc	catgttccgg	cgcaaggcct	tctgtcactg	gtacacgggc	1200
gagggcatgg	acgagatgga	gttcaccgag	gccgagagca	acatgaacga	cctgggtgcc	1260
gagttaccagc	agtaaccagga	cgccacggcc	gaggaagagg	gcgagatgta	cgaagacgac	1320
gaggaggagt	cggaggccca	gggcccacag	tgaactctgt	cgcagctgga	gtgagaggca	1380
ggtggcgccg	ggggccgaag	ccagcagtg	ctaaaacccc	ggagccatct	tgtctccgac	1440
acctctgttt	ccccatcgcc	ctagggtctc	cttgccgccc	tctgtcagta	tttatggcct	1500
cgctctcccc	caactagggc	acgtgtgagc	tgtctctgtc	tctgtcttat	tgacgtccca	1560
ggctgacgtt	tttactggtt	tgttttttac	tggtttgtgt	ttatattttc	ggggatacct	1620
aataaatcta	ttgtgtcag	ataccctt	1648			

<210> 198
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006086

<400> 198
 tttttactgg tttgtgttta tttttcggg gatacttaat aaatctattg ctgtcagata 60

<210> 199
 <211> 3074
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006096

<400> 199	aacaaacctc	gacctggctcc	cagctgggtgc	tgaagctcgt	cagttcaacca	tccgcctctg	60
	gcttcgcggg	ggcgctgggc	cgccagcctc	ggcacccgtc	tttctttct	cctctcgctt	120
	aggcaggtga	cagcaggggac	atgtctcggg	agatgcagga	tgtagacctc	gctgaggtga	180
	agcctttggt	ggagaaaggg	gagaccatca	ccggcctcct	gcaagagttt	gatgtccagg	240
	agcaggacat	cgagacttta	catggctctg	ttcacgtcac	gctgtgtggg	actcccaagg	300
	gaaacccggc	tgtcatcctc	acctaccatg	acatcgccat	gaaccacaaa	acctgtctac	360
	acccctctct	caactacgag	gacatgcagg	agatcaccca	gcactttgcc	gtctgccacg	420
	tggacgcccc	tggccagcag	gacggcgccg	cctcctctcc	cgcagggtac	atgtacccct	480
	ccattggatca	gctggctgaa	atgcttccctg	gagtccttca	acagtttggg	ctgaaaagca	540
	ttattggcat	gggaacagga	gcaggcgccct	acatcctaac	tctgatttgc	ctaaacaacc	600
	ctgagatggt	ggaggcgctt	gtccttatca	acgtgaaccc	ttgtgcggaa	ggctggatgg	660
	actggggccg	ctccaaagtc	tcaggatgga	cccaagctct	gcgggacatg	gtgggtctcc	720
	acctttttgg	gaagggaaga	atgcagagta	acgtggaagt	ggtccacacc	taccgccagc	780
	acatttgtga	tgacatgaac	cccgccaacc	tgcaacctgt	catcaatgcc	tacaacagcc	840
	gcgcgcagct	ggagattgag	cgaccaatgc	cgggaaacca	cacagtcacc	ctgcagtgcc	900
	ctgctctggt	ggtggttggg	ctgacgtcgc	tgcagtgga	tgcctgggtg	gagtgcactc	960
	caaaatttgt	cccaacaaag	accactctcc	tcaagatggc	ggaactgtgc	ggcctccccg	1020
	agatctccca	gcgggcgaag	ctcgctgagg	ccttcaagta	ctctgtggga	ggctgggaat	1080
	acatgcctct	ggctagcatg	accgcctcta	tgcgggcccg	cacagcctct	ggttccagcg	1140
	tcacttctct	ggatggccac	cgacggcctg	cccaacaccg	cgagggcacc	cgaagccgct	1200
	cccacaccag	cgaggggcacc	cgcagccgct	cgcacaccag	cgagggggcc	caactggaca	1260
	tcaaccccaa	ctcggtgtgt	gctgggaaca	gcgcggggcc	caagtccatg	gaggtctcct	1320
	gctaggcgcc	ctgcgccagc	cgccgcccg	gactctgate	ctgttagtgg	ccccctctc	1380
	cccgcccgct	tttcgcccct	tgcctgccat	actgcgccta	actcggattt	aatccaaagc	1440
	ttatttgtta	agagtgcctc	ctgggtggaga	caaatgagtg	ctattacagt	gtgcccactc	1500
	ccaaaggcgg	ggtggcggtg	gaccaaagga	aggaagcaag	catctccgca	ctgcactcct	1560
	tctcattaca	cagtgcccg	ttgccactct	cctcccctcc	ctcagagaca	ccaaactgcc	1620
	aaaaacaaga	cgcgtagcag	cacacacttc	acaaagccaa	gcttagggcc	cctcagagat	1680
	cctgggtcaa	acgggtgcct	ggtcagaagg	cagccggccc	acttcccgtt	ctctctttaa	1740
	ctgaggagaa	gctgatccag	tttccggaag	caaaatcctt	ttctcatttg	gggagggggg	1800
	taatatgtac	atgcaggcac	ctctttttaa	caggcaaaac	aggaaggggg	aaaaggtggg	1860

attcatgtcg	aggctagagg	catttggaac	aacaaatcta	cgtagttaac	ttgaagaaac	1920
cgatttttaa	agttgggtgca	tctagaaaagc	tttgaatgca	gaagcaaaaca	agcttgattt	1980
ttctagcacc	ctcttaatgt	gcagcaaaaag	caggcgacaa	aatctctctgg	ctttacagac	2040
aaaaatattt	cagcaaaacgt	tgggcatcat	ggtttttgaa	ggcttttagtt	ctgctttctg	2100
cctctectec	acagcccccac	ccctccacc	ctgatacatg	agccagtgat	tattcttgtt	2160
caggagagaag	atcatttaga	tttgttttgc	attccttaga	atggagggca	acattccaca	2220
gctgcctctg	ctgtgatgag	tgtccttgca	ggggccggag	taggagcact	ggggtggggg	2280
tggaaattggg	gttactcgtat	gtaagggtatt	ccttgttgtt	gtgttgagat	ccagtgagat	2340
tgtgatattct	gtggatccca	gcttggttcc	aggaattttg	tgtgattggc	ttaaatccag	2400
tttcaatct	tcgacagctg	ggctggaaag	tgaactcagt	agctgaacct	gtctgacctg	2460
gtcacgttct	tggatctcta	gaactctttg	ctctgtctgg	gggtgggggtg	ggaactcacg	2520
tggggagcgg	tggctgagaa	aatgtaaggga	ttctggaata	catattccat	gggactttcc	2580
ttccctctcc	tgtctctctc	tttctctctc	ccctaaccttt	cgccgaattg	ggcagcacca	2640
ctgacgttct	tgggcccga	gtgcggctgc	caggttctctg	tactactgcc	ttgtactttt	2700
cattttggct	caccgtggat	tttctcatag	gaagttttgt	cagagtgaat	tgaattattg	2760
aagtcagcca	ctgggaccgg	aggattttctg	ggaccccgca	gttggggagg	ggaagttagt	2820
cagccttcca	ggtggcgcta	gaggcaatga	ctcgttaact	gcgcgccact	accttggagg	2880
ccttcccttg	ctctgagtag	aaaagtccgg	gatcggggca	agagagctg	agtacggatg	2940
ggaaactatt	gtgcacaagt	ctttccagag	gagtttctta	atgagatct	tgtatttatt	3000
tccagaccaa	taaatattgta	actttgcagc	ggaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3060
aaaaaaaaaa	aaaa	3074				

<210> 200
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006096

<400> 200
 gagtacggat gggaaaactat tgtgcacaag tctttccaga ggagtttctt aatgagatat 60

<210> 201
 <211> 2148
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006115

<400> 201						
gcttcagggt	acagctcccc	cgcagccaga	agccgggect	gcagcgctc	agcaccgctc	60
cgggacaccc	ccaccgcttc	ccaggcgtga	cctgtcaaca	gcaactctgc	ggtgtggtga	120
actctctgag	gaaaaaccat	tttgattatt	actctcagac	gtgcgttgca	acaagttagt	180
gagacctaga	aatcccaagc	ttggaggctc	tgaggccagc	ctaagctcgt	tcaaaatgca	240
acgaaggcgt	tttgtggggt	ccattcagag	ccgatacatc	agcatgagtg	tgtggacaag	300
cccacggaga	cttgttgagc	tggcagggca	gagcctgctg	aaggatgagg	ccctggccat	360
tggcgcctg	gagtttctgc	ccaggagact	cttcccgcga	ctctctatgg	cagcctttga	420
gggagacac	agccagaccc	tgaaggcaat	ggtgcaggcc	tggcctctca	cctgcctccc	480
tctgggagtg	ctgatgaagg	gacaaacatc	tcacctggag	accttcaaa	ctgtgcttga	540
tggacttgat	gtgtctcttg	cccaggaggt	tgcgccagg	aggtggaaac	tccaagtgtc	600
ggatttacgg	aagaactctc	atcaggactt	ctggactgta	tgtctggaa	acagggccag	660
ctctgtacta	tttccagagc	cagaagcagc	tcagcccag	acaaaagagc	gaaaagttag	720
tgtgtttgag	acagaggcag	acagagccct	cattccagta	gaggtgctct	tagacctgtt	780
cctcaaggaa	ggtgcctgtg	atgaattgtt	ctcctacctc	attgagaagg	tgaagcgaaa	840
gaaaaatgta	ctacgcctgt	ctgttaagaa	gctgaagatt	tttgcaatgc	ccatgcaggga	900
tatcaagatg	atcctgaaaa	tgggtcagct	ggactctatt	gaagatttgg	aagtgaactt	960
tacctgggaag	ctaccacact	tggcgaaatt	ttctccttac	gtggccaca	tgattaatct	1020
gcgtagactc	ctctctctcc	acatccatgc	atcttccctac	atttccccgg	agaagggaag	1080
gcagtatatc	gccaggttca	cctctcagtt	cctcagctcg	cagtgccctc	aggctctctc	1140

tgtggactct	tatttttttc	ttagaggccg	cctggatcag	ttgtctcaggc	acgtgatgaa	1200
ccccctggaa	accctctcaa	taactaactg	ccggcttttcg	gaaggggatg	tgatgcatct	1260
gtcccagagt	cccagcgta	gtcagctaag	tgctctgagt	ctaagtgggg	tcacgtctgac	1320
cgatgtgaagt	cccagagcccc	tccaagctct	gctggagaga	gcctctgccca	ccctccaggga	1380
cctgggtcttt	gatgagtggtg	ggatcacgga	tgatcagctc	cttgccctcc	tgccctccct	1440
gagccactgc	tcccagctta	caaccttaag	cttctacggg	aattccatct	ccatatctgc	1500
cttgccagagt	ctctctgagc	acctcatcgg	gctgagcaat	ctgacccacg	tgctgtatcc	1560
tgctccctgt	gagagtttatg	aggacatcca	tggtaccttc	cacctggaga	ggcttgccata	1620
tctgcatgcc	aggctcaggg	agttgctgtg	tgagttgggg	cgccccagca	tggtctggct	1680
tagtgccaac	ccctgtcctc	actgtgggga	cagaaccttc	tatgacccgg	agcccatctc	1740
gtgcccctgt	ttcatgccta	actagctggg	tgacacatc	aaatgcttca	ttctgcatac	1800
ttggacacta	aagccaggat	gtgcatgcac	cttgaagcaa	caaagcagcc	acagtttccag	1860
acaaatgttc	agtggtgagtg	aggaaaacat	gttcagtgag	gaaaaaacat	tcagacaaat	1920
gttcagtgag	gaaaaaaaagg	ggaagttggg	gatagggcaga	tggtgacttg	aggagttaat	1980
gtgatctttg	gggagatata	tcttatagag	ttagaataag	aatctgaatt	tctaaaggga	2040
gattctggct	tgggaagtac	atgtaggagt	taatccctgt	gtagactgtt	gtaaaagaaac	2100
gtttgaaat	aaagagaagc	aatgtgaagc	aaaaaaaaaa	aaaaaaaaaa	2148	

<210> 202
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006115

<400> 202
 tggggagata catcttatag agttagaat agaattctgaa ttcttaaagg gagattctgg 60

<210> 203
 <211> 1051
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006332

<400> 203	ggaccgcccg	ctgggttaaa	gcgcttattt	cccaggcagc	cgctgcagtc	gccacacctt	60
	tgcccctgct	gcgatgacct	tgctgccact	tctgtctgtc	ctgccacgcg	tgctgctgct	120
	gtctggacgtc	cccacggcgg	cgggtgcaggc	gtcccctctg	caagcggttag	actctctttgg	180
	gaatggggcca	ccagtttaact	acaagacagg	caatctatac	ctgcggggggc	ccctgaagaa	240
	gtccaatgca	gcgcttggtca	atgtgacacct	ctactatgaa	gcactgtgcg	gtggctgccc	300
	agccttctctg	atccggggagc	tcttcccaac	atggctgttg	gtcatggaga	tcctcaatgt	360
	cacgctgggtg	ccctacggaa	acgcacagga	acaaaatgtc	agtggcagggt	gggagttcaa	420
	gtgccagcat	ggagaagagg	agtgcacatt	caacaagggt	gagggcctgcg	tggtgtagta	480
	acttgacatg	gagctagcct	tccctgacct	tgcttgcgat	gaagagtttg	aggacatgga	540
	gagaagtctg	ccactatgcc	tgacgctcta	gcgccacagg	ctgtgcggacg	acactatcat	600
	ggagtggtgca	atgggggacc	gcggcatgca	gctcatgcac	gccaacgcccc	agccgacaga	660
	tgctctccag	ccaccacacg	agtatgtgcc	ctgggtcacc	gtcaatggga	aacccttggga	720
	agatccagacc	cagctcctta	cccttgtctg	ccagttgtac	caggggcaagc	agccggatgt	780
	ctgcctcttc	tcaaccagct	ccctcaggag	tgtttgtctc	aagtgatggc	cggtagctgt	840
	cggagagctc	tggtgaaggcg	agtgggaacc	cggtgctgct	cccttttttc	tgatccagac	900
	ctcgggcacc	gtgctacttac	caactggaaa	attttatgca	tcccatgaag	ccagatatac	960
	caaaattcca	ccccatgatc	aagaatcctg	ctccactaag	aatggtgcta	aagtaaaact	1020
	agtttaataa	gcaaaaaaaaa	aaaaaaaaaa	a	1051		

<210> 204
 <211> 60
 <212> DNA

```

<213> Homo sapiens

<300>
<308> NM_006332

<400> 204
aaattccacc cctagatcaa gaatcctgct ccactaagaa tgggtgctaaa gtaaaactag 60

<210> 205
<211> 1714
<212> DNA
<213> Homo sapiens

<300>
<308> NM_006417

<400> 205
ggggcatttt gtgcctgcct agctatccag acagagcagc taccctcagc tctagctgat 60
actacagaca gtacaacaga tcaagaagta tggcagtgac aactcgtttg acacggttgc 120
acgaaaagat cctgcacaaat cattttggag ggaagcggct tagcctctct tataaagggtta 180
gtgtccatgg attccgtaat ggagttttgc ttgacagatg ttgtaataca ggcctactac 240
taacagtgat ttatagttaa gatcatatta ttggagcata tgcggaagag agttaccagg 300
aaggaaaata tgcttccatc atcctttttg cacttcaaga tactaaaaat tcagaatgga 360
aactaggact atgtacacca gaaacactgt tttgttgtga tgttacaata tataactccc 420
caactaattt ccagatagat ggaagaaaata gaaaagtgat tatggactta aagacaatgg 480
aaaatccttg acttgctcaa aattgtacta tctctattca ggattatgaa gtttttcgat 540
gcgaagattc actggatgaa agaaagataa aagggggtcat tgagctcagg aagagcttac 600
tgtctgcctt gagaacttat gaaccatatg gatccctggg tcaacaaaata cgaattctgc 660
tgtctgggtcc aattggagct gggaagtcca gctttttcaa ctacgtgagg tctgttttcc 720
aagggcctgt aacgcattcag gctttgggtg gcactaatac aactgggata tctgagaagt 780
ataggacata ctctattaga gacgggaaag atggcaataa cctgcggttt attctgtgtg 840
actcactggg gctgagtgag aaagaaggcg gctgtgacg ggatgacata ttctatatct 900
tgaacggtaa cattcgtgat agataccagt ttaatcccat ggaatcaatc aaattaaatc 960
atcatgacta cattgattcc ccacgcgtga aggcagaaat tcattgtgtg gcatttgtat 1020
ttgatgccag ctctattcaa tacttctcct ctacagatgat agtaaaagatc aaaagaattc 1080
gaagggagtt ggtaaacgct ggtgtggtac atgtggcttt gctcactcat gtggaatgca 1140
tggatttgat tacaaaaggt gaccttatag aaatagagag atgtgagcct gtgaggtcca 1200
agctagagga agtccaaaga aaacttgat ttgctcttcc tgacatctcg gtggttagca 1260
attattcttc tgagtgaggag ctggaccctg taaaggatgt tctaattctt tctgctctga 1320
gacgaatgct atgggctgca gatgacttct tagaggattt gccttttgag caaataggga 1380
atctaaaggga ggaaattatc aactgtgcac aaggaaaaaa atagattagt gaagggttca 1440
cgtaaatctc ctcacatcac agaagattaa aattcagaaa ggagaaaaaa gagaccaaaag 1500
agaagtatct aagaccaaaag ggatgtgttt tattaatgtc taggatgaag aaatgcatag 1560
aacattgtat tactttgaaa taactagaaa taacatgatt tagtcataat tgtgaaaaat 1620
agtaataatt tttcttggat ttatgttctg tatctgtgaa aaaaataaatt tcttataaaa 1680
ctcggaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1714

<210> 206
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_006417

<400> 206
atgacatatt ctatatcttg aacggtaaca ttctgtatag ataccagttt aatcccatgg 60

<210> 207
<211> 3791
<212> DNA

```

<213> Homo sapiens

<300>

<308> NM_006461

<400> 207

acagacggcg	ggtgaacatg	gcgtcctcga	cttggtctga	gacgtgatag	gcctgccttc	60
tgggtgaaga	tgtggcgagt	gaaaaaactg	agcctcagcc	tgtcgccttc	gccccagacg	120
ggaaaaacat	ctatgagAAC	tcccttcctg	gaacttacc	tgcagcccg	tgccttcacc	180
acctctggaa	aaagatcccc	cgcttgctcc	tcgctgaccc	catcactgtg	caagctgggg	240
ctgcaggaag	gcagcaacaa	ctcgtctcca	gtggattttg	taataaacaa	gaggacagac	300
ttatcttcag	aaacatttcag	tcattctcca	aagtggctag	aaacttgcta	gcattgaatca	360
gatgagcagc	ctctagatcc	aattccccaa	attagctcta	ctctaaaac	gtctgaggaa	420
gcagtagacc	cactgggcaa	ttatatggtt	aaaaccatcg	tccttgtaacc	atctccactg	480
gggcagcaac	aagacatgat	atttgaggcc	cgtttagata	ccatggcaga	gacaaacacg	540
atatctttaa	atggacactt	gagaaacagac	gatctgggtg	gagaggagg	ggcacacctg	600
atgggagaca	ggttttcaga	agttgctgct	gtatctgaga	aaactatctt	tcaggaaatc	660
ccgtcccatc	tcttagagga	gtctccacca	aatccctggt	ctgaacaact	acattgctcc	720
aaggaaagcc	tgagcagtag	aactgaggct	gtcgtgagg	acttagtacc	ttctgaaagt	780
aacgcctctt	tgcccttcctc	gttctctctg	cttcccccct	caactgcctt	ggcagcagat	840
ttccgtgtca	atcatgtgga	cccagaggag	gaaattgtag	agcatggagc	tatggaggaa	900
agagaaatga	ggtttccccc	acatcctaag	gagttctgaa	cagaagatca	agcacttgtc	960
tcaagtgtgg	aagatattct	gtccacatgc	gtgacaccaa	atcatgata	aatggaaatc	1020
caagaagctc	caggccacgc	agtagaagat	cttggttagga	tcttggcttc	tgatcacagag	1080
ctttggatgt	ccccactggc	ctggctggaa	aaaggtgtaa	atacctccgt	catgctggaa	1140
aatctgcctc	aaagcttata	ccttccctcg	attcttcggg	atgctgcact	tggcactacc	1200
ctcttctcta	cttgctcggt	ggggacttgg	ttactcctt	cagcacccca	ggaaaagagt	1260
acaaacacat	cccagacagg	ctcgtttggc	accaagcaca	gtactcttga	gcagagcag	1320
ctctctgtgt	gcggcgctcc	agatctgact	gccttgcctc	gacatgactt	ggagataaac	1380
ctgctgagct	ctcttgcata	tttgaggatt	ctctcccgcc	agcttcggga	ctggaagagc	1440
cagctggctg	tccttaccac	agaaaccag	gacagtagca	cacagactga	cacatctcac	1500
atggggataa	ctaataaact	tcagcatctt	aaggagagcc	atgagatggg	acagggcccta	1560
cagcagccca	gaaatctcat	gcaatcatgg	gtgcttatct	ctaaagagct	gatactcttg	1620
cttccacctat	ccctgttgca	tttagaagaa	gataagacta	ctgtgaatca	ggagtctcgg	1680
cgtcgagaaa	cattgtgtct	ttgctgtttt	gatttgcgtg	agaaatttag	ggcaaaagct	1740
cagagcctca	aagcagaaag	ggaggaggca	aggcacagag	aggaaatggc	tctcagaggc	1800
aaggatcgcg	cagagatagt	gttgagggtc	ttctgtgcac	acgccagcca	gcgcatacgc	1860
cagctggaac	aggacctatg	atccatcgcg	gaattcagag	gccttctgaa	ggatgccca	1920
accacaactg	tagggcttca	tgccaagcaa	gaagagctgg	ttcagcacag	agtgaagtct	1980
acttctacct	tgcaacaaga	ctggaggctc	atgcaactgg	attatacaac	atggacaagt	2040
ttgctgagtc	ggtcccgaca	actccagag	aaactcacag	ctaaagagcca	gcaagccctg	2100
caggaaacgtg	atgtggcaat	tgaggaaaa	caggagggtt	ctagggtgct	ggaaacaagt	2160
ctgtcccgagt	tataggaggtg	caaaaggccaa	acagaaacac	tggagttgga	aaacatctgt	2220
ctagcaacag	atctccgggc	tcagttagag	attctggcca	acatggagac	ccagctaaaa	2280
gagctacaga	gtcagcatcac	ccattgtgcc	caggacctgg	ctatgaagga	tgaagtactc	2340
tgcacgtcta	cccagagcaa	tgaggagcag	gctgctcaat	gcgttaaagg	agagatggca	2400
ctaaaacaca	tgacggcaga	actgcagcag	caacaagctg	tcttgcccaa	agaggtgcgg	2460
gacctgaag	agactcttgg	gtttgcagac	caggagaatc	aggttgctga	ctctgagctg	2520
gtgtcaggtg	agtgtaaat	gaaaaccaca	ctggaagtgc	tccgggagcg	cagcttgca	2580
gtgtgagaac	tcaaggacac	gttagagaa	ctaaggctca	aactggccag	caccatagca	2640
gataaccagg	agcaagatct	ggagaaaaca	cggcagta	ctcaaaagct	agggtctgtg	2700
actgagcaac	tacagagcct	gactctcttt	ctacagacaa	aaactaaagg	gaagactgaa	2760
caagagaccc	ttctgtctgag	tacagcctgt	ctcccccacc	agcaacaccc	ttgtccta	2820
cagagagacct	tccctgggaag	catcttgaca	gcagtggcag	atgaagagcc	agaatcaact	2880
ccctgtgcctt	tgtcttggaag	tgacaagaat	gctttcaccc	gagtagcatc	aattggtttc	2940
cttccagccc	cagagacccc	aggcatggag	gagagcctgg	cagaaatagc	tattatgact	3000
actgagcttc	agagcttttg	ttccctgcta	caagagtcta	aagaagaaag	catcaggact	3060
ctgcagcgaa	aaatttgtga	gctgcaagct	aggctgcagg	cccaggaaga	acagcatcag	3120
gaagtccaga	agggcaaaaga	agcagacata	gagaagctga	acaggcctt	gtgcttgccg	3180
tacaagaatg	aaaaggagct	ccagggaagt	atacagcaga	atgagaagat	cttagaacag	3240
atagacaaga	gtggcgagct	cataagcctt	agagaggagg	tgaccacact	taccgcctca	3300

cttcgcgctg	cggagacaga	gaccaaagt	ctccaggagg	cctggcagcg	cagctggact	3360
ccaactgcc	gcctatggcc	accaattgga	tccaggagaa	agtgtggctc	tctcaggagg	3420
tgacaaact	gagagtgatg	ttcctggaga	tgaaaaatga	gaaggaaaac	tcctgatcaa	3480
gttcacagag	ccatagaat	atcctagagg	agaaccttgc	gcctctgcac	aaggagttag	3540
aaaaactaga	tgacattgtt	cagcatattt	ataagacctt	gctctctatt	ccagaggttg	3600
tgaagggatg	caaagaacta	cagggattgc	tggaatttct	gagctaaaga	actgaaagcc	3660
agaatttgtt	tcacctcttt	ttacctgcaa	taccccttta	ccccaatacc	aagaccaact	3720
ggcatagagc	caactgagat	aaatgctatt	taaataaagt	gtattttaatg	aaaaaaaaaa	3780
aaaaaaaaaa	a	3791				

<210> 208

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006461

<400> 208

ctgacaaagg gttagaaaa ctatgatgaca ttgttcagca tattttataag accctgctct 60

<210> 209

<211> 2856

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006516

<400> 209

taagtgcggg	tccccgagtg	agcacgcag	ggagcaggag	accaaaccag	ggggggtcga	60
gtcacagtg	cagttgggag	ccccggaccg	gagcacgagc	ctgagcggga	gagcgcgcgt	120
cgacaccccg	tcgcccaccg	cgtacccggc	gcagccagag	ccaccagcgc	agcgtgcgca	180
tggagcccg	cagcaagaag	ctgacgggtc	gcctcatgct	ggctgtggga	ggagcagtg	240
ttggctccct	gcagtttggc	tacaacactg	gagtcacaa	tgccccccag	aagggtgatcg	300
aggagttcta	caaccagaca	tgggtccacc	gctatgggga	gagcatccgt	ccccaccgcg	360
tcaccacgct	ctgggtccctc	tcagtggcca	tcctttctgt	tgggggcatg	attggctcct	420
tcctctgtgg	ccctttctgt	aaccgctttg	gccggcgga	ttcaatgctg	atgatgaacc	480
tgctggcctt	cgtgtccgcc	gtgctcatgg	gcttctcgaa	actggggcaag	tcctttgaga	540
tgctgatcct	gggcccgttc	atcatcggtg	tgtactcggg	cctgaccca	ggcttcgtgc	600
ccatgtatgt	gggtgaagt	tcacccaag	cccttctgtg	ggccctggg	acctgcacc	660
agctgggcat	cgtcgtcgcc	atctctcatg	cccagggtgt	cggcctggag	tcctcatagg	720
gcacaagaga	cctgtggccc	ctgctgctga	gcacatctt	catcccgccc	ctgctgcagt	780
gcactgctgt	gcctctctgc	cccgagagtc	cccgttctct	gctcatcaac	cgcaacgagg	840
agaacccggc	caagagtgtg	ctaaagaagc	tgccggggag	agctgacgtg	accatgacc	900
gcaggagatg	gaaggagag	agtcggcaga	tgatgcggga	gaagaaggtc	accatcctgg	960
agctgttccg	ctcccccgcc	taccgccagc	ccatctcat	cgctgtgggt	ctgcagctgt	1020
cccgagctgt	gctcggcatc	aacgctgtct	tcctattact	cacgagcact	ctcgagaagg	1080
cgggggtgca	gcagcctgtg	tatgccacca	ttggctccgg	tatcgtcaac	acggccttca	1140
ctgtcgtgtc	gtgtgtttgtg	gtggagcgag	caggccggcg	gaccctgcac	ctataggcc	1200
tcgctggcat	ggcgggtgtg	gccactactc	tgacatcgc	gctagcactg	ctggagcagc	1260
taccctggat	gtcctatctg	agcatcgtgg	ccatctttgg	cttctgtggc	ttctttgaag	1320
tgggtctctg	ccccatccca	tggttcatcg	tggtgaaact	cttcagccagc	ggtccacgtc	1380
cagctgccat	tggcgttgca	ggcttctcca	actggacctc	aaatttcatc	gtgggcatgt	1440
gcttccagta	tgttgagcaa	ctgtgtggtc	cctacgtctc	actgctcttc	actgtctctc	1500
tggttctgtt	cttcatcttc	acctacttca	aagttcctga	gactaaaggc	cggacctctg	1560
atgagatcgc	ttccggcttc	cggcaggggg	gagccagcca	aagtataaag	acaccgcagg	1620
agctgttcca	tcctctgggg	gctgattccc	aagttgtgag	cgcgccagat	caccagcccg	1680
gctctctccc	agcagcctta	aggatctctc	aggagcacag	gcagctggat	gagacttcca	1740
aaactgacag	atgtcagccg	agccgggccc	ggggctcctt	tcttccagcca	gcaatgatgt	1800
ccagaagaat	attcaggact	taacggctcc	aggatttttaa	caaaagcaag	actgttgctc	1860

aaatctattc	agacaagcaa	cagggttttat	aattttttta	ttactgattt	tgttattttt	1920
atatcagctc	gagtcctcgt	tgccacatc	ccaggcttca	ccctgaatgg	ttccatgcct	1980
gagggtggag	actaagccct	gtcgagacac	ttgccttctt	cacccagcta	atctgtaggg	2040
ctggacctat	gtcctaagga	cacactaatc	gaactatgaa	ctacaaagct	tctatcccag	2100
gagggtggcta	tgggcaccgc	ttctgctggc	ctggatctcc	ccactctagg	ggtcaggctc	2160
cattaggatt	tgccccttcc	catctcttcc	tacccaacca	ctcaaaattaa	tctttcttta	2220
ccctgagacca	gttggggagca	ctggagtcca	gggaggagag	gggaaaggcc	agtcctgggct	2280
gccgggttct	agtctccttt	gcactgaggg	ccactctatt	accatgagaa	gagggcctgt	2340
gggagcctgc	aaactcactg	ctcaagaaga	catggagact	cctgcctctg	tgtgtataga	2400
tgcaagatat	ttatatatat	ttttggttgt	caatatataa	tacagacact	aagttatagt	2460
atattctggac	aagccaactt	gtaaatacac	cacctcactc	ctgttactta	cctaacaaga	2520
tataaatggc	tgtgttttag	aaacatggtt	ttgaaatgct	tgtggaattga	gggtaggagg	2580
tttgatggg	agtggagacg	aagtaagtgg	ggttgcaacc	actgcaaccg	cttagacttc	2640
gactcaggat	ccagtcctct	acacgtacct	ctcatcagtg	tcctcttctg	caaaaaatcg	2700
tttgatccct	gttaccacga	gaatatatac	attctttatc	ttgacattca	aggcattttc	2760
atcacatatt	tgatagttgg	tgttcaaaaa	aacactagtt	ttgtgccagc	cgtgatgctc	2820
aggcttgaaa	tcgcattatt	ttgaatgtga	agggaa	2856		

<210> 210
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006516

<400> 210
 aaacagatat aaatggctgg ttttttagaaa catgggttttg aaatgcttgt ggattgaggg 60

<210> 211
 <211> 576
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006607

<400> 211						
atggctactc	tgatctacgt	tgataaggaa	attgggaaac	caggcaccgc	tgtggctgcc	60
aaggatgtgc	tgaagctgga	gtctagacct	tcaatcaaa	cattagatgtg	gatatactcaa	120
gttttaacac	cagcttttgg	caaaacatac	gatgctccat	cagccttacc	taaaagctacc	180
agaaaaggctt	tgggcactgt	caacagagct	acagaaaagt	cagtaaaagac	caatggacccc	240
agaaaacaaa	aaacgcccaag	cttttctgcc	aaaaagatga	ccgagaagac	tgttaaaaaca	300
aaaaagttctg	ttcctgcctc	agatgacgcc	tatccagaaa	tagaaaaatt	ctttcccttc	360
aatacttctag	actttgagag	ttttgacctg	cctgaagagc	gccagattgc	acacctcccc	420
ttgagtggag	tgccctctcat	gacccctgat	gaggaggag	agcttgaaaa	gctgtttcag	480
ctgggcccc	cttcacctgt	gaaaaatgcc	tctccaccat	gggaatgcaa	tctgtttgca	540
gtctcttcca	agcattctgt	cgaccctgga	tgttga	576		

<210> 212
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006607

<400> 212
 cgccatcca gaaatagaaa aattctttcc cttcaatctt ctgacttttg agagttttga 60

<210> 213

<211> 2058
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006820

<400> 213
 gccacgaggaa gccacagatc tcttaagaac tttctgtctc caaacctgtg ctgctcgata 60
 aatcacagacg aacagcttaat cctcaattta agcctgatct aacccctaga aacagatata 120
 gaacaaatgga agtgacaaca agattgacat ggaatgatga aaatcatctg cgaactgct 180
 tggaaatgtt tctttgagtc ttctctataa gtctagtgtt catggaggta gcattgaaaga 240
 tatgggttgaa agatgcagcc gtccgggatg tactataaca atggcttaca ttgattacaa 300
 tatgatgtga gcctttatgc ttggaaatta tattaattta cgtgaaagt ctacagagcc 360
 aaatgatcc ctatggtttt cactcaaaa gaaaaatgac accactgaaa tagaaacttt 420
 actcttaaat acagaccaca aaattattga tgagcaactg gtgtgtcgtt tatcgaaaac 480
 ggataatttc attatatgtc gagataataa aatttatcta gataaaatga taacaagaaa 540
 cttgaaacta aggttttttc gccaccgtca gtatttgtaa tgtgaagtgt ttccagattga 600
 aggaatttaag gataacctag acgacataaa gaggataatt aaagccagag agcacagaaa 660
 taggctcttc cagacatcca gagactatag gccctatgca gacttggttt cagaaattcg 720
 tattctttttg ttgggtccag ttgggtctgg aaagtccagt tttttcaatt cagtcaagtc 780
 tatttttcat gcccatgtga ctggccaagc cgtagtgggg tctgatacca ccagcataac 840
 cgagcgggtat aggatatttt ctgttaaaga tggaaaaaat ggaaaatctc tgcattttat 900
 gtgtgtgtac actatggggc tagatggggc agaaggagca ggactgtgca tggatgacat 960
 tcccacatc ttaaaagggt gtatgccaga cagatatcag ttaattcccc gtaaaccaat 1020
 tacacctgag cactctact ttatcacctc tccatctctg aaggacagga tccaactgtg 1080
 ggcttatgtc tttagacatca actctattga caatctctac tctaaaatgt tggcaaaagt 1140
 gaagcaaggt cacaagaag tattaaactg ttgtatagca tatgtggcct tgcctactaa 1200
 agtggtgatgt tgcagtgagg ttctcaaga caacttttta aacatgagta gctctatgac 1260
 ttctcaaaag cgggtcatga atgtccataa aatgctaggc attcctattt ccaatatttt 1320
 gatgggttga aattatgctt cagattttgga actggaccoc atgaaggata ttctcatcct 1380
 ctctgcactg aggcagatgc tgcgggctgc agatgatatt ttagaagatt tgcctcttga 1440
 ggaaactggt gcaattgaga gagcgttaca gccctgcatt tgagataagt tgccttgatt 1500
 ctgacatttg gccacgctg tactgggtgt ccgcaatgag agtcaatctc tattgacagc 1560
 ctgcttcaga ttttgccttt gtctgttttg ccttctgtcc ttggaacagt catatctcaa 1620
 gttcaaaagg caaaacctga gaagcgtgtg gctaaagtag gtccactgac aaaccacccc 1680
 tccatatttc cgtaccattt acaattcagt ttctgtgaca tctttttaaa ccactggagg 1740
 aaaaaatgaga tattctctaa ttattctctc tataacactc tatatagagc tatgtgagta 1800
 ctaatcacta tgaataatag ttataaaatt attgatataga catctgcttc ttaaagagat 1860
 tgtgagttct ttgagaacaa cgtgtgattt tacttatctg tgtattacaa gagcttagca 1920
 cagtgcctgg taatgagcaa gcatacttgc cattaacttt ccttccactc ctctccaaca 1980
 tcacattcac tttaaatttt tctgtatata gaaaggaaaa ctagcctggg caacatgatg 2040
 aaaccccatc tccactgc 2058

<210> 214
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006820

<400> 214
 tgagttcttt gagaacacgc gtggatttta cttatctgtg tattcacaga gcttagcaca 60

<210> 215
 <211> 2825
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_006845

<400> 215

```
gcgaaattga ggtttcttgg tattgcgcgt ttcttcttct tgetgactct ccgaatggcc 60
atggacttgt cgtctcaggg ccgctgtgtt cccggtctcg ctatcaagat ccaacgcagt 120
aatggtttca ttccagctgc caatgtaagg atcgtgaaatc ttggaataatc ctgtgtttca 180
gtggaatggg cagaaggagg tgccacaaag ggcaaaagaga ttgattttga tgatgtggct 240
gcaataaacc cagaactctt acagcttctt cccttacatc cgaaggacaa ctctgccctg 300
caggaataatg taacaatcca gaaacaaaaa cggagatccg tcaactccaa aattctctgt 360
caaaaagaaa gttctcgaag ccgctccact cgcatttcca ctgtctcaga gttcccgact 420
acggctcagg agaattgacat ggaggtggag ctgcctgcag ctgcaaatc cgcgaacgag 480
ttttcagctc ctctcgcccc cactaggcct tctgcctctg cagtggctcg aaataacctg 540
aggatggtca gcgaggagat ggaagagcaa gtccattcca tccgtggcag ctcttctgca 600
aaccctgtga actcagttcg gaggaaatca tgtcttgtga aggaagtgga aaaaaatgaag 660
aacaagcgag aagagaagaa ggcccagaac tctgaaatga gaatgaagag agctcaggag 720
tatgacagta gttttccaaa ctgggaattt gcccgaaatg ttaaagaatt tcgggctact 780
ttggaattgc ttccacttac tatgactgat cctatcgaa agcacagaat atgtgtctgt 840
gttaggaaac gccactgaa taagcaagaa ttggccaaga aagaaattga tgtgatttcc 900
attctagca agtgtctcct ctgtgtacat gaacccaagt tgaagtggga cttaacaaag 960
tatctggaga accaagcatt ctgctttgac ttgcatattg atgaaacagc ttccgaatgaa 1020
ttgtctaca gtttccagc aaggccactg gtacagacaa tctttgcaag tggaaaagca 1080
actttgtttg catattggcca gacaggaagt ggcaagacac atactatggg cggagacctc 1140
tctgggaaag cccagaatcg atccaaaagg atctatgcca tggcctcccg ggacgtcttc 1200
ctctgaagaa atcaacctgc ctaccggaag ttgggctctg aagtctatgt gacttctctc 1260
gagatctaca atgggaagct gtttgacctg ctcaacaaga aggccaaagt gcgctgtctg 1320
gaggacggca agcaacaggt gcaagtgggt gggctgcagg agcatctggt taactctgct 1380
gatgatgtca tcaagatgct cgacatgggc agcgctgca gaacctctcg gcagacattt 1440
gccaaactcca attctctccg ctcccaagcg tgcttccaaa ttattctctg actaaagg 1500
agaatgcatg caaagtcttc ttgttgatgat ctggcagggg atgagcgagg cgcagacact 1560
tccagtgctg accgagcagc ccgcatggag ggcgcagaaa tcaacaagag ttcttagacc 1620
ctgaaggagc gcatcagggc cctgggacag aacaaggctc acacccctgt cctgtgagac 1680
aagctgacac aggtgctgag ggaactcctc attggggaga actctaggac ttgcatgatt 1740
gccacgatct caccaggcat aagctcctgt gaataactt taacacctc gagatatgca 1800
gacaggggtca aggagctgag cccccacagt gggcccagtg gagagcagtt gattcaaatg 1860
gaaacagaag agatggaagc ctgctctaac ggggcgctga ttccaggcaa tttatccaa 1920
gaagaggagg aactgtcttc ccagatgtcc agctttaacg aagccatgac tcagatcagg 1980
gagctggagg agaaggctat ggaagagctc aaggagatca tacagcaagg accagactgg 2040
cttgagctct ctgagatgac cgagcagcca gactatgacc ttgagacctt tgtgaacaaa 2100
gcggaaatct ctctggccca cgaagccaa catttctcag cctgttcaga tgtcatcaag 2160
gccttaacgac tggccatgca gctggaagag caggctagca gacaaaataag cagcaagaaa 2220
cgccccagtg gacagctgca aataaaaaatc tgtttgtgtt gacacccagc ctcttccctg 2280
gocctcccca gagaactttg ggtacctggt ggttctaggc aggggtctgag cttggacagg 2340
ttctggtaaa tgccaagtat gggggcatct caggtctaggc cagctggggg gggggctaga 2400
gtgacatggg acactccttt ttgttctctc agttgtcgcc ctacagagag gaagagactc 2460
ttagtaccac ttttgtgtgt ccctctcttc catcaagggg aatgtctcca gcatagagct 2520
ttctcgcag catctgcctc gctgggagct gctcttaagt ttgggttgct tggggttgct 2580
ctggtctctg ggagagagac ggagccttta gtacagctat ctgctggctc taacctctct 2640
acgctcttgg gccagcact gaatgtctgt tactttaaaa aatgtttctt gagacctctt 2700
tctactttac tgtctcccta gagtctctaga ggaatccctac tgtttctgtt tttatgtgtt 2760
atacatgtgt atgtaacaat aaagagaaaa aataaaaaaa aaaaaaaaaa aaaaaaaaaa 2820
aaaaa 2825
```

<210> 216

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006845

<400> 216

aaatgtttct gagacctctt tctactttac tgtctcccta gagtccatga ggatccctac 60
 <210> 217
 <211> 823
 <212> DNA
 <213> Homo sapiens
 <300>
 <308> NM_007019
 <400> 217
 aaacgcgggc gggcggggcc gcagtcctgc agttgcagtc gtgttctccg agtctctgtc 60
 tctctgccaa cgcgcggcgc atggtctccc aaaaccgcga ccagccgcgc actagcgtcg 120
 cgcgcggcgc taaaggagct gagccgagcg ggggcggcgc ccgggggtccg gtgggcaaaa 180
 ggctacagca ggagctgatg accctcatga tgtctggcga taaagggatt tctgccttcc 240
 tctgaatcaga caaccttttc aaatgggtag ggaccatcca tggagcagct ggaacagtat 300
 atgaagacct gaggtataag ctctcgctag agttcccccag tggctacct tacaatgcgc 360
 ccacagtcaa gtctctcacg ccctgctatc accccaacgt ggacccccag ggtaacatat 420
 gcctggacat cctgaaggaa aagtggctcg ccctgtatga tgtcaggacc attctgctct 480
 ccatccagag ccttctagga gaacccaaca ttgatagtc cttgaacaca catgctgccc 540
 agctctggaa aaaccccaca gcttttaaga agtacctgca agaaacctac tcaaacgagg 600
 tcaccagcca ggagccctga cccaggtctg ccagcctgtc cttgtgtcgt ctttttaatt 660
 tttctctaga tggctgtgct tttttgtgat tctgtatag gactctttat cttgagctgt 720
 ggtatttttg ttttgttttt gctcttttaa ttaagcctcg gttgagcctt tgtatatata 780
 ataaatgcat ttttgtcctt ttttagacaa aaaaaaaaaa aaa 823
 <210> 218
 <211> 60
 <212> DNA
 <213> Homo sapiens
 <300>
 <308> NM_007019
 <400> 218
 tggaaaaacc ccacagcttt taagaagtac ctgcaagaaa cctactcaaa gcaggtccacc 60
 <210> 219
 <211> 2831
 <212> DNA
 <213> Homo sapiens
 <300>
 <308> NM_007183
 <400> 219
 gaattccgga caggacgtga agatagttag gtttgaggcg ggcgcgcagg ccaggcccg 60
 gtggacctgc cgcctatgag gacggttaact tcttctgtgc ggccctgcag cctgaggccg 120
 cgcgtgtgctc cctggcgctg ccctctgacc tgcagctgga ccgcggggcg gccgaggggc 180
 cggaggccga gcggctcgcg gcagcccgcg tccaggagca ggtcgcgcgc cgcctcttgc 240
 agctgggaca gcagccgcgg cacaacgggg ccgctgagcc cgagcctlag gccgagactg 300
 ccagagggcac attcaggggg cagtaaccaca ccctgcagcg tggcttcacg tctcgctctc 360
 agggcctgag ttggggacaa accctgggct tccggcccat cgccaaagcc gctcacagcc 420
 cagcctcctg gtctctccgc tcgcgcgttg atctgagctg cagtgcggag ctgagttcag 480
 ccacaatgg gggcagcgcc tttggggcgc ctgggtacgg ggggtgccag ccaacccctc 540
 ccatgccacac caggcccgct tccttccatg agcgcgctgg ggttgggagc cgggcccagt 600
 atgacacact ctccctgcgc tcgctgcggc tggggcccgg gggcctggac gaccgtaca 660
 cgcctggtgtc tgagcagctg gagcccgcg ccacctccac ctacagggcc tttgcgtacg 720
 agccccagcgc cagctccagc tccagccggg caggggggct ggaactggcc gagccactg 780
 aggtttcccc gagccggacc atccgtgccc ctgcgctgcg gaccctgcag gagttccaga 840
 gcagccaccg gagccggcg gtaggcgggg cagtgcgggg gggcgtcctg gagccagtg 900

ctcgagcgcc	atctgtgccc	agcctcagcc	tcagcctggc	tgactcgggc	cacctgccgg	960
acgtgcatgg	gttcaacagc	tacggtagcc	accgaacctc	gcagagagct	agcagcggtt	1020
ttgatgcagc	tgacctggcc	tcagcagctc	agtaacctcat	ggcttcagac	cccaacctgc	1080
agggtgctgg	agcggcctac	atccagcaca	agtgctacag	cgatgcagcc	gccaaagaag	1140
agggccgcag	ccttcaggcc	gtgccttagc	tgttgaagct	cttcaaccac	gccaaaccagg	1200
aagtgcagcg	ccatgccaca	ggtgccatgc	gcaacctcat	ctacgacaac	gctgacaaca	1260
agctggccct	ggtggaggag	aaeggatctt	tcgagctgct	gcggaacctg	cgggagcagg	1320
atgatgagct	tcgcaaaaaa	gtcacaggga	tctgtggaaa	cctttcatcc	agcgaccacc	1380
tgaaggcccg	cctggccaga	gacacgctgg	agcagctcac	ggacctgggt	ttgagccccc	1440
tgctggggcc	tgggggtccc	cccctcatcc	agcagaacgc	ctcggaggcg	gagatcttct	1500
acaacgccac	cggtcttctc	aggaaacctc	gctcagcctc	tcaggccact	cgccagaaga	1560
tgccggagtg	ccacggggctg	gtggacgccc	tggtcacctc	tatcaaccac	gacctggacg	1620
cgggcaaatg	cgaggacaag	agcgtggaga	acgcggtgtg	cgctcctgcg	aacctgtcct	1680
accgcctcta	cgacgagatg	ccgccgtccg	cgctgcagcg	gctggagggt	cgccggccga	1740
gggacctggc	gggggcgcgc	ccgggagagg	tcgtgggctg	cttcacgcgc	cagagccggc	1800
cgctgcgcga	gctgcccctc	gcgcgcgag	cgctcacctt	cgccggagggt	tccaaggacc	1860
ccaaggccct	cgagtggctg	tggagccccc	agatcgtggg	gctgtacaac	cgctcgtctg	1920
agcgcctcga	gctcaaccgg	cacacgcagg	aggcggccgc	cgggggcgct	cagaacatca	1980
cgccagcgcc	ccgcagggtg	gcgggggtgc	tgagccgcct	ggccctggag	caggagcgta	2040
ttctgaaccc	cctgctagac	cgctgcagga	ccgcgcgacc	ccaccagctg	cgctcactga	2100
ctggcctcat	ccgaaacctg	tctcggaaag	ctaggaacaa	ggacgagatg	tccaacgaag	2160
tggtgagcca	cctgatcgag	aagctgccag	gcagcgtggg	tgagaagtgc	ccccagccg	2220
aggtgtcgtg	caacatcata	gctgtgctca	acaacctggt	ggtggccagc	cccatcgctg	2280
cccagagact	gctgtatttt	gacggactcc	gaaagctcat	cttcacataa	agaaagccgg	2340
acagccccga	cagtgagaag	tcctcccggg	cagcatccag	cctcctggcc	aacctgtggc	2400
agtaacaaca	gctccacctg	gactttcggg	cgaagggcta	tcgaaggagg	gacttctctg	2460
gccataggtg	gaagccttct	ggaggagaag	gtgacgtggc	ccagcgtcca	agggacagac	2520
tcagctccag	gctgcttgcc	agccagcctc	ggaggagaag	gtaactgacg	gaggggcccc	2580
tcgctggggc	ccctgtgtgc	atccttgagg	gtcctggggc	accaggaggg	gcagggtctt	2640
atagctgggg	acttgggttc	cgccggggcg	gggggtgggg	gggggtgggg	gctgctctgg	2700
tgtatggggg	ggtgacccag	tcacattggc	agaggtgggg	gttgggtgtg	gcttggcagt	2760
atcttgggat	agccagcag	gggaataaag	atggccatga	acagtacaaa	aaaaaaaaaa	2820
aaaagggaatt	c 2831					

<210> 220
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007183

<400> 220
 ctggcgagtat cttgggatag ccagcactgg gaataaagat ggccatgaac agtcacaaaa 60

<210> 221
 <211> 2815
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007267

<400> 221
 aggaagcgga ggaaggtgaa gtaggaccga attcctgtgc cgaagaggcc tgcaagtggga 60
 gagcaggatg ggggctccgg aggtggcgcc cagggtctga gctacacctg gctctgcagac 120
 tagcgggcat tggccagaga catggcccgac ccactggcct tcatctctga tgcctctgag 180
 accccagggg accaggggcca gggcccccag ccctatgatg aaagcggaagt gcacgactcc 240
 ttcccagcgc tcatccagga ccagagccag tgcacggccc aggagggact ggaagtctcag 300
 cagagagagc gggaggtgac aggaagttag cagcagacac tctggcgccc agaggggcacc 360
 cagagcacgg ccacactccg catctctggcc agcatgccca gccgcaccat tggccgcagc 420

cgaggtgcc	tcatctccca	gtactacaac	cgacgggtg	agcttcgggtg	caggagcagc	480
cgggccctgc	tcgggaacatt	tgctccgtcc	gcctggccca	gcctccgctc	gtacgacctg	540
gagctggacc	ccacggccct	ggaggaggag	gagaagcaga	gcctcctggt	gaaggagttc	600
cagagccctg	cagtgccaca	gcgggaccac	atgcttcgcy	ggatgccctt	aagcctggct	660
gagaaacgca	gcctgcgaga	gaagagcagg	accccgagg	ggaagtggag	gggccagccg	720
ggcagcgccg	gggtctgctc	ctgctgtggc	cggctcagat	atgcctcggt	gctggccttg	780
cacagcctgg	gcctggcgct	gctctccgcc	ctgcaggccc	tgatgccgtg	gcgctacgcc	840
ctgaagcgca	tcggggggcca	gttcggctcc	agcgtgctct	cctacttcct	ctttctcaag	900
accctgctgt	ctttcaatgc	ctcctctgtg	ctgctgtggt	tggccttcac	catgggcccct	960
caggtcgccct	tcccaccgcg	cctgcggggc	ctgcgcccg	ctgcgcccg	cctggagctc	1020
ctcacaggcg	cgggttgctt	caccacaccc	gtcatgtact	acgggcacta	cagtaacgcc	1080
acgctgaacc	agccgtgtgg	cagcccccgt	gatggcagcc	agtgcacacc	cagggtgggt	1140
ggcctgccct	acaacatgcc	cctggcctac	ctctccactg	tggcgctgag	cttctttatc	1200
acctgcatca	ccttggtgta	cagcatggct	cactctttcg	gggagagcta	ccgggtgggc	1260
agcacctctg	gcataccacg	catcaccgct	ttctgctcct	gggactacaa	ggtgacgcag	1320
aagcggggct	cccgcctcca	gcaggacaat	attcgcaccc	ggctgaagga	gctgctggcc	1380
gagtgggcag	tcgggcacag	cccaggagc	gtgtgcggga	ggctgcggca	ggcgctgtg	1440
gtggggcttg	tgtggtctgt	gtgtctgggg	accgcgctgg	gctgcgcctg	ggccgtccac	1500
ctcttctcgg	agttcatgat	ccagagtcca	gaggtctgtg	gccaggaggc	tgctgtgctg	1560
ctcctgcgcc	tgtgtgtgtg	cctcctcaac	ctggggggccc	cctacctgtg	ccgtgtcctg	1620
gccgcctctg	agccgcatga	ctccccgcta	ctggaggtgt	acgtggccat	ctgcaggaac	1680
ctcatcctca	agctggccat	cctggggaca	ctgtgctacc	actggctggg	ccgcagggtg	1740
ggcgctcctg	agggccagct	ctgggaggat	tttgtgggcc	aggagctgta	ccggtctcctg	1800
tgtgtggaact	tcgctccatg	gttgctggac	acgctttttg	gggaactgtg	gtggaggatt	1860
attctccgaga	agaagctgaa	gagggaggcg	aagccggagt	ttgacattgc	ccggaatgtc	1920
ctggagctga	tttatgggca	gactctgacc	tggtggggg	tgctctcttc	gccccctctc	1980
cccgccgtgc	agatcatcaa	gctgctgctc	gtcttctatg	tcagaagac	cagccttctg	2040
gccaaactgcc	agggcccgcg	ccggccctgg	ctggcctcac	acatgagcac	cgtcttctctc	2100
acgctgctct	gcttcccgcg	cttctggggc	gcgctgtct	tcctctgcta	cgccgtctgg	2160
caggtgaagc	cctcgagcac	ctgcggcccc	ttccggaccc	tggagccat	gtcagggccg	2220
ggcaggggtg	gggtgcgcca	cctggaggcg	gcaggcccca	gggtctcctg	gctgcctctg	2280
gtgcaccggt	acotgatgga	aaacaccttc	tttgtcttc	tggtgtcagc	cctgctgctg	2340
gcgctgatct	acctcaactc	ccagggtgtg	cggggccagc	gcaaggtcat	ctgcctgctc	2400
aaggagcaga	tcagcaatga	gggtgaggac	aaaatcttct	taatcaacaa	gcttcaactcc	2460
attctacgaga	ggaaggagag	ggaggagagg	agcagggttg	ggacaaccga	ggaggctgcg	2520
gcacccccctg	ccctgctcac	agatgaacag	gatgcctagg	gggacggcga	tgggcctcac	2580
gggcccgcgc	agcaccctga	gaccacactg	ttgcctccca	gtgacctcgc	tgggacacaa	2640
ggacaaggaa	gacagtttgc	cctctcgaaa	gccgcagctg	cgcttagctc	ggagctggaa	2700
gggtgggtga	atccgcttgc	ggcatcccca	atgaactctg	ccctgcctgg	gactctattt	2760
attctgatta	aagggttttt	gcaaatggga	aaaaaaaaa	aaaaaaaaa	aaaaa	2815

<210> 222
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007267

<400> 222
 ggtgaggaca aaattcttctt aatcaacaag cttcactcca tctacgagag gaaggagagg 60

<210> 223
 <211> 1893
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007274

<400> 223

atttaccgcc	gcgcggagag	tgagggccca	agtccgccct	gtccgccccac	ttagcccgcc	60
ccagacgctt	ccectcgggg	tgccaccggg	tcgggcgcgg	ctcgccgcgg	tagccgggct	120
tcgcccgacc	ggcgcggccc	aaccgccacc	gaacctcttg	gaagcggcgg	ctgcctgggc	180
ccccacgcgc	ccagaatcgt	acgcccggcg	gagctctctg	cagccttggc	ggcctgggag	240
gcggggctcg	gggtggggcc	ggcgcggggg	cggggtcggc	gcggggaggc	cgcgttcgat	300
tcgcceccgg	cgcgcaggcc	ccgcctcacc	agcccatcgc	ctccacctct	gcctccccc	360
tttatggcgc	ggcccgggct	cattcattcc	gcgcggggcc	tgccagacac	ctgcgccctt	420
ctgcagcgcg	cgcgcgcata	cgccgcgcga	gccccagca	tgtcggggcc	agacgtcgag	480
acgcgcgtcc	ccatccagat	ctgcgcggatc	atgcggccag	atgatgccaa	cgtggccggc	540
aatgtccacg	gggggacat	cctgaagatg	atcgaggagg	caggcccatc	catcagcacc	600
cgccatttgc	acagccagaa	cggggagcgc	tgtgtggcgc	ccctggctgc	tgtcgagcgc	660
accgacttcc	tgtctcccat	gtgcatcggt	gaggtggcgc	atgtcagcgc	ggagatcacc	720
tacacctcca	agcactctgt	ggaggtgcag	gtcaacgtga	tgtccgaaaa	catcctcaca	780
ggtgccccaa	agctgaccac	taaggccacc	ctgtggtatg	tgccctctgc	gctgaagaat	840
gtggacaagg	tcctcgaggt	gcctcctgtt	gtgtattccc	ggcaggagca	ggaggaggag	900
ggccggaaag	ggtatgaagc	ccagaagctg	gagcgcatag	agaccgaagt	gaggaacggg	960
gacatctgct	agccagtctc	caacccagag	ccgaacactg	tcagctacag	ccagtccagc	1020
ttgatccacc	tgggtggggc	ttcagactgc	accctgcacg	gctttgtgca	cggagggtgt	1080
accatgaagc	tcattggtga	ggtcgcggg	atcgctgcgc	cacgcactgc	caagaccaac	1140
atcgctcacc	cttcctggga	cgccattaat	tttcatgaca	agatcagaaa	aggctcgcgt	1200
atccacatct	cgggagcgt	gaccttcacg	agcaataagt	ccatggagat	cagaggtgtt	1260
gtggacgcgc	accctgttgt	ggacagctct	cagaagcgct	accggggcgc	cagtgccttc	1320
ttcacctcag	tgtcgtcgag	ccagggaagg	aggtcgctgc	ctgtgcccc	gctgggtgcc	1380
gagaccgagg	acgagaagaa	gcgctttgag	gaaggcaagg	ggcggtacct	gcagatgaag	1440
gcgaagcgac	agggccacgc	ggagcctcag	ccctagactc	ccctcctcgt	ccactgggtc	1500
ctcgagttag	catggcaacg	ggcccaagt	ccagtcactt	agaagtctcc	ccctgtggca	1560
aaaaacccaa	tcacatttag	agctgggtgt	gtctgaagtt	ttcgtatcac	agtgttaacc	1620
tgtactctct	ctcgcacaa	tacacaccaa	agctttattt	atatactcc	agatacaatg	1680
ctacacagtg	ttgtcccgag	cgcggggagg	cgttggggag	aaacccctgc	gaatgctctc	1740
gagcagcgtg	tagggatatg	gaagaaccca	aaacccactaa	taagctcgtg	gcttgctgtg	1800
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	1860
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaa	1893		

<210> 224

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_007274

<400> 224

acctacacac caaagcttta tttatatcat tccagtatca atgctacaca gtgtgtgtccc 60

<210> 225

<211> 4157

<212> DNA

<213> Homo sapiens

<300>

<308> NM_007315

<400> 225

agcggggcgg	gggcgcagcg	ctgccttttc	tcttgccggg	tagtttgcgt	ttcctgcgca	60
gagctctcgc	aggggctcgc	ctgcacccgg	gggatcgccg	ctggcagacc	ccagacgcag	120
cagagggcag	ccagcgcgct	cgggagaggc	tgaccccgcc	cgcgcccgcc	tagcccttcc	180
ggatcctcgc	cgcagaaaaa	tttcatttgc	tgtatgccat	cctcgagagc	tgtctaggtt	240
aacgtctcgc	ctctgtgtat	ataacctcga	cagtcttgcc	acctaacgtg	ctgtgcgtag	300
ctgtcctctt	ggttgaatcc	ccaggccctt	gttggggcac	aaggtggcag	gattgtctag	360
tggtacgaac	ttcagcagct	tgaactcaaaa	ttcctggagc	aggttcacca	gctttatgat	420
gacagttttc	ccatggaat	cagacagtag	ctggcacagt	ggttagaaaa	gcaagactgg	480

gagcagcgtg	ccaatgatgt	ttcatttgcc	accatcogtt	ttcatgacct	cctgtcacag	540
ctggatgagt	aatatagtcg	cttttctttg	gagaataaact	tcttgctaca	gcataacata	600
aggaagaagca	agcgtaactct	tcaggataat	tttcaggaaag	accgaatcca	gattctctatg	660
atcattttaca	gctgtctgaa	ggaagaaagg	aaaattctgtg	aaaaacgccc	gagattttaat	720
caggctcagt	cggggaatat	tcagagcaca	gtgatgttag	acaaacagaa	agagcttgac	780
agtaaaagca	gaatgtgaa	ggacaagggt	atgtgtatag	agcatgaaat	caagagcctg	840
gaagattttac	aagatgaata	tgacttcaaa	tgcataaacct	tgcagaaacag	agaacacgag	900
accaattgtg	tggcaaaagag	tgatcagaaa	caagaacagc	tgttactcaa	gaagatgtat	960
ttaatgcttg	acaaataagag	aaaggaagta	gttcacaaaa	taataagagtt	gctgaattgtc	1020
actgaactta	cccgaaatgc	cttgattaat	tggaactag	tggagtggaa	cgaggagacag	1080
cgagcgccct	gttattggggg	gcgcgccaat	gcttgcttgg	atcagctgca	gaactgggttc	1140
actatagttg	cgagagagct	cgacgaagtt	cggcagcagc	ttaaaaagtt	ggaggaattg	1200
gaacagaat	acacctaaga	acatgacctc	atcacaaaaa	acaaacaagt	gttatgggac	1260
cgcaccttca	gtcttttcca	gcagctcatt	cagagctcgt	ttgttggtgga	aagacagccc	1320
tgcatgccc	cgcaccccca	gaggcccgctg	gtcttgaaga	cagggggtcca	gttcaactgtg	1380
aggttgagac	tgttggtgaa	gttgcaagag	ctgaattata	atttgaagt	caaaacttta	1440
tttgataaag	atgtgaatga	gagaaaataca	gtaaaaggat	ttaggaagtt	caacattttg	1500
ggccgcgaca	caaaagtgtat	gaacatggag	gagtcacaca	atggcagctc	ggcggtcgaa	1560
tttcggccacc	tgcgaattgaa	aatgctggca	ccgaagcga	ttagggctcct	1620	
ctcatctctg	ctgaagagct	tcactccctt	agttttgaaa	cccaatttgg	ccagcctgtgt	1680
ttggttaattg	acctcgagac	gacctctctg	ccggttggtg	tactctccaa	cgtagccag	1740
ctcccgagcg	gttggggctc	catccttttg	tacaacatgc	tgttgccgga	accagggaat	1800
ctgtctcttc	tccatgacc	accatgtgca	cgtggggctc	agctttcaga	agtgtctgag	1860
tggaagtttt	ctctctgcac	caaaagaggt	ctcaatgttg	accagctgaa	catgtgtggga	1920
gagaagcttc	ttggtcctaa	cgcagccccc	gatggtctca	ttccgtggac	gaggttttgt	1980
aaggaaaaata	taaatgataa	aaattttccc	ttctggcttt	ggatgaaag	catctagaa	2040
ctcatataaa	aacacccctgt	ccctctcttg	aatgatgggt	gcatcatggg	cttcatcagc	2100
aaggagcgag	agcgtgcctc	gttgaaggac	cagcagccgg	ggacctctct	gctcgcggtc	2160
agtgagagct	cccgggaaag	ggccatcaca	ttcacatggg	tggagcggct	ccgaagacga	2220
ggcgaaacctg	acttccatgc	ggttgaaacc	tacagaaaga	aaagaacttc	tgtcttaact	2280
ttccctgaca	tcattcgcaa	ttacaaagtc	atggctgctg	agaatattcc	tgagaatccc	2340
ctgaagtac	tctatccaaa	tattgacaaa	gaccatgcct	ttggaaaagt	ttaactccag	2400
ccaaaggag	gacagagacc	aatggaacct	gatggcccta	accagaaactg	atataccaag	2460
actgagttga	ttctctgtgc	tgaagttcac	ccttctagac	ttcagaccac	agacaaacctg	2520
ctccccatgt	ctcctgagga	gtttgacgag	gtgtctcgga	tagtgggctc	tgtagaattc	2580
gcaggtatga	tgaacacagt	atagagcatg	aatttttttc	atctctctgt	ggcagagttt	2640
tactctctcat	ctgtgattcc	ctcctgctac	ctgttccct	cacatctctg	gtttctaggg	2700
aaatgaaaga	aaggccagca	aattctgctg	aaacctgttg	tagcaagtag	atttttctct	2760
aactcagaaa	catcagttac	ttcgaaggcg	atcatgcata	cttactgaag	tataaattgaa	2820
aggcattctc	tgaagagttg	gtttcacaag	tgaaaaacat	ccagatacac	ccaaagtatc	2880
aggacgagaa	tgagggtcct	ttgggaaagg	agaagttaag	caacatctg	caaatgttat	2940
gcataaaagtc	agtgcacca	tgttataggt	tgttggataa	ataactggtt	atttagggaa	3000
ctgcttgaag	taggaacggg	aaatttctgt	gggagaattc	ttacatgttt	tctttgcttt	3060
aagtgtgaag	ggcagttttc	catgtggtta	ctgtgaaat	agttcaaaag	caagtttata	3120
tacaattata	tcagtctctc	ttcaaaagta	gccatcatgg	atctggtatg	gggaaaatgt	3180
gtatttttat	acatctttca	catgtgctat	ttaaagacaa	agcacaattc	gtttctctga	3240
gaagagaata	ttagctttac	tgttttgtat	ggcttaatga	cactagtcaa	tatacaatga	3300
aggtatgaca	tttccaaatt	cacaagttgt	gtttgatata	caagactgaa	tatctctcgc	3360
tttcatcttg	gtcacatata	attattttta	cagttctccc	aagggaattg	ggctattcac	3420
aaccctcat	tcaaaagttg	aaataaacca	tagatgtaga	taaactcaga	atttaatttc	3480
atgtttctta	aatgggctac	tttgctcttt	ttgttattag	gggtgtattt	agttctattag	3540
ccacaaaaat	gggaaaggag	tagaaaaaac	agtaactgac	tacttgaata	atagacacaga	3600
gataaatatga	gaatcagatc	atttcaaaac	tcatttctca	tgtaactgca	ttgaaactgt	3660
catatgtttc	gctgatatat	gtgtttttca	catgtgcgaa	tggttccatt	ctctctcctg	3720
tacttttttc	agacactttt	ttgagtgga	gatgtttctg	gaagtatact	gtttttttac	3780
ctttttctct	cccttatcact	gacacaaaaa	gtagatttag	agatggggtt	gacagaggttc	3840
ttccctttta	catactgctg	ttctatgtgc	tgatctctgt	ttttccatta	ctgctaccac	3900
aactatata	tcattgcaaat	gctgtattct	tctttgggtg	agataaagat	ttcttgagtt	3960
ttgttttaaa	atttaagacta	aagtatctgt	atttgcattaa	atataattatg	cacacagttgc	4020
tttccgtggc	actgcaataca	atctgagccc	tctctcttca	gtttttatat	agatggcgag	4080
aacctaagtt	tcagttgatt	ttacaattga	aatgactaaa	aaacaaagaa	gacaaacatta	4140

aaacaatatt gtttcta 4157

<210> 226
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_007315

<400> 226
atcagatcat ttcaaaactc atttcctatg taactgcatt gagaactgca tatgtttcgc 60

<210> 227
<211> 1696
<212> DNA
<213> Homo sapiens

<300>
<308> NM_009587

<400> 227
caaaggactt cctagtgggt gtgaaaggca gcggtggcca cagaggcggc ggagagatgg 60
ccttcagcgg ttcccaggct ccctacctga gtccagctgt ccccttttct gggactattc 120
aaggaggtct ccaggacgga cttcagatca ctgtcaatgg gaccgtttct agctccagtg 180
gaaccaggtt tgctgtgaac ttccagactg gcttcagtgg aaatgacatt gccttccact 240
tcaaccctct gtttgaagat ggagggtacg tgggtgtgcaa cacgaggcag aacggaagct 300
gggggccgga ggagagggaag acacacatcg ctttccagaa ggggatgcgc tttagacctc 360
gcttctgtgt gcagagctca gatttcaagg tgatggtgaa cgggatcctc ttcgtgcagt 420
acttccaccg cgtgcccttc caccgtgtgg acaccatctc cgtcaaatgc tctgtgcagc 480
tgtctacatc cagcttccag aaccccccga cagtcctgt tcagcctgcc tcttccacgg 540
tgccgttctc ccagcctgtc tgtttccac ccaggccag ggggcgcaga caaaaacctc 600
ccggcgtgtg gcctgccaac ccggctccca ttaccagac agtcatccac acagtgcaga 660
gcgcctctgg acagatgttc tctactcccg ccattcccac tatgatgtac cccaccccg 720
cctatccgat gcctttcacc accaccattc tgggagggtc gtaccatcc aagtccatcc 780
tcctgtcagg cactgtcctg cccagtgtctc agaggttcca catcaacctg tgcctctgga 840
accacatcgc cttccacctg aaaccccggt ttgatgagaa tgctgtggtc gcgaacaccc 900
agatgcagaa ctccctgggg tctgaggagc gaagtctgcc ccgaaaaatg ccttctgtcc 960
gtggccagag cttctcagtg tggatcttgt gtgaagctca ctgcctcaa gggccgtg 1020
atggtcagca cctgtttgaa tactaccatc gctgaggaa cctgccacc atcaacagac 1080
tggaagtggg gggcgacatc cagctgacc atgtgcagac ataggcggct tctgtgccct 1140
ggggccgggg gctggggtgt ggggcagtc ggtctctctc atcatccca cttcccaggc 1200
ccagcttttc caaccctgcc tgggatctgg gctttaatgc agaggccatg tcttctctc 1260
gtcctgtctc tggctacagc caccctggaa cggagaaggc agctgacggg gattgccttc 1320
ctcagccgca gcagcacctg gggctccagc tgcgtgaaat ctaccatccc aggaggcagg 1380
cacagccagg gagaggggag gagtgggcag gcccatgct cagtcctcct 1440
ccatccccca ccagctccca cccagctccc aagccaccag ctgtctctgc ctggtgggag 1500
gtggcctctc cagccctccc tctctgacct ttaacctcac caccgtgca caccgtgca 1560
caacccttca cccctcctgg aaagcaggcc tgatggcttc cactggcct ccaccactg 1620
accagagtgt tctcttcaga ggaactggct ctttccagtg gtccttaaaa taaagaaatg 1680
aaaatgcttg ttggca 1696

<210> 228
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_009587

<400> 228

```

cagaggactg gctcctttcc cagtgctcctt aaaataaaga aatgaaaatg cttgttgga 60

<210> 229
<211> 6552
<212> DNA
<213> Homo sapiens

<300>
<308> NM_012291

<400> 229
atgaggagct tc metaaggat caactttggg actctgctaa gcagccagaa ggaggctgaa 60
gagttgctgc ccgacttgaa ggagttctctg tccaaacctc cagctgggtt tcccagcagc 120
cgatctgatg ctgagaggag acaagcttgt gatgccatcc tgagggcttg caaccagcag 180
ctgactgcta agctagcttg ccttaggcac ctggggagcc tgctggagct ggagagagct 240
gcctgtgatg gctacttagt gtctacccca cagcgtctct cctctacact ggaaagaatt 300
ctctttgtct tactctggaa tgcctgtgca caaggaagcc cagaggccac actccgctct 360
gctcagcccc tccatgctcg cttgtgtcag tgcctctcgc agcgtgctcc ccaggactat 420
gaggccgttg ctccggggcag cttttctctg cttgtggaag ggccagaaag cctgttgga 480
ggcgagctgc catttgacgc tccgtctgaag gccttgagct tcttagtact cttggaggat 540
gaaagtaccc cttgtgaggt tctcaacttt gcttctccaa cagcctgtct agcggttagt 600
gcccacacgc tatttgatgc cagtgcccat ggtctaaatg aagcagatgc tgatttctta 660
gatgaactgc tctccaggca cgtgatcaga gccttggttg gtgagagagg gagctcttct 720
gggtctcttt ctccccagag ggcctctctg cttctggagc tcaccttgga acactgccgt 780
gccttttctg ggagccgcga ccatgacaaa gccatcagcg cagtgaggaa ggctcacagt 840
tacctaagga acaccaatct agcccctagc cttcagctat gtacagctgg ggttaagctg 900
ctgcaggttg gggagggaag acctcaggca gtggccaaag tctctgatca ggcatcagct 960
gtcctgagca agagtattga ggcaccatca ccccacttc ggcagcttga tgcagagctgc 1020
cagtttctcc tttcaggcct ggaacgaggg accaagaggg cctatagact tggatgccat 1080
ctgagctctc ttgcttttct tggagggtac ttgctctctc tgcagagctc cggggatgat 1140
ggtgtgtaag ggggctctcc caagcaacag cagttcttct ttcagatgta ctttcaggga 1200
cttcacctct acactgtggt ggtttatgac ttgcccagag gctgtcagat agttgatttg 1260
gctgacctga cccaactagt ggacagttgt ttgtctggat gtgtggaggg 1320
ttagagggcc ttctggggca agagctgacg gaccacatgg ggatgaccgc tctctacacc 1380
agtaatttgc cctacagctt ctatagtcac aagctctatg ccgaggccctg tgcactctct 1440
gagccgctct gtcagcacct gggtttgggt aagccaggca cttatcccga ggtgcctctc 1500
gagaagttgc acaggtgctt ccggctacaa gttagagatt tgaagaaact gggttaaacg 1560
ccccaggctg gcaagatggt gattttgtgg ctggcagccc tgcacacctg tagccctgaa 1620
cacatggctg agccagtcac tttctgggtt cgggtcaaga tggatgcggc cagggctgga 1680
gacaaggagc tacagctaaa gactctgcga gacagcctca gtggtggga cccggagacc 1740
ctggcccttc tgctgagga ggagctgcag cctacaagg cgggtggggc cgactctgga 1800
caggaacgct tcaacatcat ctgtgacctc ctgagagctga gcccagga gaacacagcc 1860
ggggcctggg cagcagccac ccaactggta gaactggctc aggtgctctg ctaccacag 1920
tttacggcag agaccaaact ctctgctctg gatgctatcc gaagtgccct cgaagcttctg 1980
gactctgtga ggccctgaggc ccaggccaga gatcagcttc tggacagata agcacaggcc 2040
ttgctgtggc tttacatctg tactctggaa gccaaaatac aggaaggtat cgagcgggat 2100
cgagagagccc agggccctcg taacttgag gaatttgaag tcaatgacct gaactatgaa 2160
gataaactcc aggaagatcg tttctatag agtaacattt ccttcaacct ggctgcagat 2220
cgtgctcagt ccaaatgctt ggaaccaagc ctggccctgt ggaagagact gcttacaaag 2280
ggcagcggcc cagctgtacg gtgtctccag cagacagcag cctcactgca gatctagca 2340
gcccctctacc agctggtggc aaagccccatg caggtctctg aggtctctct gctgctacgg 2400
attgtgctctg agagactgaa ggaacactcg aaggcagctg gctcctctctg ccacatcacc 2460
cagctctctc tgacctcgg ctgtcccagc tatgccagct taccagagga agagcgagca 2520
ctgagcctga agcatctcga tcagactact gacacatacc tgctccttct cctgacctgt 2580
gatctgcttc gaagtcaact ctactggact caccagaagg tgaccagggg tgtctctctg 2640
ctgtgctctg tgcctcggga tctctgccctc cagaagtctc ccaaggtctg gtacttctgt 2700
cgtgtccagc tctgcagct ggtggcagct taccttagcc tcccctcaaa cagctctctc 2760
cactccctgt gggagcagct ctgtgcccaa ggctggcaga cacttgagat actctctata 2820
gactcccatg agctcctccg aagcatcacc cctctgctga tggcgagtgca cgtctctc 2880
actcagaaag cagctgtgga gacatcgttt ttggactatg gtgaaaaatc ggtacaaaaa 2940
tggcagggtt tttcagaggt gctgagctgc tcagagaagg ttgctcgcca cctggggccc 3000

```


ctgggtagtg	tgagtgaagc	caaggccttt	tgcttgaggg	ccctaaaact	tacacaaaag	3060
ctgcagatag	cacgccagtg	tgccctgttc	ctgggtgctg	agggcgagct	ggagctggcc	3120
cgcaatgaca	ttgatctctg	tcagtcggag	ctgcagcagg	ttctgttctt	gcttgagctt	3180
tgacacagag	ttgggtgggt	gactcagcac	ctggactctg	tgaagaaggt	ccactgcgag	3240
aagggggaag	agcaggccca	ggtccccctg	cctccacagc	tcccagagga	ggagctcttc	3300
ctaagaggcc	ctctctctaga	gctgggtggc	actgtgtggc	aggagcctgg	ccccatagca	3360
ccctctacaa	acctctcccc	agctctgaaa	accaagcccc	agcccatacc	caactctctg	3420
tcacctcaac	caacctctga	ctgctcgctc	tgccgcagcc	gtctctctac	agcagctctg	3480
ctgctgctgg	tattggtcac	ggcagggtgtg	aggctggcca	tggggccacca	agcccgaggt	3540
ctggatctgc	tgacaggtcg	gcttgaaggc	tgtcctgaag	ccgtctgaag	ctccaccaca	3600
gctctccaat	cttccctgaa	tcataaaaaca	ccccctctct	tggttccaaag	cctcttggat	3660
gagatcttgg	ctcaagcata	caactgttgg	gcactggagg	gctgaacca	ggcatcaaac	3720
gagagccctg	agaaggttct	acagtcaagg	ctgaagtgtg	tagcagcacg	gataccccac	3780
ctagagccct	ggcgagccag	cctgtctctg	atttgggccc	tcacaaaact	aggtggccct	3840
agctgctgta	ctacccaact	ttttgcaagc	tctgtgggct	ggcagccacc	attaataaaa	3900
agtgctccctg	gctcagagcc	ccttaagact	caggggccaaa	aacgttcttg	acgaggggcg	3960
caaaaagttag	ctctctgtcc	ctctgcgctc	ataataacct	ctcagaaggg	tctggaaggt	4020
agaggagctg	ctctgcacac	taaaacccca	gaccggatca	ggcaagtggt	ccctcatgtc	4080
ccctctacgg	gttttggagg	agctctgccct	acagagagca	agcctgaagc	acccagggcc	4140
cccgaggtac	aacagagagt	ccagacggcg	ctcaaggtga	acttcagtga	tcgcaggtgac	4200
ttggaagacc	ctgctctcag	tgaagcctgg	ctgcagaggg	agcctgaagc	aggcgccact	4260
gcttccccgg	ggcggggggc	agcaaggaa	ggcctgagcc	taaaagacga	tgccgtgggt	4320
gccccaggtg	gtgcccctgg	gaacctgtgc	ctgaatggca	ggagccggag	ggcccaagaag	4380
gtggcatcaa	gacattgtga	ggagcggcgt	ccccagaggg	ccagtgaacca	ggccaggcct	4440
ggccctgaga	tcatgaggac	catccctgag	gaagaactga	ctgacaaactg	gagaaaaaatg	4500
agcttttgaga	tcctcagggg	ctctgacggg	gaagactcag	cctcaggttg	gaagactcca	4560
ctgcggggcg	ctgagggcag	tcttgagaaa	ttggagctcg	tgaggcttga	ttccagctcaag	4620
aaagaagctg	ccagccccat	ccagacaaag	gagagtga	aggacacttg	tcctcggtct	4680
cagctccccct	cagccccctg	agccactggt	ctttctaccc	tgacttccat	ctgtgactcc	4740
ctgagtggtg	ctttccgggg	cattagtcac	tgtcctccca	gtgggctctc	tgccccacct	4800
tgccgctctc	tgcccttgtg	cctggggcac	cgggactcct	atgccactgc	tttctctgtc	4860
accgagctg	tttccatcac	ctgtgcgcac	cagctgtctc	ccacctctca	cagacagctc	4920
agcaaggccc	agaagcacgg	aggatcactt	gaaatagcac	accagctgca	ggggctgagc	4980
cttcaggaga	tgccctggaga	tgtccccctg	gcccgcatcc	agcgcctctt	ttccttcagg	5040
gctttggaat	ctggccacctt	ccccccagct	gaaaaggaga	gtttccagg	ggcctgggct	5100
ctgatcccca	gtgggggtgac	tgtgtgtgtg	ttggccctgg	ccacctctca	gcccggaacc	5160
gtgggcaaca	ccctcctgct	gaccggcgctg	gaaaaggaca	gtccccagct	cagtggtgacg	5220
attccactg	gccagaacaa	gcttcatctg	cgttcaagtc	tgaatgaggt	tgatgccactc	5280
cagaaggcac	agaaagagaa	cagcagctgt	actgacaagg	gagaatgggt	gacaggggcg	5340
ctggcactgg	accacagagt	gaggtttctc	atgcgttccc	tagaagaagt	tgtgtctggc	5400
tgctggaagg	ggctgctgct	gcogtccagt	gaggagcccg	gcccctgcca	ggaggccctc	5460
gcctcacaag	agctgctaca	ggaactgtgg	tggaaatctc	ctcagccgac	ctctgtgaaa	5520
atcatgctca	gtggtgcggg	tgccctcaac	cctcaggaca	ttcaggccct	ggcctacggg	5580
ctgtgcccaa	ccagcccaag	gcgagcccg	gagctcctga	ataggcagct	aggaagctcta	5640
caggcgctga	cagtaccaa	caatagccac	ctgtctctgg	tacctgacaa	tggaactgag	5700
aaagctgccgt	gggaaagcat	gccccagctc	caagcactcg	ctgtcaaccg	gctgcctctc	5760
ttccgctctc	tactcagcta	ctccatcact	aaagagtgat	gggcctgcgc	gtctctgaggt	5820
caagggggtg	attccacga	tacctcttat	gtcctgaacc	ctcacaataa	cctgtcaagc	5880
acagaggagc	aatttcgagc	caatttcagc	agtgaaagct	gctggagagg	agtggttggg	5940
gaggtgccaa	gacctgaaca	ggtgcaggaa	gcccctgaca	agcatgattt	gatatcttat	6000
gcaggggcat	gggctgggtg	ccgcttcctt	gatggggcag	ctgtcctgctg	gctgagctgt	6060
cgggcagctg	ccctgctgtt	tgctgtgagc	gatgcggccc	ctgtctgca	gggaacctgt	6120
gagggggctg	gcatcgtgct	caagtacatc	atggctggtt	gcccccttgt	ctcgggttaat	6180
ctctgggagt	tgactgacgc	gcacatggac	gcctcacagg	aagctctcgt	gcaagctctg	6240
ctgtgagcag	gccccagggg	cccccttctc	tactatgtaa	accaggcccg	ccaagctccc	6300
cgactcaagt	attctattgg	gctgcacact	atagcctatg	gcttgcctgt	ctctctggcg	6360
taaccccaat	gagctgtctt	attgatgtcta	gaagcctcat	aactgttcta	ctcccaaggt	6420
tagatttaag	ccttaggata	actcttttaa	agttgatttc	ccagtgtttt	tatatgaac	6480
atttctcttt	gatttaacct	cagtataata	aagatacatc	attttaaccc	tgaaaaaaaaa	6540
aaaaaaaaaa	aa	6552				

```

<210> 230
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_012291

<400> 230
agcctcataa ctgttctacc tccaaggta gatttaatec ttaggataac tcttttaaag 60

<210> 231
<211> 6317
<212> DNA
<213> Homo sapiens

<300>
<308> NM_013261

<400> 231
tagtaagaca ggtgccttca gttcactctc agtaaggggc tgggtgcctg catgagtgtg 60
tgctctgtgt cactgtggat tggagttgaa aaagcttgac tggcgctcat caggagctgg 120
atggcgctggg acatgtgcaa ccaggactct gagtctgtat ggagtgcacat cgagtgtgct 180
gctctggttg gtgaagacca gcccttttgc ccagatcttc ctgaacttga tctttctgaa 240
ctagatgtga acgacttggg tacagacagc ttctctgggt gactcaagtg gtgcagtgtac 300
caatcagaaa taatatccaa tcagtacaac aatgagcctt caaacatat tgagaagata 360
gatgaagaa atgagggcaa ctgtctagca gtctctcac agacactaga cagtctccct 420
gtggatgaag acggattgcc ctcatctgat gcgctgacag atggagacgt gaccactgtac 480
aatgaggcta gtctctctac catgcctgac ggcacccctc caccocaggga ggacagaagag 540
ccgctctctac ttaagaagct cttaactggca ccagccaaca ctgagctaa ttataatgaa 600
tgacgtggtc tcagtcacca gaacctatga aatcacaaac acaggatcac aacaaacctc 660
gcaattgtta agactgagaa ttcatggagc aataaagcga agagtatttg tcaacagcaa 720
aagccacaaa gacgtccctg ctccggagctt ctcaaatatc tgaccacaaa cgatgacctc 780
cctcacacca aaccacacaga gaacagaaac agcagcagag acaaatgcac ctccaaaaag 840
aagtccacca cacagtgcga gtcacaacac ttacaagcca aaccaacaac ttatctctc 900
cctctgaccc cagagtccac aaatgacccc aagggttccc cttttgagaa caagactatt 960
gaacgcacct taagtgtgga actctctgga actgcaggcc taactccacc caccactcct 1020
cctcataaac ccaacccaaga taacctcttt agggctcttc caaagctgaa gtccctcttc 1080
aagactgtgg tgccaccacc atcaagaag ccagggtaca gtgagtctc ttgtacacaa 1140
ggcaataact ccaccaagaa agggccggag caatccgagt tgtatgcaca actcagaag 1200
tctctagctc tcactgtgtg acacaggaa aggaagacca agcgggccag tctgaggctg 1260
ttttgtgacc atgactattg ccagtcgaat aattccaaaa cagaaaatac cattaatata 1320
tcacaggaga tccaagactc tagacaaacta gaaaaataag atgtctcttc tgattggcag 1380
gggcagattt gtctctccac agattcagac cagtctaccc ttgagagaga ttggaggaga 1440
agcaagcagg tctctcctg cagcacaaaga aaacagctcc aagaccagga aatccgagcc 1500
gagctqaaca agcacttcgg tcatccagc caagctgttt ttgacagcga agcagacaa 1560
accggtgaac tgaggggacag tgatttcagt aatgaacaat tctccaaact acctatgttt 1620

ataaattcac gactagccat ggatggcctg tttgatgaca gcgaagatga aagtataaaa 1680
ctgagctacc ctggggatgg cagcgaatct tatctattgt tcaattgttc tcttctctgt 1740
tctctctttaa actctccatg tagagattcc gtgtccacc ccaaatctct attttctcaa 1800
agaccccaaaa ggatgcgctc tctgtcaagg tctcttctc gacacacgctc gtgtcccgga 1860
tcacatataa ccaggtcaag atcaaggctc ccaggcagta gatccctctc aagatctctc 1920
tattactatg agtcaagcca ctacagacac cgcacgcacc gaaattctctc ctgtgatgtg 1980
atgatacagtt caagatcgcc ctacagccgt cggccaggtg atgacagcta cagaggaat 2040
cagcacagaga ggcctgaagag ggaagaatat cgcagagagt atgagaagcg agagtctgag 2100
agggccaaga aaaggggacg gcagaggcag aaggcaattg aagacgcgcg ttgattttat 2160
gtcggtaaaa tcagacctga cacacacagg acgaaactga gggacggctt tgaagttttt 2220
ggtgaaattg aggagtgcac agtaaatctg cgggatgatg gagacagcta tggtttctat 2280

```

acctaccgtt	atacctgtga	tgttttgc	gtcttggaaa	atggatacac	tttgcgcagg	2340
tcaaacagaa	ctgactttga	gctgtacttt	tgtggagcga	agcaattttt	caagctctaac	2400
tatgcagacg	tagattcaaaa	ctcagatgac	tttgaccctg	cttccaccaa	gcgcgaagat	2460
gactctctgg	attttgatag	tttactgaaa	gaagctcaga	gaagcttgccg	caggtaacat	2520
gttccttagc	tgaggatgac	agagggatgg	cgaatacctc	atgggacagc	gcgtccctcc	2580
ctaaagacta	tfgcaagtca	tacttaggaa	ttctctctac	tttactctc	ctgtacaaaa	2640
acaaaacaaa	acaaacacaa	tacaacaaga	acaacaacaa	caataaacac	aatggtttac	2700
atgaacacag	ctgctgaaga	ggcaagagac	agaatgata	ccagtaagca	catgtttatt	2760
catgggtgtc	agcttttgct	ttcctggagt	ctcttggtga	tgagtggtgc	gtgtgtgcac	2820
gtatgtgtgt	gtgtatgtat	tgtgtgtgtg	tgtgtgtgtg	gtttagggga	agtagtgttg	2880
ggtcatgtgt	agagctgggg	gcacctgacc	agaatgcgca	agggcaaac	atttcaaatg	2940
cgacagcttc	catgaagaca	cgcttaaaac	ctagaacttc	aaaatgtctg	tattctattc	3000
aaaaagaaat	atatatatat	atatatatat	atatatatat	atatataaat	taaaaaggaa	3060
agaaaactaa	caaccaacca	accaaccaac	caaccaaaaa	ccaccctaaa	atgacagccg	3120
ctgatgtctg	ggcatcagcc	tttgtactct	gtttttttaa	gaaagtgcaa	aatcaacttg	3180
aagcaagctt	ttctctcata	cgtaagtatt	atatgacaa	cctgaagaaa	ccacaggttc	3240
catagaacta	atactctgtc	ttctctctc	ttctctctc	ttctctctc	ttctctctc	3300
cttttttgca	tggaatctgg	gtgggagag	atactcgagg	caccagaaatg	ctaaagtctc	3360
ctaaactttt	gaagtttctg	tagttctacc	ttaatcctga	caccactgca	aatgtccaaa	3420
atgttgtatc	ttcactgcga	atttcaaaag	ccttgtcaat	ggctcaagctg	gcagcttgatt	3480
cagcgggtct	ttctgaggag	ggcagaccgg	tttacattac	taatgagagt	gggtgtgaac	3540
ttctctgagat	gtgttcagat	agtgtaattg	ctacattctc	tgatgtagtt	aagtattttac	3600
agatgtttaa	tgaggtattt	ttattttatg	tataatactt	acaaacagtgt	ttctttttgt	3660
tacagctatg	cactgtaaat	gcagcctctc	tttcaaaact	gctaaaattt	ttctaatcaa	3720
gaatatctaa	atgttaattat	gaggtgaaac	aattatttga	cactaacata	tttagaagct	3780
gaacttactg	cttatatata	tttgtattga	aaaaacaaaa	gacagtggtg	gtgtctgttg	3840
agtgcaacaa	gagcaaaatg	atgctttccg	ccatccatcc	ccttaggtga	gcttcaactc	3900
aagcatcttg	tcaagaaaata	ctctagtcctc	ctaaaggtat	tacacacttc	tcgcatattt	3960
ttccacattt	ttctgtctgt	tggttttctt	tggaagttta	tacactggat	ttgttagggg	4020
aatgaaattt	ttctcatctaa	aatttttcta	gaagatatca	tgatttttat	ttaaagtctc	4080
caatgggttaa	ccattaaagaa	atgtttttat	tttctctatc	aacagtagtt	ttgaaactag	4140
aagtcaaaaa	tttttttaaa	atgctgtttt	gttttaattt	ttgtgatttt	actttgatac	4200
aaaaagtctg	ggtaataaatt	atagtatgat	ttttacaata	attaatgtgt	gcttgagac	4260
tatctttgaa	gcccagtat	ctttcccttg	gcagagtagt	acgatgggat	ttatctgtat	4320
ttttttacgt	tatgcactct	gtataaaatc	tgatatttca	ttctcttggt	tactaaagag	4380
acatatattt	cagttgcaga	tagcctattt	attataaatt	atgagatgat	gaaaaataa	4440
aagccaggtg	aaattttcta	cctaggtatg	atgacaattg	tcaggttgga	gtgtaagtcg	4500
ttcattttgg	aaattcagct	tttgcaagag	cagtggtttc	acttgacata	gcattggcctc	4560
tgacgtgacc	atggtgttgt	tttgtatgac	attgctcttg	ctaaatttaa	taaaaacttc	4620
agaaaaactc	ccattttgat	catcaggatt	tcactcaggt	gtggagtcct	tggaatggaa	4680
ttcagtaaca	tttggagtgt	gtattcaagt	tttctaaggt	agattcgatt	actgtttggc	4740
tgacatgact	tttctggagg	acatgatata	cttactactc	aattgttctt	ttcctttctc	4800
tcgccccaaa	cgatcttcta	agatggattt	gcccccagg	ccaatgcagc	taattttgat	4860
agctgcattc	atttataacc	agcatattgt	gtcttgagtg	aatccactgt	ttgtctgtgc	4920
ggatgcttgc	ttgatttttt	ggcttcttat	ttctaagtag	atagaagaac	ataaaaatac	4980
tatgaattga	aagaacttgt	tcacaggttc	tgaggttaca	gtgacacaca	cttttaattc	5040
gcctaatctg	tggtgtctgt	taggttaaat	gcaggtattt	taactgtgtg	aatgccaaac	5100
taaaagtctac	agctctttctt	ttcgaatttt	gagtatcttc	ttgtgtagaa	taactataaa	5160
aagactattt	agagcaataa	attattttta	agaaatcgag	atttagtaaa	ttctatttat	5220
tgttcaagg	ccacatgtgt	ttcttaattt	gcctttaaat	ttttgtgaac	caattttaaa	5280
tacattctcc	tttttgccct	ggatttgtga	catgagtgtg	atacttggtt	ttttttctta	5340
ctlatcaaaa	gacagcacta	cagatatcat	attgaggtat	aattttatcc	ccctaccccc	5400
agccttgacaa	attatgtgtac	catgaagata	gttttctcta	atgactctca	atttgatctc	5460
agaatttagt	gagcttttgt	atcttctgca	gacactgtgg	gtagcccatc	aaaatgtga	5520
ctgtgctcct	ctacattttta	tttttatttt	tttgggagag	aattattcaa	atgaacagct	5580
gcaccccatc	atcactggag	gcaaaatttca	gcatagatct	gtaggatttt	tagaagacgc	5640
tgggcacttg	ccctcatgcc	gtggttaagta	ccacatctac	tttttttgta	accgaactgc	5700
gtcttttagta	atgtggattt	ttttcttttt	taaaagagat	gtagcagaat	aattcttcca	5760
tgtccacaaa	atcaattttt	tgctaaacga	ctccgagaac	aaactgtggg	ctgtcaaatc	5820
tcaaagcagc	agagagggaa	ctttgcacta	ttgggtgatg	atgtttgggt	cagtgataaa	5880
aaggaacctt	tttcatgcct	ttagatgtga	gcttccagta	ggtaatgatt	atgtgtcctt	5940

tcttgatggc	tgtaatgaga	acttcaatca	ctgtagtcta	agacctgac	tatatagatgac	6000
ctagaatagc	catgtactat	aatgtgatga	ttctaaattt	gtacctatgt	gacagacatt	6060
ttcaataaatg	tgaactgctg	atttgatgga	gctactttaa	gattttgagg	tgaagtgtga	6120
atactgttgg	ttgaactatg	ctgaagaggg	aaagtggagc	attagttagg	cccttgcccg	6180
gccttttttc	caacctgccaa	ttctacatgt	attgtttgtg	ttttatctat	tgtatgaaaa	6240
ttccgtgtgt	tttttttaaa	tgtgcagtag	acatcagcct	cactgagcta	ataaagggaa	6300
acgaatgttt	caaatct	6317				

<210> 232
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013261

<400> 232	ctgtagtcta	agacctgac	tatatagatc	tagaatagcc	atgtactata	atgtgatgat	60
-----------	------------	-----------	------------	------------	------------	------------	----

<210> 233
 <211> 3237
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013277

<400> 233	cggaagtga	gggtggccca	ggtggggcca	ggtgactga	atgtatctcc	tagctatgga	60
ctaaataata	catgggggga	aataaacaag	tattcatgag	ggtgaaaatg	tgaccagca		120
ggaaaattac	aactattttc	aattgacgtt	gaataggatg	agtcattgaa	tttaagtgt		180
ttactgaaga	ttatactact	ggtagataga	agagctaaa	aaagtgtgat	actatgatgc		240
tgaatgtgct	gaatctgttt	gagcagctgt	tgccgctggg	ggagattctc	agtgaaggaa		300
atgaagtcca	atttatccag	ttggcgaagg	acttttgagg	tttccgtaaa	aagtggcaga		360
ggactgacca	tgagctgggg	aaatacaagg	atcttttgat	gaaagcagag	actgagcgaa		420
gtgctctgga	tgtaaagctg	aagcatgcac	gtaatcaggt	ggaatgtag	atcaaacgga		480
gacagagagc	tgaggctgac	tgcaaaaagg	tggaacgaca	gattcagctg	attcgagaga		540
tgctcatgtg	tgacacatct	ggcagcattc	aactaagcga	ggagcaaaaa	tcagctcttg		600
cttttctcaa	cagaggccaa	ccatccagca	gcaatgctgg	gaacaaaaga	ctatcaacca		660
ttgatgaatc	tggttccatt	ttatcagata	tcagctttga	caagactgat	gaatcactgg		720
attgggactc	ttctttgtgt	aagactttca	aactgaagaa	gagagaaaaa	aggcgctcta		780
ctagccgaca	gttttgttgt	gggtccctgt	gacctgtaaa	gaaaactcgt	ttcatttggt		840
ctgcagtaga	ccagggggaat	gaatccatag	ttgcataaac	tacagtgtat	gttcccaatg		900
atggcgggcc	catcgaagct	gtgtccacta	ttgagactgt	gccattattg	accaggagcc		960
gaaggaaaaa	aggtacttta	caaccttgga	acagtgactc	ccacctgaac	agcaggcagc		1020
tgagcccaag	aactgagaca	gacagtgtgg	gcacgccaac	gagtagatga	gggatgcgcc		1080
tgcatgacct	tgtttctaa	acggttatta	aacctgaatc	ctgtgttcca	tgttgaaagc		1140
ggataaaaat	tgccaaaata	tctctgaagt	gtcgagactg	tcgtgtgttc	tctcatccag		1200

aatgtcgga	ccgctgtccc	cttccctgca	ttctaccct	gataggaaa	ctgtcaaga	1260
ttggagaggg	aatgtctgca	gactttgtgt	cccagacttc	tccaatgac	ccctccatgt	1320
ttgtgcatgt	tgtaaatgag	attgagcaaa	gaggtctgac	tgagacagcg	ctgtatagga	1380
ttcttggctg	tgaccgcaca	gtaaaagagc	tgaaaagaga	attccctaga	gtgaaactgt	1440
taccctctct	cagcaaaagt	gatgatattc	atgctatctg	tagccttcta	aaagacttcc	1500
ttcgaacctc	caaaagaacct	cttctgacct	tgcccttaa	cagagctgtt	atggaagcag	1560
cagaaatcac	agatgaagac	aacagcatag	ctgccatgta	ccaagctgtt	ggtgaaactc	1620
cccagcccaa	cagggacaca	ttagctttcc	tcattgatca	cttgacagga	gtggctcaga	1680
gtccacatac	taaaatggat	gttgccaatc	tggtctaaat	ctttggccct	acaaatgttg	1740
cccattgtgt	gcccaatcca	gaccacgtga	caatgttaca	ggacatcaag	ctcacaacca	1800
aggtgtgtga	gcgcctgtct	tccttgcctc	tggaagtatt	gagtcagttc	atgatggttg	1860
agcaagagaa	cattgacccc	ctacatgtca	ttgaaaactc	aaatgctctt	tcaacaccac	1920

agacaccaga	tattaaagt	agtttactgg	gacctgtgac	cactcctgaa	catcagcttc	1980
tcaagactcc	ttcactctagt	tcctgtgcac	agagagtccg	ttccaccctc	accaagaaca	2040
ctcctagatt	tgggagcaaa	agcaagtctg	ccactaacct	aggacagaca	ggcaactttt	2100
ttgcttctcc	aatgctcaag	tgaagtacac	tctgcctgtt	acttcccagc	attgactgac	2160
tataaagaag	gacacatctg	tactctgtct	tgcagcctcc	tgtactcatt	actactttta	2220
gcattctcca	gctctttact	caagtttaat	tgtgcatgag	ggttttatta	aaactatata	2280
tattctcccc	tccttctcct	caagtcacat	aatatcacga	ctttgtgtgt	gtcattgtgtg	2340
ggagctttta	gatgagacat	ctttccaggg	gtagaagggt	tagtatggaa	ttggttgtga	2400
ttcttttttg	ggaagggggg	tattgttctc	ttggcttaaa	gccaaatgct	gctcatagaa	2460
tgatctttct	ctagtttcat	ttagaactga	tttccgtgag	acaatgacag	aaaccctacc	2520
tatctgataa	gattagcttg	tctcagggtg	ggaagtggga	gggcagggca	aagaaggatg	2580
tagaccagag	gatttaggat	gcctccttct	aagaaccaga	agttctcatt	ccccattatg	2640
aactgagcta	taatatggag	ctttcataaa	aatgggatgc	attgaggaca	gaactagtga	2700
tgggagtatg	cgtagctttg	atttggatga	ttaggtcttt	aatagtgttg	agtgggacaa	2760
ccttgtaaat	gtgaaagtac	aactcgtatt	tatctctgat	gtgccgtctg	ctgaactttg	2820
ggttcatttg	gggtcaaaag	cagtttttct	tttaaaattg	aattcattct	gatgctttgg	2880
ccccataccc	ccaaccttgt	ccagtgaggc	ccaacttcta	aaggctcaata	tatcatcctt	2940
tggcatccca	actaacaata	aagagtaggc	tataagggaa	gattgtcaat	attttgtgtg	3000
aagaaaaagc	acagtcattt	ttcttttcca	ctttggtatg	tgaatttttt	cccatgggac	3060
atagccacat	ctagatagat	gtgagctttt	tcttctgtta	aaattattct	taatgtctgt	3120
aaaaaacgatt	ttcttctgta	gaatgtttga	ctctgtattg	acccttatct	gtaaaacacc	3180
tatttgggat	aatattttga	aaaaaagtaa	atagcttttt	caaaatgaaa	aaaaaaa	3237

<210> 234
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013277

<400> 234	ctcattcccc	attatgaact	gagctataat	atggagcttt	cataaaaaatg	ggatgcattg	60
-----------	------------	------------	------------	------------	-------------	------------	----

<210> 235
 <211> 1122
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013409

<400> 235	gtcctctgcgc	ccgcgcctgc	ccccaggatg	gtccgcgcga	ggcaccagcc	gggtgggctt	60
	tgctctctgc	tgtctgtgct	ctgcagttc	atggaggacc	gcagtgccca	ggctggggaac	120
	tgtctgctcc	gtcaagcgaa	gaacggccgc	tgccaggtcc	tgtacaagac	cgaactgagc	180
	aaggaggagt	gctgcagcac	cggccggctg	agcacctcgt	ggaccagaga	gtccgtgatt	240
	gacacacac	tcctcaagtg	gatgattttc	aacgggggcg	cccccaactg	catccccctg	300
	aaagaaacgt	gtgagaacgt	ggactctgga	cttgggaaaa	aatgcogaat	gaacaaagag	360
	aacaaacccc	gctgcgtctg	cgccccggat	tgttccaaca	tcacctggaa	gggtccagtc	420
	tgcgggcttg	atgggaaaaa	ctaccgcaat	gaatgtgcac	tcctaaaggc	aagatgtaaa	480
	gagcagcag	aactgggaag	ccagtagcaa	ggcagatgta	aaaagacttg	tcgggatgtt	540
	ttctgtccag	cgagctccac	atgtgtgttg	gaccagacca	ataatgccta	ctgtgtgacc	600
	tgtaatcgga	tttccccaga	gcctgcttcc	tctcgtcact	atctctgtgg	gaatgatgga	660
	gtccactact	ccagtgctgt	ccacctgaga	aaggctacct	gcctctgtgg	cagatctatt	720
	ggattagcct	atgaggggaa	gtgtatcaaa	gcaaagtcct	gtgaagatat	ccagtcgact	780
	gggtggaaaa	aattgtttat	ggatttcaag	gttgaggagag	gccgtgtgtc	cctctgtgat	840
	gaactgtgccc	ctgacagttaa	gtcggatgag	cctgtctgtg	ccagtgcaca	tgccacttat	900
	gccagcgagt	gtgccatgaa	ggaagctgcc	tgtcctctcag	gtgtgtctact	ggaagtaag	960
	cactccggat	cttgcaactc	catttctggaa	gacaccgagg	aagaggagga	agatgaagac	1020

caggactaca gctttcttat atcttctatt ctgagtgtgt aaactctcta taagtgttca 1080
gtgttcacat agcctttgtg caaaaaaaaa aaaaaaaaaa aa 1122

<210> 236
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_013409

<400> 236
gaagatgaag accaggacta cagctttctt atatcttcta ttctagagtgt gtaaaactctc 60

<210> 237
<211> 11389
<212> DNA
<213> Homo sapiens

<300>
<308> NM_014246

<400> 237
atggcgccgc cgcgcgcgcc cgtgctgtcc gtgctgtgtc tectggccgc cgcgcgcgcc 60
ctgcgcgcgc tggggctgtc agcggccgcc tgggagccgc gcgtaccgcg cgggaccgcg 120
gccttcgccc tcgcgcgcgc ctgtacctac gcggtgggcg ccgcttgacg gccccggggc 180
ccgcgggagc tgcctggacgt gggccgcgat gggcggctgg caggacgtgc gcgcgtctcg 240
ggcgcggggc gccgcgtgcc gctgcaagtc cgttggtgtg ccgcagctgc cccgacggcg 300
ctgagccgcg gcctgcgggc gcgcacgcac cttcccgctc gcggagccgc tgcccggtcc 360
tgccgaaccg gtgccgcgct ctgcggggcg ctctgcttcc cgtcccccgc cgtcgtgcgc 420
gcgcgcgcgc attcgcgcgt cgcagctccg accacettac ccgcctgcgc ctgcgcgcgc 480
cgcccccagg ccgcgtgtcc cggccgtccc atctgctgc cgcggggcgg ctgcgtccgc 540
ctgcgtctgc tctgcgcctc gcggcgccgc gctggcgccg tcgggggtgg actggcgctg 600
gaggccgcgc cgcgcggggc gccctccgcg tcgccatccc catcgccgcg cctgcgcgcg 660
aacttgccgc aagcccgggc ggggcgcggc cgacggggcc agcggtggcg ggcggggcgc gaggcgacg 720
gggagcctga agtttccgat gcccaactac cagggtggcg tgtttgagaa cgaaaccggc 780
ggcaccctca tcctccagct gcacgcgcac tacaccatcg agggcgagga ggagcgcgtg 840
agctattaca tggaggggct gttgcacgag cgtcccccgc gctaacttcc aatcgactct 900
gccaccggcg ccgtgagcac ctggacgcgt ctggaccgcg agaccaagga gacgcacgtc 960
ctcaggggtga aagccgtgga ctacagtacg ccgcgcgcgt cggccaccac ctacatcaat 1020
gtcttggtca aagacaccaa cgaccacagc ccggtcttgc agcagtcgga gtaccgcgag 1080
cgcgtgcggg agaaccctga ggtgggctga caggtgtgtga ccatccgcgc cagcgaccgc 1140
gactcgccca tcaacgcgca ctctgcgttac cgcgtgttgg ggggcgcgtg ggacgtcttc 1200
cagctcaaac agagctctgg cgtggtgagc acacgggcgc tgctggacgc ggagggagcg 1260
ccgagtagca agctcctggt ggaggccaac gaccaggggc gcaatccggg cccgctcagt 1320
gccaccgcca ccgtgtacat cgaggtggag gacgagaacg acaactacc ccagtccagc 1380
gagcagaact acgtggtcca ggtgcccgag gacgtggggc tcaacacgcg tgtgctgcga 1440
gtgcagccca cggaccggga ccaggccgag aacgcggcca ttcactacag catcctcagc 1500
gggaacgtgg ccggccagtt ctacctgcac tcgctgagcg ggaactctga tgtgatcaac 1560
cccttggtat tcgaggatgt ccagaatac tcgctgagca ttaaggccca ggaatggggc 1620
cgcccccgcg tcatcaatc ttcaggggtg gtgtctgtgc aggtgtctga tgtcaacgac 1680
aacgagccta tctttgtgag cagccctctc caggccacgc tgctggagaa tgtgccctct 1740
ggctaccgcc tgggtgcacat tcaggcggtg cagcgcgact ctggagagaa gccccggctg 1800
cactatcgcc tgggtggcgc gccctccacc ttctggggcg gcggcagcgc tgggctcaag 1860
aatctcgccc ccaaccctga ctcccccttc cagatccaca acagctccg tggatccaca 1920
tgtgtgtccg agctggagcc caggagggtg gaggactaca gcttcggggt ggagggcggtg 1980
gaccacggtg cgccecccat gagctcctcc acacagctg ccatcagct gctggacgtg 2040
aatgacaaag acccgggtgt caccgagccc acctacagcg ttcgcttgaa ttgaggtatgc 2100
cgctggggga cgagcgtgct gacctctgag gcccgcgacc gtgacgccaa cagtgtgatt 2160
acctaccagc tcacaggcgg caacaccgcg aaccgctttg cactcagcag ccagagaggg 2220
ggcgccctca tcacctggc gctacctctg gactacaagc aggagagcga gtacgtgtgt 2280

gcgggtgacag	catccgacgg	cacacgggtcg	cacactgcgc	atgtcctaata	caacgtcaact	2340
gatgcccaacg	cccacagggc	tgtcttttcag	agctcccat	acacagtgtag	tgctcagtgag	2400
gacaggccgtg	tgggcacctc	catgtctacc	ctcagtgcca	catgtaggag	cacaggagag	2460
aatgccccgca	tcacctacgt	gattcaggac	cccgtgcgcg	agttccgcgat	tgaccccgac	2520
agtgccacca	tgtacacat	gatggagctg	gactatgaga	accaggctgcg	ctacacgctg	2580
accatcatgg	cccagggacaa	ggcactcccg	cagaaaatcag	acacacccac	ctcagagatc	2640
ctcatctctcg	atgccaatga	caatgcaccc	cagttctctgt	gggattttcta	ccagggttcc	2700
atctttgagg	tgtctccacc	ctcgacacag	atctccagg	tctctgccac	ggagagatc	2760
tcagggtccca	atgggcgtct	gctgtacacc	ttccagggtg	gggacgacgg	cgatggggac	2820
ttctacatctg	agccacagtc	cgggtgtgatt	cgccaccagc	gcgcgtctga	ccggggagaat	2880
gtggccgctgt	acaacctttg	ggctcttgctg	gtggatcggg	cgactccccc	tcccctttagc	2940
gcctcggtag	aaatccagg	gacactcttg	gacattaatg	acaatgcccc	catgttttag	3000
aaggacgaac	tggagctgtt	tgttgaggag	aacaacccag	tggggctcgt	gggtggcaaa	3060
attctgtcta	acgacctga	tgaaggccct	aatgccca	tcatgtatca	gatttgtgaa	3120
ggggacatgc	ggcattttct	ccagctggac	ctgctcaacg	gggacctgcg	tgccatgggtg	3180
gagctggagt	ttgagctccg	gcgggagtat	gtgctgtgtg	tgcaggccac	ctgcgctccg	3240
ctggttagcc	gagcagcgtg	gcacatctt	ctcgtggacc	agaatgacaa	cccgcctgtg	3300
ctgcccagat	tccagatcct	cttcaacac	tatgtcacca	acaagtccaa	cagttttcccc	3360
accggcgtga	tcggctgat	cccgcccat	gaccccgacg	gtctagacag	cttcaactac	3420
acctctcgtg	agggcaacga	gctgcgctg	ttgctgtgtg	acccccccac	ggggcgaaactg	3480
cagctcagcc	gcgacctgga	caacaacccg	ccgctggagg	cgctctagg	gtgtctctgtg	3540
tctgatggca	tccacagcgt	cacggccttc	tgacccctgc	gtgtccacat	catcacggac	3600
gacatctga	ccaaacgat	cactgtccgc	ctggagaaca	tgctcccagga	gaagttccctg	3660
tcccgcgtgc	tggccctctt	ctgtggagg	gtggccgcg	tgctgtccac	caccaaggac	3720
gaagcttctg	tcttcaacgt	ccagaacgac	accgacgtca	gctccaaact	cctgaacgtg	3780
accttctcgg	cgtctctgcc	tggcgcgtc	ccggccaggt	tcttcccgct	ctggagcctg	3840
caggagcaga	tctacctgaa	tcggacgctg	ctgaccacca	tctccacgac	gcgcgtgtgtg	3900
cccttcgacg	acaaacatctg	ctctgcgcg	ccctgcgaga	actacaatgaa	gtgcgtgtgcc	3960
gttctgcgat	tcgacagctc	cgccgccttc	ctcagctcca	ccaccgtgct	cttcccgccc	4020
attccaccca	tcaacgcctg	gcctgtccgc	tgcccgcccg	gcttccagcg	gactactgcg	4080
gagacgggag	tcgacctctg	ctactccgac	ccgtgcgcgc	ccaaacggccg	ctgcgcgcgc	4140
gcgagggggg	gctacacctg	cgagtgtctc	gaggactcca	ctggagagca	ctgtgagggtg	4200
gatgcccgct	caggcccgctg	tgcccaacgg	gtgtgcaaga	accgggggac	ctgtgtgaac	4260
ctgctcatcg	gcggcttcca	ctcgtgtgtg	ccctcctggc	agtatgagag	gcctactagt	4320
gaggtgacca	ccaggagctt	ccgcgccag	tcttctgtca	ccttccgggg	ccgtgacacg	4380
gccttccact	tcacatctc	ctcctcgttt	gccactcagg	aaaggaaacg	gttgccttctc	4440
tacaacggcc	gcttcaatga	gaagcacgac	ttcatgcgcc	tggagatcgt	ggacggagcag	4500
gtgacgtcta	ccttctctgc	agggcagaca	acaacgacgc	tggcaccgaa	ggttccccagt	4560
gggtgtgagt	acgggcgctg	gactctgtg	caggtgcagt	actacaacaa	gcccaatatt	4620
ggccacctgc	gcctgcccca	tgggcccgtc	ggggaaaaga	tggccgtggt	gaacgtggat	4680
gatttgtaga	caaccatggc	tgtgcgctt	ggaaaggaca	ctgggaacta	cacgtgcgct	4740
gcccagggca	ctcagacccg	ctccaagaag	tcctgtgac	tgaccggccc	tctactcctg	4800
gggggtgtcc	ccaaactgcg	agaaagactc	ccagtgcaca	accggcagtt	cggtggcctgc	4860
attgcgaaac	tgtcagtga	ggcgaataat	gtggacatgg	ctcagttcat	gcgcaacatc	4920
ggacccggcc	aaggctgcgc	tgtctcggag	aacttctcgc	atggggaggcg	gtgtcagaat	4980
ggaggacacct	gtgtcaacag	tgtggaatag	tatctgtgtg	atgtgtccact	ccgattcggc	5040
ggagaagaat	gtgagcaagc	catgcctcac	ccccagctct	tcaggcgtga	gagcgtctgtg	5100
tccctggagt	acctgaacat	catcatctct	gtgccctggt	agtcggcgct	catgttccgg	5160
ccccggaaag	aggacacgct	tctgatggag	gccaccagtg	gtgggcccac	cagctttccg	5220
ctccagatcc	tgaacaacta	ctccagttt	gaggtgtccc	acggcccctc	cgtgtggag	5280
tccgtgatgc	tgtccgggtt	gcgggtgacc	gaacggggag	ggcaccacct	cgatgtcgag	5340
ctgaagaatg	ttaaggaggga	cagtgagatg	aagcacctgg	tcaccatctg	ctgtgactat	5400
gggtgtgacc	agaaacaggc	agatatcggg	ggcatgtctc	cccgctgac	ggttaaggagc	5460
tgtggtgtgc	gaggcgctc	tgaagacaag	gtctcctgtg	gccgtggatt	ccgaggtctc	5520
atgcaggag	tggaggtggg	ggggacgccc	gtccacgtcg	ccacctgaa	ctgtgacaaa	5580
gcactcaagg	tcagggtgaa	ggacggctgt	gatgtggacg	acccctgtac	ctcgagcccc	5640
tgtcccccca	atagcccgctg	ccacgacgct	tgggaggact	acagctcgct	ctgtgacaaa	5700
gggtaccttg	gaataaactg	tgtgtgatcc	gttcaactga	acccctcgga	gaacatgggg	5760
cctgcgtgc	gctcccccg	ctccccgag	gttcaactgtg	gcgagtgctg	gccaggtcac	5820
tacggggcgt	actgtgagaa	caaacctgcac	cttccgtgcc	ccagaggctg	gtgggggaac	5880
cccgtctgtg	gacctgtcca	ctgtgcgctc	agcaaaaggt	tgtatcccga	ctgtataaag	5940

accaacgccc	agtgcacatg	caaggagaa	tactacaagc	tcttagccca	ggacacctgt	6000
ctgcctcgcc	actgcttccc	ccatggctcc	cacagccgca	cttgcgacat	ggccacccggg	6060
cagtgctgct	gcaagcccg	cgctatcgcc	ccgagtgca	accgttcgca	acaacccgtt	6120
gccgaggtca	ccacgctcgg	ctgtgaagt	atctacaatg	gctgtcccaa	agcatttgag	6180
gccggcactc	ggtggccaca	gaccgaagt	gggcagccgg	ctcgggtgcc	atgccctaa	6240
ggatccgtgt	gaatgcgggt	cgacactgc	agcggggaga	agggtcgctc	ggccccagag	6300
ctctttaa	gtaccacat	ctcttctgt	gacctcaggg	ccatgaatga	gaagctgagc	6360
cgcaatgaga	cgacgggtgga	ggcgccagg	cggctcgacc	tgtgtgaggg	cgctgcagct	6420
gctcacacag	acacggggac	gctctttggc	aatgactgcg	gcacggcccta	ccagctgtcg	6480
ggccactgct	ctcagcacga	gagctggcag	cagggtctcg	acctgcgcagc	cacgcaggac	6540
gccgacttgc	acgaggagct	catccactcg	ggcagccccc	tcttgccctc	agccaccaa	6600
gccggctggg	agcagatcca	cgggagcgag	ggcgccacgg	ccagctcgct	ccggcgcttc	6660
gagggctact	tcagcaacgt	ggcagcgaac	gtcgccggga	cgtacctcg	gcccttcgtc	6720
atcgctcacc	ccaacatgat	tcttctgttc	gacatcttgc	acaagtcca	ctttacggga	6780
gccagggttc	cgcgattcga	caccatccat	gaagagttcc	ccagggagct	ggagctctcc	6840
gtctctcttc	cagccgactt	cttcagaccca	ccggaagaaa	aaagaaggccc	cctgctgagg	6900
cgcgctggcc	ggaggaacac	cccgacagcc	acgcgcccgg	ggcctgggac	cgagaggagag	6960
gccccgatca	gcaggcgagc	gcgcacacct	gatgacgctg	gccagttcgc	cgtcgctctg	7020
gtcatcattt	accgcacct	ggggcagctc	ctgcccagca	gctacgacac	cgccctctgc	7080
agcctccggt	tgctctcacc	ggccatcatt	aataccccga	tggtgagcac	gctggtgtac	7140
agcgaggggg	ctccgtctccc	gcgacccctg	gagaggcccg	ctctgggtgga	gttcgccgct	7200
ctggaggtgg	aggagcgaa	caagcctgtc	tgctgttctc	ggaaccaactc	cctggccggt	7260
ggtgggacgg	gaggggtggt	tgcccggggc	tgcgagctcc	tgctcaggaa	ccgggacacat	7320
gtcgctctgc	agtcgaccca	cacagccagc	tttgcgggtg	tcatggatat	ctccaggcgt	7380
gagaaagggg	aggctcctgcc	tctgaagatt	gtcactatgt	ccgctgtgtc	cttgcactg	7440
gcagccctgc	tggtggcctt	agcctcctgc	agcctggctc	ctgtgaacct	ctccacactg	7500
cacagcattc	acaagcacct	cgccgtggcg	ctcttctctc	ctcagctggt	gtctgtgatt	7560
gggatcaacc	agacggaaaa	cccgttttctg	tgacagctgg	ttgccaactc	ctcccaactc	7620
atctacatga	gcacttttgc	ctggacccctc	gtggagagcc	tgcatgtcta	ggcatgtctg	7680
accgaggtgc	gcaacatcga	cacggggccc	actcggttct	actacgtctc	ccgtctgggg	7740
atcccgccca	ttgtcacagg	actgcggctc	ggcctggacc	cccagggtca	cgggaaacccc	7800
gaactctgct	ggctgtcgct	tcaagacacc	ctgatttgga	gctttgcggg	gccccacgga	7860
gctgttataa	tcatcaacac	agtcacttct	gtctatctgt	caaaagggttc	ctgcacaaag	7920
aagcaccatt	at tatgggaa	aaaaaggatc	gtctccctgc	tagggaaccg	atctccctctg	7980
ctgctgtctc	tcagcgcac	ctggctgctg	gggctgctgg	ctgtgaacct	cgatgcactg	8040
agctttcaat	acctcttcgc	catcttcacg	ggcttaacag	gccccctcgt	ctccttttct	8100
cactgcgtgc	tcaaccagga	ggctccggaag	caactgaagg	cgctgcaagg	cgggaggaag	8160
ctgcacctgg	aggactccgc	caccaccagg	gccaccctgc	tgacgcctc	ctccaactgc	8220
aacaccacct	tcggtgacgg	gctgacatg	ctgcgcacag	acttgccgca	gtccaccgcc	8280
ctcgtggaca	gcatcgtcag	ggaatgaagg	atccagaagc	tcggcgtgtc	ctctgggctg	8340
gtgaggggca	gccacggaga	ccgacagcg	tcctcatgc	ccaggagctg	caaggatccc	8400
cctggccacg	attccgactc	agatagcgag	ctgtccctgg	atgagcagag	cagctcttac	8460
gctcctcacc	actcgtcaga	cagcgaggac	gatgggggtg	gagctgagga	aaaatgggac	8520
ccggccagg	gcgcgctcca	cagcaccccc	aaaggggacg	ttgtggccaa	ccagcttcgc	8580
gccggctggc	ccgacccagag	cctggctgag	agtgacagtg	aggaccccaa	cgccaaagcc	8640
cgccctgaag	tgagagacca	ggctcagctg	gagctgcacc	gcgaggagca	gggcagtcac	8700
gctggagagt	acccccggga	ccaggagagc	gggggcgcag	ccagctctgc	tagcagccag	8760
ccccccagagc	agaggaagag	catcttgaaa	aataaagtca	ctcaccgccg	ggcgctgacg	8820
ctgacagagct	agacgtgaa	ggcgccggctc	cgggagaagc	tgcccgactg	tgacgacagc	8880
cccacatcct	cgcgacgctc	ttccctgggc	tctggcggcc	ccgactgcgc	catcacagtc	8940
aagagccctg	ggaggggagc	ggggcggtgac	cacctcaacg	gggtggccat	gaatgtgcgc	9000
actgggagcg	cccaggccga	tggtcccgac	tctgagaac	cgtagggcaa	ggccgtcacc	9060
ccacacagcg	tcggcgatca	ccctcagacc	ttggagccca	agggggccact	gccccctgaa	9120
tgaggtgggc	ccagagtgtg	gcggtcccca	tggtggcgag	cccccgactg	atcatcgaca	9180
caaaaaggtc	ttggtttctc	caggagctca	gggcctgtca	gacctgtgtg	caagtgcac	9240
aggccagctc	catgagggag	gctgtggacca	ctgggcccag	accgctgagt	ctcaagactg	9300
cagtcacaa	cagaactgag	aggggaacccc	agactggggc	cagaggtctg	ccagagtcca	9360
ggaacccggg	gcacagacca	aaaccccgcg	tccagccccc	ccagcgccgg	ctctcatgtg	9420
cagtcgggac	ccgtggctgg	cagcccgggc	agtcctttgc	aaaggcacc	cttgtcttaa	9480
aatcacttgc	ctatgtggga	aaggtggaga	tacttttata	tattttgtatg	ggactctgag	9540

gagggtgcaac	ctgtatatat	attgcattcg	tgctgacttt	gttatcccca	gagatccatg	9600
caatgatctc	ttgctgtctt	ctctgtcaag	attgcacagt	tgtaacttgaa	tctggcatgt	9660
gttgacgaaa	ctgggtgccc	agcagatcaa	aggtgggaaa	tacgtcagca	gtggggctaa	9720
aaccaagcgg	ctagaagccc	tacagctgcc	ttcggccagg	aagtggaggat	gtggggctaa	9780
ctcccccccg	gccccctggg	tccccagtg	tcgctgtgtg	tgcggtttgtc	ctctgctgcc	9840
atctgccccg	gctgtgtgaa	ttcaagacag	ggcagtgacg	cactaggcag	ggtgtggggc	9900
ccctgctgag	gtcaactgtg	ggcacggttg	ccacacggct	gtcatttttc	acctggtcat	9960
ctgtgaccca	ccacccccct	ccctcaccgc	ctcccaggtg	gcccgggagc	tgagggtggg	10020
gatggctttg	tcctttgtct	ctgctccccg	tgggacctgg	gaccttaaa	cggtgcaggt	10080
tcctgatttg	gacagaggtg	tggggccttc	caggccgtta	catacctct	gccaattctc	10140
taactctctt	agactgcgag	gatctccagg	cagggttctc	ccctctggag	ctgcagcaat	10200
tactctattt	tgcttcaaat	ggccaattgt	gcagagggac	aaagccacag	ccacactctt	10260
caacggttac	caaaactgtt	ttggaaattc	acaccaaggt	cgggcccact	gcaggcagct	10320
ggcacagcgt	ggcccagagg	gctgtggaac	gggtcccagg	actgtcagac	atgtttgatt	10380
ttagcgtttc	ctttgttctt	caaatcaggt	gcccataata	gtgatcagca	cagctgcttc	10440
caaataggag	aaaccataaa	ataggatgaa	aatcaagtaa	aatgcaagaa	tgccccactc	10500
gtttttaaact	tgacctgat	gaaaatgtga	gcactgttag	cagatgccta	tgaggagagga	10560
aaagcgtatc	tgaaaatggt	ccaggacagg	aggatgaaat	gagatcccag	agctccca	10620
ccgtaagtac	ttatacatgt	gccttaccag	gtgagtgttc	tttcgaagat	aaaaaactct	10680
agtcctctta	aacgtttgcc	ctcggcggtt	cctaagtacg	aaaagggttt	taagtctctg	10740
aaacagtctc	ttcttgact	ttaaacaggat	tctgccccct	gaggtgttaa	ttttttgttc	10800
tatttttttc	cacgtactcc	acagccaaca	tcacgaggtg	taatttttaa	tttgatcaga	10860
actgttacca	aaaaacaact	gtcagtttta	ttgagatggg	aaaaatgtaa	acctattttt	10920
atttactaag	actttatggg	agagattaga	cactggagggt	ttttaacaga	acgtgtattt	10980
atataatgtc	aaaaacactg	aattacaat	gagaagagtc	tacaataaat	taagattttt	11040
gaattttgat	ttctgcggtg	ctggtttttc	tcacacaaca	ccccccccc	tcctccatgc	11100
cagggtggccc	gtgggaaggga	cggtttacgg	acgtgcagct	gagctgtccg	tgccccatgc	11160
tcctcagccc	agtggaacgt	gcgggaacct	tttgtccatt	ccctctaggt	ccgtgcacag	11220
ctcatagagg	cagttttttg	ctttcaccaa	atttgaggac	tttttttttt	tgccattatt	11280
tccttcagtt	tcctttcttg	ctcatgatct	tctcctctcc	ttctgtgact	ccagtgactc	11340
agacgttaga	cctcttgatg	ttttcccaact	ggtcccttag	gctctgttc	11389	

<210> 238
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014246

<400> 238
 gggagagatt agacactgga ggtttttaac agaactgtga tttattaatg ttcaaaacac 60

<210> 239
 <211> 4372
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014314

<400> 239
 tagttattaa agttctcatg cagctccgcc tcgctccgg cctcatttcc tcggaaaaac 60
 cctgcttttc ccgctcgcca cgcctcctc ctaccggcgt ttaaaagctag tgaggcacag 120
 cctgcgggga acgtagctag ctgcaagcag aggcggcgtat gaccaccgag cagcgacgca 180
 gcctgcaagg ctctccaggt tatatccgga agaccctgga cctacactac atcctgagct 240
 acatggcccc ctggttttag gaggaagagg tgcagtatat tcaggctgag aaaaacaaca 300
 agggcccaat ggaggctccc acactttttc tcaagtctct gttggagctc caggaggaag 360
 gctggttccg tggctttttg gatgccctag accatgcagg ttattctgga ctttatgaag 420
 ccattgaaag ttgggatttc aaaaaaattg aaaagtgtga ggagtataga ttacttttaa 480
 aacgtttaca accagaattt aaaaccagaa ttatcccaac cgatatcatt tctgatctgt 540

ctgaattgtt	aattaatcag	gaatgtgaag	aaattctaca	gatttgctct	actaagggga	600
tgatggcag	tgacagagaa	ttgtgtggaat	gccttctcag	atcagacag	gaaactctg	660
ccaaaacttt	gaaactttgct	ttgggaaag	aaaggaacaa	gttcagtgaa	cttggtgag	720
tagagaaaag	tataaaaagat	gttgaacag	aagatcttga	ggataaagatg	gaaactctctg	780
acatacatag	ttttaccaa	gaagatccag	aatgccagaa	tcttatgtgag	aattctcatgtc	840
caccttcaga	agtgctctgat	acaaacttgt	acagcccaat	taaacacaaga	aattaccaat	900
tagagcttgc	tttgctgctct	atgaaaggaa	aaaacacaa	aatatgtgctc	cctcacaggtt	960
gtggaaaac	ctttgtttca	ctgcttatat	gtgaacatca	tcttaaaaa	ttcccacaag	1020
gacaaaagtc	gaaagtgtgc	ttttttgcga	atcagatccc	agtgatgaa	cagcagaaat	1080
ctgtattctc	aaaaactctt	aaaagacatg	ggatagagtg	tacaggcat	cttggagcaa	1140
cagctgagaa	gtgccagtg	gaacagattg	ttgagaacaa	tgacatcttc	attttaactc	1200
cacagattct	gttgaacaac	cttaaaaag	gaacgattcc	atcactatcc	acttttaact	1260
tgatgatatt	tgatgaatgc	cacaaaccta	gtaaacacaa	cccgtaacat	atgatcatgt	1320
ttaattatct	agatcagaaa	cttgaggat	cttcaggccc	actgccccag	gtcattggcg	1380
tgactgcctc	ggltgggtgt	ggggatgcc	aaaacacaga	tgaagccttg	gatttatatct	1440
cgaaagctgt	tgcttctctt	gatgcgtcag	tgatagcaac	agtcacacac	aatctggagg	1500
aactggagca	agttgtttat	agcccccaga	agtttttcag	gaaagtggaa	taccaggatta	1560
gcgacaaatt	taaatcacatc	atagctcagc	tgatgaggga	cacagagagt	ctggcaaaag	1620
gaatctcgaa	agacctcgaa	aacttatctc	aaattcaaaa	tagggaaatt	ggaacacaga	1680
aaatatgaac	agagattgtt	acagttcaga	aagcatgcac	gggtgtccag	atgccagaca	1740
aagatgaaga	gagcaggatt	tgtaaaagccc	gttttttata	ctcttcaact	ttggcggaat	1800
ataatgatgc	cctcattatc	agtgagcatg	cacgaatgaa	agatgctctg	gattacttga	1860
aagactctct	cagcaatgtc	cgagcagcag	gattcgatga	gattgagcaa	gatcttactc	1920
agagatttga	agaaaagctg	caggaaactg	aaagtgttcc	cagggaagccc	agcaactgaga	1980
atctctaaat	tgaaagacctc	tgcttcatct	tacaagaaga	gtaccactta	aaccccagaga	2040
caataaacaat	tctcttttgt	aaaaaccagag	cacttgtgga	cgctttaaaa	aatctggattg	2100
aaggaaatct	taaaactcagt	tttctaaaac	ctggcatatt	gactggagctg	ggcaaaaacaa	2160
atcagaacac	aggaatgacc	ctcccggcac	agaagtgtat	attgtagtca	ttcaaaagcca	2220
gtggagatca	caatatctctg	attgccacct	cagttgctga	tgaaggcat	gacattgcac	2280
agtgcaatct	tgctcatctt	tatgagtatg	tgggcaatgt	ctacaaaatg	atccaaacca	2340
gaggcagag	aagagcaaga	ggtgacaaat	gcttctctct	gactagtaat	gctggtgtaa	2400
tgaaaaaaga	acaaataaac	atgtacaaag	aaaaaatgat	gaatgactct	attttaccgc	2460
ttcagacatg	ggacgaagca	gtatttaggg	aaaagattct	gcatactacag	actcatgaaa	2520
aattcatcag	agatagtcac	gaaaaaccaa	aaactgtacc	tgataaggaa	aatataaaaa	2580
tgctctcgag	aaagtgcmaa	gccttggcat	gttacacagc	tgactgaaga	gtatagaggg	2640
aatgccattat	cactgtgctt	ggagatgctt	ttaaggaaatg	ctttgtgagt	agccacacac	2700
ccaagccaaa	gcagttttca	agttttgaaa	aaagagcaaa	gatattctctg	gccccagaca	2760
actgcagcca	tgactggggg	atccatgtga	agtacaagac	atttgagatt	ccagttataa	2820
aaattgaaag	tttttgggtg	gaggatatgt	caactggagt	tcagacacatg	tactcgaaatg	2880
ggaagggctt	tcaattttgag	aagataacct	ttgatccagc	agaaatgtcc	aaatgatatc	2940
aggtcctcaa	tcttcagcta	cagggaatga	gtaactttga	gtggagaaga	aaacaaacata	3000
gtgggtataa	tcattggatc	cttgtaacccc	tgtagaaaata	tatttttttaa	aaatatcttt	3060
agcagtttgt	actatattat	atattgcaag	cacaaatgag	tgaattcacag	cactgagtat	3120
tttgtaggcc	aacagagatc	atagtaactg	gaaaaaaatta	aaagcctcca	ttctagacct	3180
tctttttaga	gtcaactgcc	aaacaaacaca	cagtaatac	cttgtcacaca	ctgggataga	3240
gtaagtgaatg	gaatgtttgg	aatttttatc	tccttttgct	tccttaacct	ctgtaaacct	3300
ggccttttgc	cttaacaact	tactgaaatt	gttcttttga	aggttaaccag	tgacctctgt	3360
tgccaaactc	actgggcact	ctttaaactt	ctatttgacc	cttgcgcatt	ggcctctggt	3420
gagcactctt	cttgaagctc	tcctctgggt	ctctctctct	ctagttctat	tcatgtcttt	3480
tttttatgtt	tcctcctctt	tgctgatccc	ttccaaagggt	tcaatatata	tcaatgtata	3540
tactgtacat	atgtatattg	aactaatata	catacatata	ggtagtgata	tgtaactggtt	3600
atatgtactc	atgttctctg	tgtagcaacg	tggtgtatgc	ctacacagag	aaactagaaa	3660
cataaaagcca	tttttatgct	tactactaaa	agctgtccac	tgtagagttg	ctgtatgtag	3720
caatgtgtat	ccactctaca	gtggtcagct	tttagtagag	agcataaaaa	tgataaaaata	3780
cttcttgaaa	acttatgtta	ctacatcatc	tgccctatta	atgatgtctc	ttaacgctgtg	3840
ccattgttct	ctttgacctt	tttctataaa	tgatgttgat	gttcaaacac	tggaactgaat	3900
gtctgtcttc	agatcccttg	gagttttacag	atgaggcagt	ctgactgtcc	tttctacttg	3960
aaagattaga	atagtatctc	aaatggcatt	ccagctgtcac	ttagcaaggt	ttgctgtgac	4020
ttcaagagac	ttagtgttgc	gtttctctgga	cgtggaaaaca	agtatctgaag	ttccctggag	4080
atcaacggga	tgaggtgtta	cagctgcctc	cctctctcatg	caatctgggt	agcagtggtg	4140
caggcgggga	gccagagaaa	cttgccaggtt	atataacttc	tctttggctt	ttcttcatct	4200

gtaaaaacaag gataatactg aactgttaagg gttagtggag agttttttaa taaaaagaatg 4260
 tgtgaaaagt acatgacaca gtagtgtcct gataatagtt actagtagta gtattctttac 4320
 taagacccaa tacaaaatgga ttattttaaac caaaaaaaaa aaaaaaaaaa aa 4372

<210> 240
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014314

<400> 240
 agttcagaca ctgtactcga agtgaagga ctttcatttt gagaagatag catttgatcc 60

<210> 241
 <211> 1647
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014321

<400> 241
 gcgcgcgggt ttogttgacc cgcgcgcttc acgggaattg ttgcgcttag tgccggcgcc 60
 atgggggtcgg agctgatcgg gcgcctagcc ccgcgcctgg gcctcgccga gcccgacatg 120
 ctgagggaaa cagaggagta ctgcgcctg tccgggtga agtgtgtcgg cctctccgca 180
 gcgaccaagg agaccagcag tgccagtcag tgccctggacc ttgcagcttc ctggatgaag 240
 tgccctctgg acagggttta ttaattaaa cttctcggtt tgaacaaggga gacatatcag 300
 agctgtctta aatcttttga gtgtttactg ggcttgaatt caaatattgg aataagagac 360
 ctagtctgtac agtttagctg tatagaagca gtgaacatgg cttcaaaagt actaaaaagc 420
 tatgagtcga gtcttcccca gacacagcaa gtggatcttg acttatccag gccacttttc 480
 acttctctgc cactgccttc agcatgcaag attctaaaag tgaagtggga taaaaacaaa 540
 atggttagcca catccgggtg aaaaaaagct atatttgatc gactgtgtaa acaactagag 600
 aagattggac agcagggtcga cagagaacct ggagatgtag ctactccacc acggaagaga 660
 aagaagatag tggttgaagc ccagcgaag gaaatggaga aggtagagga gatgccacat 720
 aaaccacaga aagatgaaga tctgacacag gattatgaag aatggaagg aaaaattttg 780
 gaaaaatgctg ccagtgtcca aaaggctaca gcagagtgat ttcagcttcc aaactgggat 840
 acattccaaa ctgatatgtac attgccatct ccaggaagac ttgacggctt tgggattttg 900
 tttaaacttt tataataaag atcctaagac tgttgccctt aaatagcaaa gcagcctacc 960
 tggaggctaa gtctgggcag tgggctggcc cctgtgtgta gcattagacc agccacagtg 1020
 cctgattggt atgaccttat atgctttcct acaaaatgga attggaggcc gggcgagtg 1080
 gctcacgcct gtaatccagc cactttggga ggccaagggt ggtggatcac ctgaggtcag 1140
 gagctcgaga ccagctaggc caacatgggt aaaccctatc ctactaaaa atacaaaaat 1200
 tagccagggt tgatggtgca tgccctgtaat ccagctcctc cagtaggctg agcaggagag 1260
 atcaactgaa cgtgggagcc agaggttgca gtgagccgag attgcaaccg cgaactccag 1320
 cctgggtgac agagcagagc ttatctcata aataaataga tagatactcc agcctgggtg 1380
 acagagcgag acctatagat agatagatag atagatggat agatagatag atagatagat 1440
 agatagataa acggaattgg agccattttg ctttaagtga atggcagctc cttgtcttat 1500
 tcagaataaa aaattcagtc tgaatggcat cttacagatt ttacttcaat ttttgtgtac 1560
 ggtatttttt atttgactaa atcaatatat tgtacagcct aagttaataa atgttattta 1620
 tatatgcaaa aaaaaaaaaa aaaaaaa 1647

<210> 242
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014321

```

<400> 242
tgctttaagt gaatggcagt cccttgtctt attcagaata taaaattcag tctgaatggc 60

<210> 243
<211> 1455
<212> DNA
<213> Homo sapiens

<300>
<308> NM_014364

<400> 243
ggcgggtccgc acgcacctcg gtaacatcac agcagggtcca ggccaatgat aaccttataa 60
gagggccatgt cgaagcgcga catcgctctc accaatgtca ccgttgtcca gttgctgcga 120
cagccgtgccc cggtgaccag agcacgcgcc ccacctgagc ctaaggctga agtagagccc 180
cagccacacac cagagccccc accagtcagg gaggaataaa agccaccacc gccaccactg 240
cctctcacc ccgctactcc tctctctaag atgggtgtctg tggcccgga gctgactgtg 300
ggcatcaatg gatttggagc catcggtcgc ctggctcctg gcgcctgcac ggagaagggt 360
gttaagggtgg tggctgtgaa tgatccattc attgacccgg aatacatggt gtacatgttt 420
aagtatgact ccacccacgg ccgatacaag ggaagtgtgg aattcaggaa tggacaactg 480
gtcgtggaca accatgagat ctctgtctac cagtgc aaag agcccaaa caatccctgg 540
agggctgtcg ggagccccta cgtggtggag tccacaggcg tgtacctctc catacaggca 600
gcttcggacc acatctctgc aggtgctcaa cgtgtggtca tctccgcgcc ctcaccggat 660
gcaccaatgt tcgtcatggg tgtcaatgaa aatgactata accctggctc catgaacatt 720
gtgagcaacg cgtcctgcac caccaactgt ttggctcccc tcgccaaagt catccacgag 780
cgatttggga tcgtggaagg gttgatgacc acagtccatt cctacacggc caccagaag 840
acagtggagc ggccatcaag gaaggcctgg cgagatgggc ggggtgccca ccagaacatc 900
atccagacct ccactggggc tgcgaaagct gtgaccaaag tcatcccaga gctcaaaggg 960
aagctgacag ggatggcggt ccgggtacca accccggatg tgtctgtcgt ggacctgacc 1020
tgccgcctcg cccagcctgc cccctactca gccatcaagg aggctgtaaa agcagcagcc 1080
aaggggccca tggctggcat ccttgcttac accgaggatg aggtcgtctc tacggacttc 1140
ctcggtgata cccactcgtc catcttcgat gctaaggcgc gcattgcgct caatgacaa 1200
tctgtgaagc tcaattcatg gtacgacacac gaatatggct acagtccacg ggtggtcgac 1260
ctcctccgct acatgttccg ccgagacaag tgaacaggga aggtccttcc ttctcttccc 1320
agggggccgg gccggaacat gtgcctcccg ttccagcatc tggctgcccg ggggaggaag 1380
gacacccggg gcggggcgccc cacgcccgat ggtccatggt gaaataaaaa acagtgtctc 1440
aaaaaaaaaa aaaaa 1455

<210> 244
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_014364

<400> 244
cgctcaatga caatttcgtg aagctcattt catggtacga caacgaatat ggctacagtc 60

<210> 245
<211> 935
<212> DNA
<213> Homo sapiens

<300>
<308> NM_014462

<400> 245
gaagtgggta agggtaatat ggaggagctt ccggcaggcc ccggcggtcg aaagccgggg 60
cagaaagtgt ggtctcgctc gggattccgg gcttgggtccc accgaggcgg cgactgcggt 120
aggagggaag aggttttggg cgcgtgggcc tccccgcctt gtgcattgca gcattatttc 180

```

agttcaaaat	gaactatatg	cctggcaccg	ccagcctcat	cgaggacatt	gacaaaaagc	240
acttggttct	gcttcgagat	ggaaggacac	ttataggctt	tttaagaagc	attgatcaat	300
ttgcaaaact	agtgctacat	cagactgtgg	agcgatttca	tgtgggcaaa	aaatacggtg	360
atatctccctg	agggattttt	gtgttcagag	gagaaaaatg	ggctcctacta	ggagaaaatg	420
acttggaaaa	ggagagtgc	acacccctcc	agcaagatc	cattgaaagaa	attctagaag	480
aacaaagggt	ggaacagcag	accaagctgg	aagcagagaa	gttgaaagtg	caggccctga	540
agggcccgag	tctttccatt	cctcgagcag	atactcttga	tgagtactaa	tcttttgccc	600
agaggctgtt	ggctcttgaa	gagtaggggc	tgctactgag	tgaagtgc	atcctggcca	660
ctctacgcat	ttgatccag	actgtagagt	tttgaagaat	cactttttat	tttaattatt	720
ttacatatgc	aacatgaaga	aatcgtgtag	gtgggttttt	tttttaataa	caaaatcact	780
gtttaaagaa	acagtgccat	agactccttc	acacatcact	gtggcaccag	caactacttc	840
tttatattgt	tcttcatact	cctaaattaga	gtttacaggg	acagctttca	tttacttgtta	900
aataaaatat	gaatctcaaa	aaaaaaaaaa	aaaaa	935		

<210> 246
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014462

<400> 246
 ttaataacaa aatcactgtt taaagaaaca gtggcataga ctcttcaca catcactgtg 60

<210> 247
 <211> 890
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014501

ggcggaccga	agaacgcagg	aagggggcgg	gggggaccgg	cccccgccgg	gccgcagcca	60
tgaactccaa	cgtggagaac	ctacccccgc	acatcatccg	cctggtgtac	aaggagggtga	120
cgacactgac	cgcagaccga	cccgatggca	tcaaggtctt	tcccaacgag	gaggacctca	180
ccgacctcca	ggtcaccatc	gagggccctg	aggggacccc	atatgctgga	ggtctgttcc	240
gcatgaaact	cctgctgggg	aaggacttcc	ctgcctcccc	acccaagggc	tacttctga	300
ccaagatctt	ccaccggaac	gtgggcgcga	atggcgagat	ctgcgtcaac	gtgctcaaga	360
gggactggac	ggctgagctg	ggcatccgac	acgtactgct	gacctcaag	tgccctgctga	420
tccaccctaa	ccccgagctc	gcaactcaacg	aggaggcggg	ccgcctgtct	ttggagaact	480
acgaggagta	tgcggctcgg	gccgctctgc	tcacagagat	ccacgggggg	gccggcgggc	540
ccagcggcag	ggccgaagcc	ggtcggggccc	tgccagtggt	cactgaagct	tcctccaccg	600
acccctggggc	cccgaggggc	ccgggagggg	ctgaggggtcc	catggccaag	aagcatgctg	660
gcgagccgca	taagaagctg	gcggccaaga	aaaagacgga	caagaagcgg	gcgctgcggg	720
gcgtgcggcg	gctgtagtgg	gctctcttcc	tccttcacc	gtgaccccaa	cctctcctgt	780
ccccctccct	caactctgtc	tctaagttat	ttaaattatg	gctggggtcg	gggagggtac	840
agggggcact	gggacctgga	tttgtttttc	taaataaagt	tggaaaaagca	890	

<210> 248
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014501

<400> 248
 acacgtactg ctgacctca agtgctgtgatccacct aaccccgagt ctgacctcaa 60

<210> 249
 <211> 1182
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016095

<400> 249
 gcggcgccgct gcgtctctct ccgggacgct gaggggcccg aggagaccgt gaggctcttg 60
 cctgcagctc gcgcgcgcct ggacgctgcc gaggtcgaaat tctctcgccga gaaggagctg 120
 gttaccatta tcccacaact cagtctggac aagatctacc tcatcggggg gacctggggg 180
 ccttttaacc ctggtttacc cgtggaagtgc cccctgtggc tggcgattaa cctgaaacaa 240
 agacagaaat gtcgcctgct cctccagagc tggatggatg tagaaaaagt ggagaagatg 300
 agggatcatg aacgaaagga agaaactttt accccaatgc ccagccctta ctacatggaa 360
 cttacgaagc tctctgttaa tcatgcttca gacaacatcc cgaaggcaga cgaatcccg 420
 accctggctca aggatattgt ggacactcgt atagccaaac tccgagtgtc tgctgacagc 480
 tttgtgagac agcaggaggc acatgccaaag ctggataact tgaccttatg ggagatcaac 540
 accagcggga ctttctcac acaagcgctc aaccacatgt acaaaactcg caggaacctc 600
 cagcctctgg agagtactca gtctcaggac ttctagagaa aggcctgtgt caggcggtct 660
 gctgggggat gtgagcgctc aggatgtgat gaggtactcg tggttctgga gctctagaaa 720
 cactctctat gcatgaaaaa tgtgtgatgg tgcaaggaaat ggattcagga tgttgttggg 780
 gaaacaagtt tgtgattagt ccttaaaact tagctccctg ggacattctt caattccaca 840
 tctgtttcta gaaacacgac ctttttcccc ccacttttga gaaataaaaa agccttaggt 900
 aaataagctc ttctccctag cagagccact tgggtctcct gcatggaagc cgtcacactt 960
 gggcaggtgt tcagtgactg gtatgtgtat atacagcagg atgtggccatg ttgtccacgg 1020
 ctttttcccc cttctgtatc ctgattttctt gggctgaatt tagactctct cacagaggtg 1080
 gctcacagag aaggatggca gatgtgtcag ccaacaatgc tgaccggtgtc ttatcctcta 1140
 agccctgac cacaataaaa atggaccaca ctcaaaaaaa aa 1182

<210> 250
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016095

<400> 250
 atggattcag gatgttgttg gagaaacaag tttgtgatta gtcttaaaaa cttagctccc 60

<210> 251
 <211> 704
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016185

<400> 251
 tgcagcgggtg gtcggctgtt ggggtgtggag ttccacagcg cccctcggtt ccgacctttt 60
 gacgtctctg ctccggcgcc agcctacctc gctcctcgcc gccatgacca caaccaccac 120
 cttcaaggga gtgcacccca acagcaggaa tagctccgga gttttcgccg ctccagggtgg 180
 tggatccaat ttttattatg gttttgatga accaacagaa caacctgtga ggaagaacaa 240
 aatggcctct aatatctttg ggacacctga agaaaaatcaa gcttcttggg ccaagtccagc 300
 aggtgccaaag tctagtgtgt gcagggaaga cttggaatca tctggactgc agagaaggaa 360
 ctctcttgaa gcaagctccg gagactttct agatctgaag ggagaagggt atattcatga 420
 aaatgtggac acagacttgc caggcagcct ggggcagagt gaagagaagc cctgtcctgc 480
 tggcctgtgc cccagcccggt tggccccggc cccagtgcga tccagaagaa atccccctgg 540
 cggcaagtcc agcctcgtct tgggttagct ctgactgtcc tgaacgctgt cgttctgtct 600
 gtttctctca tgcttgagaa ctgcacaact tgagcctgac tgtacattct ctgggatttg 660

tttcattaaa aagaagcact ttatgtaaaa aaaaaaaaaa aaaa 704

<210> 252
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_016185

<400> 252
tgaaccaaca gaacaacctg tgaggaagaa caaaatggcc tctaatatct ttgggacacc 60

<210> 253
<211> 2268
<212> DNA
<213> Homo sapiens

<220>
<221> Modified_base
<222> 1 ... 2268
<223> n = a,c,g, or t

<300>
<308> NM_016359

<400> 253
gggatttgaa ccnccgtgac gaagtttggt gatccatctt ccgagtatcg ccgggatttc 60
gaatccgcgt gatcatcccc tctctagagg agctggagct cctcaagtaac agtgacctgc 120
agaacttagc caagagctcg ggtctccggg ccaacctgag ggcaaccaag ttgttaaaag 180
ccttgaaaag ctacattaaa catgaggcaa gaaaaggaaa tgagaatcag gatgaaagtc 240
aaactctcgc atcctcttgt gatgagactg agatacagat cagcaaccag gaagaagctg 300
agagacagcc acttgggcat gtcacaaaa caaggagaag gtgcaagact gtcctgtgtg 360
accctgactc acagcagaat cattcagaga taaaaataag taatcccact gaattccaga 420
atcatgaaaa gcaggaaaagc caggatctca gagctactgc aaaagtttct tctccaccag 480
acgagcacca agaagctgag aatgctgttt cctcaggtaa cagagattca aaggtaacct 540
cagaaggaaa gaaatctctc tacacagatg agtcatccaa acctggaaaa aataaaagaa 600
ctgcaatcac tactccaac tttaagaagc ttcatgaagc tcatttttaa gaaatggagt 660
ccattgatca atatatggag agaaaaagaa acattttgaa gaacacaatt ccatgaatga 720
actgaagcag cagcccatca ataagggagg ggtcaggact ccagtaacct caagaggaag 780
actctctgtg gcttctactc ccatcagcca acgacgctcg caaggccggt cttgtggccc 840
tgcaagtcag agtaccttgg gtctgaaggg gtcactcaag cgctctggtg tctctgcagc 900
taaaacgggt gtcagggttt cagctgtctac taaagataat gagcataagc gttcactgac 960
caagactcca gccagaaaagt ctgcacatgt gaccgtgtct gggggcacc caaaaggcga 1020
ggctgtgctt gggcacacaa aattaaagac catcacgggg aattctgtgt ctgttattac 1080
cccatccaag ttgcaaacgt aggcacagca gactccagtc tccaataaga aaccagtggt 1140
tgatcttaaa gcaagtttgt ctctgccctt caactatgaa ccacacaaag gaaagctaaa 1200
accatggggg caatctaaaag aaaaataatta tctaaatcaa catgtaacca gaattacttc 1260
ctacaagaaa accttcaaac aaccccatct ccagacaaag gaagagcaac ggaagaaacg 1320
cgagcaagaa cgaaaggaga agaaagcmaa ggttttggga atgcgaagg gctcattttt 1380
ggctgaagat taataatttt ttaatatctt gtaaatattc ctgtattctc aacttttttc 1440
cttttgttaa tttttttttt ttgtgtgtca tccccacttt agtcacgaga tctttttctg 1500
ctaacctgttc atagtctgtg taagtgtccat gggttcttca tgtgctatga tctctgaaaa 1560
gacgttatca cctttaaagt caaatctctt gggatggttt ttactttaag ccattaacaa 1620
ttcaggtttt taacagagacc catcctaaaa tctctgtttc agatttttaa tgtcaagttc 1680
ccaagttccc cctgctgtgtt ctaatatata cagaactgca gtctctctgt agccaatagc 1740
atttacctga tggcagctag ttatgcgaag ttgacagaaa ttgaacaaat aacaagaata 1800
gggtgaagctg ggatagaaa gcccactctt cactctctat agaataatag aacctttatg 1860
aaacggggct atatatgttg gttatgacat caatatttta cctaggtgaa atgtgttagg 1920
cttatgtacc ttcgttcaaa tatcctcatg taattgccat ctgtcactca ctatattcac 1980
aaaaataaaa ctctacaact cattctaaca ttgcttactt aaaaagtaca tagccctatc 2040

gaaatgcgag	gattaatgct	ttaatgcttt	tagagacagg	gtctcactgt	gttgcccagg	2100
ctggtctcaa	actccaccaa	atgtactctt	tattcatttt	atggaaaaga	ctaggctttg	2160
cttagatca	tgtccatgtt	tccttcacct	cagtgagct	tctgagtttt	atactgtca	2220
agatcgtcat	aaataaaatt	ttttctcatt	gtcaaaaaaa	aaaaaaaa	2268	

<210> 254
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016359

<400> 254	
acattgctta	cttaaaagct acatagccct atcgaaatgc gaggattaat gctttaatgc 60

<210> 255
 <211> 1590
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016816

<400> 255	
gaggcagttc	tgttgccact ctctctctcg tcaatgatgg atctcagaaa taccccagcc 60
aaatctctgg	acaagttcat tgaagactat ctcttgccag acacgtgttt ccgcatgcaa 120
atcgaccatg	ccattgacat catctgtggg ttcttgaagg aaaggtgctt ccgaggtagc 180
tcttaccctg	tgtgtgtgtc caaggtggta aaggttggtt cctcagggca gggcaccacc 240
ctcagaggcc	gatctgacgc tgacctggtt gtcttctca gtctctcac cacttttcag 300
gatcagttaa	atcgccgggg agagttcatc caggaaatta ggagacagct ggaagcctgt 360
caaagagaga	gagcactttc cgtgaagttt gaggtccagg ctccacgctg gggcaacccc 420
cgtgcgctca	gcttcgtact gagttcgctc cagctcgggg aggggttgga gttcgatgtg 480
ctgcctcgct	ttgatgcctt gggtcagttg actggcagct ataaacctaa cccccaatc 540
tatgtcaagc	tcactcgagg gtgcaccgac ctgcagaaag agggcgagtt ctccacctgc 600
ttcacagaa	tcacagagaga ctctctgaag cagcgcccca ccaagctcaa gagcctcatc 660
cgctctagtc	agcactggta ccaaaattgt aagaagaagc ttgggaagct gccacctcag 720
tatgccccgt	agctcctgac ggtctatgct tgggagcgag ggagcatgaa aacacatttc 780
aacacagccc	aaggatttcg gacggtcttg gaattagtc taaactacca gcaactctgc 840
atctactgga	caaagtatta tgactttaaa aacccccatta ttgaaaagta cctgagaagg 900
cagctcacga	aaaccagccc tgtgatctcg gacccggcgg accctacagg aactctgggt 960
gggtggagacc	caaagggttg gaggcagctg gcacaagagg ctgaggcctg gctgaattac 1020
ccatgcttta	agaattggga tgggtcccca gtgagctcct ggattctgct ggtgaaagc 1080
aaacgtacag	acgatgagac cgacgatccc aggcagatc agaaatatgg ttacattgga 1140
acacatagat	accctcattt ctctcataga ccagcagcgc tcaggcagc atccacccca 1200
caggcagaag	aggactggac ctgcaccatc ctctgaatgc cagtcctatc tgggggaaaag 1260
ggctccagtg	ttatctggac cagttccttc attttcaggt gggactctg atccagagaa 1320
gacaaagctc	ctcagtgagc tgggtgtata tccaagacag aacccaagtc tccctgactcc 1380
tggccttcta	tgccctctat cctatcatag ataacattct ccacagctcc acttcattcc 1440
acctattctc	tgaaaaatatt cctgacgaga gaacagagag atttagataa gagaatgaaa 1500
ttccagcctt	gactttcttc tgtgacactg atgggagggt aatgtctaat gtattatcaa 1560
taacaataaaa	aataaagcaa atacaaaaaa 1590

<210> 256
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016816

<400> 256
cgatccagg acgtatcaga aatatgggta cattggaaca catgagtacc ctcatctctc 60

<210> 257
<211> 2905
<212> DNA
<213> Homo sapiens

<300>
<308> NM_016817

<400> 257
cggcagccag ctgagagcaa tgggaaatgg ggagtcacag ctgtctctcg tgctctgctca 60
gaagctgggt tggtttatcc aggaatacct gaagccctac gaagaatgtc agacactgat 120
cgacgagatg gtgaacacca tctgtgacgt ctgcaggaaac cccgaacagt tccccctggt 180
gcaggggatg gccataggtg gctcctatgg acggaaaaca gtcttaagag gcaactccga 240
tggtagcctt gtccctttct tcagtgaact aaaaacaattc caggatcaga agagaagcca 300
acgtgacatc ctcgataaaa ctggggataa gctgaagttc tgtctgttca cgaagtgggt 360
gaaaaacaat tctcgatccc agaagtcctc tgatgggtcc accatccagg gtcttcaaaa 420
aaatcagaga atctctttcg aggtgctggc cgcttcaacc gctctgagct taagtataaa 480
tccagagccc tggatctatc gagagctcaa aagatccttg gataagacaa atgcagctcc 540
tggtgagttt gcagctctgt tcaactgaact ccagcagaag ttttttgaca accgtctctg 600
aaaactaaaag gatttgatcc tcttgataaa gcactggcat caacagtgcc agaaaaaaat 660
caaggattta cctcctcgctg ctccgtatgc cctggagctg cttacggtgt atgcctggga 720
acagggggtg agaaaagaca actttgacat tgcgtgaagg gtacagaacg tctctggagct 780
gatcaaatgc caggagaagc tgtgtatcta ttggatggtc aactacaact ttgaagatga 840
gaccatcagc aacatctctg tcaccagact ccaatcagcg aggccagtaa tcttgatgcc 900
agttgaccca accaataatg tgagtgagga taaaatatgc tggcaatggc tgaaaaaaga 960
gtgtccaacc tggttgactt ctcccaacct ggataatgag ttacctgcac catctggaa 1020
tgtctctgct gcaccactct tcacgacccc aggccacctt ctggaataag tcatcaagga 1080
gtttctccag cccaacaaat gcttctctaga gcagattgac agtgctgtta acatcatccg 1140

tacattcctt aaagaaaact gcttccgaca atcaacagcc aagatccaga ttgtccgggg 1200
aggatcaacc gccaaaaggca cagctctgaa gactggctct gatgcgcgac tcgtctgtgt 1260
ccataactca ctttaaaagct acacctccca aaaaacagag cggcacaaaa ctgcctgga 1320
aatccatgaa cagctgaaaag cctttttggag ggagaaggag gaggagcttg aagtcagctt 1380
tgagcctccc aagtggaaag ctcccagggt gctgagcttc tctctgaaat ccaaagctct 1440
caacgaaagt gtcagctttg atgtgcttcc tgcctttaat gcactgggtc agctgagttc 1500
tggtctcaaca cccagccccg aggtttatgc agggctcatt gatctgtata aatcctcgga 1560
cctcccgagg ggagagtttt ctacctgttt cacagtcctg cagcgaacct tcattcgctc 1620
cggcgccacc aaactaaaag atttaattcg cctggtgaag cactggtaca aagagtgtga 1680
aaggaaaact aagccaaaag ggtctttgcc cccaaagat gccttggagc tgcctccat 1740
ctatgctgtg gagcagggga gtggagtgcc ggattttgac actcgcaaga gtttccggac 1800
agtctcgagg ctggtccacac aatatcagca gctcggcat tcttggaagg tcaattacaa 1860
ctttgaagat gagaccgtga ggaagtttct actgagccag ttgcagaaaa ccaggcctgt 1920
gatcttggac ccaggcgcaac cacaggggtga cgtgggtgga gggagccgtt ggtgttgga 1980
tctcttggac aaagaagcaa aggttaggtt atcctctccc tgcttcaagg atggagctg 2040
aaacccaata caccttggga aagtcggcag aatgcagaca ccaggaaagt gtggagctag 2100
gatccatcct attgtcaatg agatgttctc atccagaagc catagaaacc tgaataataa 2160
tctcaaaaag aactcttggga gatcactctg caatcgcttt taaagactcg gctcacccgt 2220
agaaaagatc actcacatcc attcttccct tgatggtccc tattctctct tcccttgcct 2280
tcttgagact cttgaaatca atcaagactg caaacctctt cataaaagctg ccttgctgaa 2340
ctctctctgt caggagccct ctgtaaaata gttgatgtca tcaacttatg tgcactctat 2400
tctgtcaacc ttgtattttt ttttcttgta tttttccaat tagctctctc tttttctctc 2460
cagctcaaaa aaggaatcct ctgtgtcttc aaagcaaaag ctttactttt ccccttggtt 2520
ctcataaact tgtgatctgt ctctcgtgtc ttccaactca tccaagctctc gctgtgttcc 2580
tctgtatata aaacacctttc tgcccctgtg gacacagaca tctctctatg cagcagccag 2640
gccaaacctt tcattagaaac ttcaagctct ccaaaagctc agattataac tgttgcata 2700
tttatctgag gctgttgcct tttcttctgt agctcgtctt tatccccca tccagagagta 2760
tccctctgctc aaagcaaaag actttttcct tggcttttag cttaaagata cttgaaggct 2820
taggtgcttt aaacctacat accctcaact aaacttttat cactgttgca tataccagtt 2880

gtgatacaat aaagaatgta tctgg 2905

<210> 258
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_016817

<400> 258
aagggtctagg tgctttaacc tcacataccc tcacttaaac ttttatcact gttgcatata 60

<210> 259
<211> 2054
<212> DNA
<213> Homo sapiens

<300>
<308> NM_017414

<400> 259
gggaagctcg ggcggcgagg gtttccccgc acgctggcgc ccagctcccg ggcgggaggc 60
cgctgtaagt ttccgtttcc attcagtgga aaacgaaagc tgggcggggt gccacgagcg 120
cgggggcaga ccaagggcgg ccgggagcgg aacttcggtc ccagctcggg ccccggtcca 180
gtcccgacgt ggaactcagc agcggaggct ggacgcttgc atggcgcttg agagattcca 240
tcgtgccttg ctacataaag cgcttccttg aagtgaagtc gtgctgtcct gaacgcggcg 300
caggcagctg cgccctgggg gttttggagt gatcacgaat gagcaaggcg ttggggctcc 360
tgaggcaaat ctgtcagtc atcctggctg agtctctgca gtccccggcg gatcttgaag 420
aaaagaagga agaagacagc aacatgaaga gagagcagcc cagagagcgt cccaggcgct 480
gggactaccc tcattggcctg gttggtttac acaacattgg acagacctgc tgccttaact 540
ccttgattca ggtgttcgta atgaatgtg acttcaccag gatattgaag aggatcacgg 600
tgcccagggg agctgacgag cagaggagaa gcgtcccttt ccagatgctt ctgctgtctg 660
agaagatgca ggacagccgg cagaagcagc tgcggccctt ggagctggcc tactgctgct 720
agaagtgcga cgtgcccttg tttgtccaac atgatgtgct ccaactgtac ctcaaaactct 780
ggaacctgat taaggaccag atcactgatg tgcacttggt ggagagactg caggccctgt 840
atacgtacc ggtgaaggac tccttgattt gcgttgactg tgccatggag agtagcagaa 900
acagcagcat gcctaccctc caactttctc tttttgatgt ggactcaaag cccctgaaga 960
cactggagga cgccctgcac tgctcttccc agcccaggga gttatcaagc aaaagcaagt 1020
gcttctgtga gaaactgtggg aagaagaccc gtgggaaaca ggtcttgaag ctgacccatt 1080
tgccccagac cctgacaatc caactcatgc gattctccat caggaaatca cagacgagaa 1140
agatctgccca ctccctgtac ttccccaga tcttggattt cagccagatc gttccaatga 1200
agcgagagtc ttgtgatgct gaggagcagt ctggagggca gtatgagctt ttgtctgtga 1260
ttgcgcacgt ggggaatggca gactccgctc attactgtgt ctacatccgg aatgctgtgg 1320
atggaaaaat gttctgcttc aatgactcca atatttgctt ggtgtccttg gaagacatcc 1380
agtgtaaccta cggaaatcct aactaccact ggcagggaac gcatatctt ctggtttaca 1440
tgaagatgga gtgctaatgg aaatgcccaa aaccttcaga gattgacagc ctgtcatttt 1500
ccatttccgt tcttgatctc acggagctct ctaagagatt ttgcaatgag gagaagcatt 1560
gtttttcaac tatataactg agccttattt ataattaggg atattatcaa aatatgtaac 1620
catgagcccc ctcaaggctc gatcagtcag aatggatgct ttccaccaga gaccgggcca 1680
tgtggtgctc cggtcctggg tgctcgtctc tgtgcaagac attagccctt tagttatgag 1740
ccttgaggaa ctccaggggt tccagtgagg gagagcagtg gcagctggag gcatctgggg 1800
gccaaaaggtc agtggcaggg ggtatttcag tattatacaa ctgctgtgac cagacttgta 1860
tactggctga atatcagtcg ttttggtaat ttttcaattt gagaaccaac attaatcca 1920
tatgaattcaa gtgttttgta actgctattc attttatcag caaattatta ttgatcatct 1980
ctctccataa agatagtgtg ataaacacag tcatgaataa agttattttc cacaaaaaaa 2040
aaaaa 2054

<210> 260
<211> 60
<212> DNA

<213> Homo sapiens

<300>

<308> NM_017414

<400> 260

tgagcatctc ttctccataa gatagtgtga taaacacggt catgaataaa gttattttcc 60

<210> 261

<211> 3638

<212> DNA

<213> Homo sapiens

<300>

<308> NM_017523

<400> 261

ggtagatgcy gctgtgacag cagcaaaaga tgacggccaa gggcgacagc aggggctggc 60
catgctgttaa aggggcttct tgggagggct cagcctcagg aatcaagggg aactcctgag 120
ccgagaattc tgaagatctc ctccctccct gaagctgtgg gctggggccat cggaaaaactt 180
tcagttttgt ttctctgcct gcaagaaaag aaactcaacc gaaagcctgc agagagcaga 240
acatggaagc agactctcgc gtgtgcagga actgtaaaaa acatgtatgc tctgccaact 300
tcacctccca tgagggcttac tgctctgcgt tctctggctc gtgtcggagc tgtgaggagc 360
ctgtcccccga ggaaaccatg gaggagcact gcaagcttga gcaccagcag gttgggtgta 420
cgatgtgtca gcagagcatg cagaagtcct cgctggagtt tcataaggcc aatgagtgcc 480
aggagcgccc tgttgagttg aagttctgca aactggacat cgagctcagc aagctggagc 540
tcacagcatg ctactgtggc agccggacag agctctgcca aggctgtggc cagttcatca 600
tgaccccgcat gctcgccagc cacagagatg tctgtcgagc tgaacaggcc cagctcgga 660
aaggggaaag aatttcagct cctgaaaagg aaatctactg tcattattgc aaccaaata 720
ttccagaaaa taagtatttc caccatatgg gtaaatgttg tccagactca gagttaaaga 780
aacactttcc tgttggaaat ccagaaattc ttcttcatc tcttccaagt caagctgctg 840
aaaaacaaac ttccacgatg gagaaagatg ttgtccaaa gacaagaagt ataaacagat 900
ttctcttcca tctcaaaagt tcatcaaaag aagcaccacg aagcaaaaac aaaaacttgg 960
atccactttt gatgtcagag cccaaagccca ggaccagctc ccttagagga gatataagcag 1020
cctatgacat tctgaggaga tgttctcagt gtggcactct gtttccccct ccatctctaa 1080
atcaacatca ggagaaatgc cgggtggtag ctctcatcaa aggaaaacaa gtgagaaatt 1140
tcagctagat ttggaaaagg aaaggtacta caaattcaaa agatttcaat ttaacactg 1200
gcattctctgc ctacttctgc ttgtgtgctt gtgaaagggt atgggtttta tctgttgggc 1260
tttaaaagaa aaggtttggc agaactaaaa acaaaactca cgtatcatat ccatagatac 1320
agaaaaggct ttgtataaaa ttcaacttga ctctatgtta aaaaacctca acaaacagg 1380
cgtgcgaagg acatacctca aataataaag agccatctat gacaaaacca gcaccaacat 1440
catactgaat gagcaaaagc tggagcatta ctcttgagaa gtgacaacag gcactcagt 1500
ccatctcaac atagtactgg aagtcctcgc cacagcaatc aggcagaaga aagaaaataa 1560
aggcaacccea aaagaaaagg agtcgaagta agtcgagttg cagacgatat gattctatat 1620
ctgaaaaacc ccatgatctt ggcccaaaag ctctatgatc tgataaacaa ctccagctaa 1680
ctttcaggag acaaaaatca tatcaaaaat atggtagcat ttttatcac caacgcacot 1740
caagctggaga gccaaaatca gaatgcaatc ctattcacia ttgccaaaaa aagaataaaa 1800
tacctaggaa tacagctaac caggggagatg aaagatctct acacaacaaa ttacaaaaca 1860
ctgctgaaag aaatcagaga tgcaacaaat ggaaaaaaat tccatactta tggataggaa 1920
gaatcaatat tgtttaaagt gccataactc ccaaaagcat ttatagattc aatgtctatc 1980
ctatcaaaact accaataaca ttcttcacag aatcagaaaa aaaaagcatt aaaaatttat 2040
gtgaacccaa aaagagccca aaaaagccaa gcaatcctaa gcaaaaaagaa caaagctgga 2100
ggcatcgcac taccacactt taaccaatata tacagggcta cagtaaacaa aactgcata 2160
tactggtaca aaagcatggt gctgtgtacaa aagcagacac atagatcaat ggaacagaa 2220
agagggccca gaaataaaag tacacaccta caacatcta ctcttgaca aagttgaca 2280
aaatcgcaa tggggaaaag atctccattc cagtaagtgg tactgggata actagctagc 2340
catatcgaga ggattgaaac tgcaaccact ctgtacacca tatgcaaaaa tcaactcaag 2400
atggattaaa gacttaaatg taaaacccca aactataaaa actctggaag ataacctagg 2460
caataccatt ctggacatag gaacggaaaa agatttcatg acaaaagatc caaaaataat 2520
tgtaaccgaa gccaaaaattg acaaatggga catgattaaa cagaattacc atttgactca 2580
gcaatcccat tattgtttat atacccaaag gaattctaat cattctgtca taaagacata 2640

tatacacaaa	tgttcaacggc	agcactatatac	acaatcgcaa	agtcaggagaa	tcaaaactaaa	2700
tgtccatcag	tggtagaaga	gataaagaaa	atgtggtggc	agggagtggt	ggctcatgtc	2760
tgtaatccca	gcactttggg	aggctgaggc	gggtggttca	ctcgaggtca	ggagtttggag	2820
accagccctg	ccaacatggc	gaaactccgt	ctccgctaaa	aatacgtaaa	ttagccaggc	2880
gtggtggcga	gcacctgtca	tcccagctac	ttgggaggcc	taggcgtgag	aatcgcttga	2940
acctggaagg	tgggtggtgc	agtggagcga	gatcctgcc	ctgcaactca	gcttggggca	3000
ccaagcgaga	ctctgcctta	aaaaaaaaaa	aaagaaaatg	tggcacatat	accacctgga	3060
atactatgca	gccataaaaa	agaatgggat	catgtcctgt	gcgcacacgt	ggatggagct	3120
ggaagccatt	atcctaaaat	aactcactca	gaaacagaaa	accaaaatcc	acatgtttctc	3180
acttaaatg	agaagctaaa	cattgagtac	acatggatca	aaagaaggga	accgcagaca	3240
ctggggccta	ctcgaggtcg	gagcatggaa	ggagggtgag	gatcaaaaaa	ctacctatct	3300
ggatctactg	tttttatctg	gatgatgaaa	taatctgtac	aacaaacctt	ggtgacatgc	3360
aatttaccta	tatagcaagc	ctacacatgt	gccctgaac	ctaaaaaaa	agttaaaaaga	3420
aaaaagcttg	gattattttc	cctcttttca	acaaagacat	tggtttgccc	aaggactaca	3480
aataaaccaa	cgggaaaaaa	gaaagggtcc	agttttgtct	gaaaattctg	attaagccctc	3540
ggggccctac	agcctggaga	acctggagaa	tctacacccc	acagaacccg	gctttgtccc	3600
caagaataaa	aaacacctct	ctaaaaaaa	aaaaaaaa	3638		

<210> 262
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_017523

<400> 262
 ttggaagaagg aaaggtacta caaatctcaa agatttctact tttaacactg gcattcctgc 60

<210> 263
 <211> 2461
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_018410

<400> 263						
atgctgggta	cgctgcgcgc	catggagggc	gaggacgtgg	aagacgacca	gctgctgcag	60
aaagctcagg	ccagtcgcgc	ccgcttccag	aggcgcatgc	agcggctgat	agagaagtac	120
aaaccagccc	tcgaggacac	cccggtggtg	caaatggcca	cgctgaacct	cgagacgcga	180
cagggtattga	gaatttgggg	tggaaagacta	ataaaggaaa	gaaacaaaag	agagatccag	240
gaactctcca	tgaagcccg	ggacaggaca	gatggctccg	tgaagctgc	agcctggggt	300
ctcgagcttc	ccctgcaccc	cacagtcctg	ggagccgatt	caaaaagtcg	tgaagtcgat	360
gccacgtcga	accaggaaga	gtcagttgct	tgggccttag	caactgcagt	gcctcaaaag	420
cccttgaaaa	atgaattaa	aaggaataac	ttgacccaa	tggatatact	gtacaaggt	480
cgagagtatt	ttgagttgtg	aggttaacaga	gctggaaagg	atgtactgtg	gactcccgct	540
cttctactgt	cctcactctg	cgctgctgcc	cccgatact	gcagtcgtat	ctccggaaa	600
agtcctcagg	accacgcgaa	accagcttca	tctccagag	aattggatcc	tttgatcct	660
tctccacag	acatggtcct	agttactaga	aatgacagcc	tctccctaca	agagaccagt	720
agcagcagct	tcttaagcag	ccagcccttt	gaagatgatg	acatttgcaa	tgtgaccatc	780
agtgacctgt	acgcagggat	gtcgcactcc	atgagccggc	tgttgagcac	aaagccatca	840
agcatcatct	ccaccaaaaa	gttcatcatg	caaaactgga	actgcaggag	gaggcagga	900
tataagagca	ggatgaacaa	aaacatattgc	aaaggagcca	gacgtttcta	gaggagctcc	960
aagggaacct	ctctgacccg	ctctgagcct	gtgaaaggga	cagggtccatt	aagagattgc	1020
agaagactgt	tagatgtttc	tgcgcgtaag	acaggtttaa	aatttgaaaa	agcttttctt	1080
gaagtcaaca	gaccocaaat	ccataagtta	gatccaagtt	ggaagtagcg	caaagtgaca	1140
ccctcgaagt	attcttctct	gatttacttc	gactccagtg	caacatatag	tcttgatgag	1200
gaaaatagat	ttagacatt	aaaaatggta	atttctcctg	taaaaataat	tcccgagcca	1260
acaatcacgac	agggccatgg	agagaacctg	cagagggaga	ttgaaatccg	atttgatcag	1320
cttcatcggg	aatattgcct	gagtcacagg	aaccagcctc	gccggatgtg	cctcccgagc	1380

tcctgggcca	tgaacatgta	cagagggggt	cctgcgagtc	ctggtggcct	tcagggctta	1440
gaaacccgca	ggctgagttt	accttccagc	aaagcaaaaag	caaaaagttt	aagtgaagct	1500
tttgaaaaacc	taggcaaaaag	atctctggaa	gcaggttaggt	gcctgcacca	gagcgattca	1560
tcttcatcac	ttccaaaagac	caaccccaca	cacagcgcaa	ctcgcgccga	gcagacatct	1620
gaccttcacg	ttcaggggaaa	tagttcttga	atatttagaa	agtcagtgct	accagcaaaa	1680
actctttcag	tcccagataa	agaagtgcga	ggccacggaa	ggaatcgta	cgatgaaatt	1740
aaagaagaat	ttgacaagct	tcatcaaaaag	tattgcctca	aatctcctgg	gcagatgaca	1800
gtgcttttat	gtattggaggt	gtctacagat	aaagcaagta	tggaaattcg	atatcaaaaa	1860
gaaggctctt	taggaaaatt	aaatccagac	cctcacttcc	aggggtttcca	gaagttgcca	1920
tcataccccc	tgggttgag	ctgggtccta	ctgggtccta	ctgcaattga	ggctccttca	1980
tcctcatgtg	ttgctcgtgc	catcacgagg	gatggcacga	gggacattca	gttccctgca	2040
aaaagaccga	ggctatcaga	acccagggc	tccggaacgc	agggcaattc	ctgggtggcc	2100
tcagatgggg	tggacaacac	cgtcagaccg	ggagaccagg	gcagctcttc	acagcccaac	2160
tcagaagaga	gaggagagaa	cacgtcttac	aggatggaa	agaaaagtga	tttcatgcta	2220
gaaaatttgg	aaactaaaag	tggttagcta	ggttatttcg	gagtggtatt	tatcttccca	2280
gtctctctct	gtttgtatatt	ttgttttgtt	tttgattctt	gagactgtga	ggacttgggt	2340
cactctctctg	cccttaaaat	aaataatagt	gaaatttggt	ccatcagaga	taacctcgag	2400
ttcttggtgt	agaaattatg	tgaataaaagt	tgctcaatta	gaaaaaaaaa	aaaaaaaaaa	2460

<210> 264

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_018410

<400> 264

agtgaatttca tgctagaaaa atttgaaact aaaagtgtgt agctaggtta ttctggagtg 60

<210> 265

<211> 1405

<212> DNA

<213> Homo sapiens

<300>

<308> NM_018455

<400> 265

caacctcgctc	gcagcctccc	cagcgcagca	gcgccgctgt	gggcctggcg	cagccgggtc	60
ttccttggtc	ccacctctcg	gggcgcagcg	gcggcaggaa	ggggctcgcc	gggacgccc	120
ctcaggagacc	tgaggaggaa	caacggaaacg	cgctcggaac	ggcctggact	cccagagactc	180
accgcactcg	tgccgcacacc	gggagaactg	aagcggcagt	agccggcgga	gacgcccagc	240
cgaaggcccg	gctgctaggg	agcagacagc	tgaaccgctt	gccagacgcc	gaaacccagt	300
gagcgcctcc	acgcctccac	cgctctcccg	ctgctccgcc	cccgccgccc	cggggcccca	360
aggcgcatcg	gcgcctgtgc	ctggaggggc	ccatttccgt	ccgtctgggg	gggaggcaca	420
gtgactccac	tggggcacgg	cagcgtctaa	gccacaagcc	gagcacataa	gccaggtcct	480
aacggagcct	atgtgtaaat	ccactactgg	tgcgaagttg	cacacttcta	agaagagcgg	540
cgctggggggc	tcggcgacct	tcgcttcaat	cgctccccc	tcgactcccc	tgtgcccaag	600
acacagccctg	atgcttgtgc	tcgggtgggc	ggagcttggg	ggcgccggga	actgcaattg	660
gtggcttctg	agggcgccgg	agcgggaaca	gctcttgagg	agtgagactg	caggagatgt	720
gggcctgtgc	aaagagatgg	atgagactgt	tgctgagttc	atcaagagga	ccactttgaa	780
aatccccact	aatgaactga	caacaatcct	gaaggcctgt	gattttttgt	tgtaaaatca	840
actgcagact	gtaaaatttcc	gacagagaaa	ggaattctgt	atgaagcact	ctgtccatct	900
gtgtgaggaa	aagcgtgcaa	gtatcagtga	tgctgcctgt	ttagacatca	tttatatgca	960
atttctacag	caccagaaaag	tttgggatgt	ttttcagatg	agtaaaagac	caggtagaag	1020
gttgtagcctt	tttgatatga	aacaatttaa	aaattcgttc	aagaaaattc	ttcagagagc	1080
attaaaaaat	gtgacagtca	gcttcagaga	aactgaggag	aatgcactgt	ggattccgaat	1140
tgccctgggga	acacagtaca	caaaagccaaa	ccagtacaaa	cctacctaag	tggtgtacta	1200
ctcccagact	ccgtacgcct	tcacgtcttc	ctccatgctg	agggcgaata	caccgtcttc	1260

gggtcaggag ttagaagcta ctgggaaaat ctacctccga caagaggaga tcattttaga 1320
 tattaccgaa atgaagaaag cttgcaatta gtgaacatga aaggaaaata aaaattcctc 1380
 acagtcaaaa aaaaaaaaaa aaaaa 1405

<210> 266
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_018455

<400> 266
 ccgacaagag gagatcattt tagatattac cgaaatgaag aaagcttgca attagtgaac 60

<210> 267
 <211> 927
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_018465

<400> 267
 ggcagcgggc gaaaggagcc ggggcctgga ggtttgcgta ccggtcgcct ggtcccgcca 60
 ccagcgccgc ccagtggtgt ttcccataag gaagctcttc ttctctgttg gcttccacct 120
 ttaacctctt cacctgggag cgtcctctaa cacattcaga ctacaagtcc agacccaggga 180
 gagcaaggcc cagaaagagg tcaaaatggg gtttatatt tcaaaatcta tgaatgaaag 240
 catgaaaaat caaaaggagt tcatgcttat gaatgctcga cttcagcttg aaaggcagct 300
 catcatgcag agtgaatatga gggaaagaca aatggccatg cggattgcgt ggtctcggga 360
 attcctcaaa tattttggaa ctttttttgg ccttgcagcc atctctttaa cagctggagc 420
 gattaaaaaa aagaagccag ccttcctggt ccgattgtt ccattaaagt ttatcctcac 480
 ctaccagtat gacttgggct atggaacctt tttagaaaga atgaaaggtg aagctgagga 540
 catactggaa acagaaaaga gtaaatgtca gctgccaaaga ggaatgatca cttttgaaag 600
 cattgaaaaa gccagaaaag aacagagtag attcttcata gacaaatgaa atcatgtcta 660
 ccaatcaaat ctcaaacgac agaattattg acttgaatca tggtttttac agttttttta 720
 atgctcaaga ttttgatatt atagatttta ttttaaaata ttaaaatgca agatagtttt 780
 gagctatttt aaaaataaat ttataacatt caacacaaaa tcatggaggt gctcctaaata 840
 accttttagat ttctctcttc tgtgtgcatt accaatatct aagtgtaaaa ttaataaatt 900
 gttttgaatt cctggaaaaa aaaaaa 927

<210> 268
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_018465

<400> 268
 ggaacagagt agattcttca tagacaaatg aaatcatgct taccaatcaa atctcaagc 60

<210> 269
 <211> 1047
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_018487

```

<400> 269
cccaattctc cagccagcgc cccagccctc ccgcccgcgc ctgcgaggtc ccgaggagcg 60
cagactgtgt ccctgacaat gggaaacagc gacagtgat agatggcccc ggagggccca 120
cagcacaccc acatcgatgt gcacatccac caggagtgct ccttgcccaa gtcctctgctc 180
acctgtgctg ctgcgctgcg gccccggggc acccaggcca ggggcagcag ccggctgctg 240
gtggcctcgt ggggtgatgca gatcgtgctg gggatcttga gtgcagtcct aggaggattt 300
ttctacatcc ggcactacac cctcctcgtc acctcgggag ctgccatctg gacaggggct 360
gtggctgtgc tggctggagc tgctgccttc atttacgaga aacgggggtg tacatactgg 420
gccctgctga ggactctgct aacgctggca gctttctcca cagccatcgc tgcctcctaaa 480
ctttggaatg aagatttccg atatggctac tcttattaca acagtgcctg ccgcctctcc 540
agctcgagtg actggaacac tccagccccc actcagagtc cagaagaagt cagaaggcta 600
cacctatgta cctccttcac ggacatgctg aaggccttgt tcagaacctc tcaggccatg 660
ctcttggtgtg tctggattct gctgcttctg gcactctgta cccctctgtg gctgtactgc 720
tggagaatgt tcccaaccaa agggaaaaga gaccagaagg aaatgttggg agtgagtggg 780
atctagccat gcctctcctg atttattagt cctgggtgctt ctgcaccggg cgtccctgca 840
tctgactctg ggaagaagaa ccagactgag gaaaagaggg tcttcaacag ccccgattat 900
cctggcccct tgaccgtggc ccagcccgct ctccagcagc acttgcccat tctttacacc 960
ccttccccat cctgctccgc ttcattgtcc ctccctgagta gtcattgtat aataaactct 1020
catgttattg ttcccaggaa aaaaaaa 1047

```

```

<210> 270
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_018487

```

```

<400> 270
aaccaaaggg aaaaagagacc agaaggaaat gttggaagtg agtggaaatct agccatgcct 60

```

```

<210> 271
<211> 2280
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> U17077

```

```

<400> 271
ccgcccgcga ccagctacgc cccgtccgac gtgcctctgg gggctcgctg gttcctcacc 60
atccctttcg ccttcttctc gcccgagctg atatttgggt tcttggtctg gaccatggta 120
gcgcgccacc acatagtata ccctctgctg caaggatggg tgatgtatgt ctgcctcacc 180
tcgtttctca tctccttgat gttcctgttg tcttacttgt ttggatttta caaaagattt 240
gaatcctgga gagtctctgga cagcctgtac ccggggacca ctggcatcct gtacatggag 300
gctgcgctcc tacaaagtaca tgccacgatt gtttctgaga aactgctgga cccaagaatt 360
tactacatta attcggcagc ctgcttcttc gcctctcatcg ccacgctgct ctacattctc 420
catgccttca gcatctatta ccaactgatgc acaggcgcca ggccaaagggg gaaatgctct 480
tgaaaagctc caattattgg tcccocaaaag cagcttccaa cgtttgccat ctggatgaca 540
aacggaagat ccaactaaaac gtccacggga ttaacagaac gtccttgcag actgagcgat 600
gaccacacac tttgtttgga catttaaaat cactctgctg aataggagga agcttttctt 660
ttctctggga aaacaactgt ctcttggaaat tatctgacca tgaacttgcct ctctagaca 720
actcacatca aagccctcac tccactaatg gagaatccta gccccactaa tgccaagtct 780
gtttggggag tttgctcag cctatgggctt cctcagagta ggtctagggg aactactcagt 840
ctgatctttt tttgtttgt ttttatttgt tttttttgag acggagctctc gctcttctcc 900
caaggctgga gtgcagtgac gcgatctcca ctcactgcag ctcagcctcc ccgggttccc 960
gccattctcc tgccctcagcc tcccagtag ccgggaactac agggcggccc cccactggccc 1020
ggctaattta gttgtatttt tagtagagat ggggtttcac cgtattagcc aggaatggct 1080
cgatctctctg acctcgtgat ccgcccgcct cggcctccca aagtgtctgg attacaggcg 1140
tgagccaccg tgcccggcct gattctctta aaattgaaga ggtgctgcca aggccttcag 1200

```

atctaacgca	gatgcataga	ccttggttct	ggtactgtgt	cagcctgtgc	tggggagccg	1260
tggctccgag	ttccctggga	ggctgacagg	gtcaagccac	cctgccccacc	accctccacc	1320
ttccctcccc	ctttcctctc	cagcattagg	attcaaggga	aattctgcatg	aagccaattt	1380
tgagggtaga	cgtgtgggga	aaataaatca	ttatacagta	agacctgggg	cttgaggggt	1440
ggggaatggg	gagggaaagg	catagccctgc	tcctccatga	gtctgacatc	tcggaaactg	1500
agcaagctgcc	ggacgcctgg	gtcagggaatc	caagacccca	cctcttaagg	actggttctt	1560
cagaaagcac	cctcagggaa	aaaggtgaaa	acattacatc	cgtggattct	cctgccacaa	1620
ccgcattgga	agaaaaggct	gccgcaacat	ctcagcgagg	agtgaaggac	ccatgtccca	1680
ggaaaccgag	tgcgccacct	gcactcacc	ccctcacatt	ctcttaagca	ccgggtggcc	1740
ctccgaggtc	ggcgaggtg	tgtgtgccac	ggggttgagg	aagggtctac	caggacctca	1800
acgggcaaa	tgtgtcacac	taaaatatca	aatacaagggt	cttgggttta	aagtaaatgt	1860
ttttctaaag	aaagctgtgt	tcttctgttg	accagacga	atagggcaca	gcctgttaac	1920
tgcacgtgcc	ttctgtcatt	gggaatgaaa	taaattatta	cgagaagggg	actgtccta	1980
actggtttga	ggccttacag	ttttgtatct	acatttttcc	cctcctgggg	tttgccggga	2040
cagggacaga	actacaggag	tcactgggaaa	gaaaattctg	gcttcactac	tgctcactgc	2100
tcactttctg	atcactctga	tacttttttt	tttttttttt	ttttgcaacc	tgatacctgt	2160
aaaagcttct	atgtgtctct	ccttttgttg	cctggcagct	gtctaggaag	atcactgatt	2220
actatttact	aagtagccac	atgcaaataa	aagttgtgtg	gtaaaatgga	aaaaaaaaaa	2280

<210> 272

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> U17077

<400> 272

tcaccaggac ctcaacgggc aaagtgtgac acactaaaa atcaaatcaa ggtgcttggt 60

<210> 273

<211> 2554

<212> DNA

<213> Homo sapiens

<300>

<308> X87949

<400> 273

aggctgacgc	cggccaagac	agcacagaca	gattgacctt	ttgggggtgt	tcgcgagtg	60
gagagggaag	cgcgcggcc	tgtatttcta	gacctgccct	tcgcctggtt	cgtggcgctc	120
tgtgaccccg	ggccctcgtc	gectgcaagt	cgaaatttgc	gctgtgctcc	tgtgctacgg	180
cctgtggctg	gactgectgc	tgtctgccaa	ctggctggca	agatgaagct	ctccctgggt	240
gcgcgcatgc	tgtctgctgc	cagcgccggc	cgggcccagg	aggaggacaa	gaaggaggac	300
tgtgggcacg	tgttgcggat	cgaattgggg	accacctact	cctgcgtcgc	cgtgttcaag	360
aacggccgag	tggagatcat	cgccaacgat	cagggcaacc	gcatacgcg	gctcatgtc	420
gccttcaact	ctgaaggagg	acgtctgatt	ggcgatgcgc	ccaagaacca	gctcactcc	480
aaccocgaga	acacgggtct	tgaacccaag	cggctcatcg	gccgcacgtg	gaatgaccgc	540
tcctgtcgag	aggacatcaa	gttcttgcgc	ttcaagggtg	ttgaaaaaga	aactaaacca	600
tacattccag	ttgatattgg	agggtggcaa	acaagaacat	ttgctctga	agaaatttct	660
gccatggttc	tcactaaaa	gaaagaaacc	gctgaggctt	atttgggaaa	gaaggttacc	720
catgcagttg	tacttgtacc	agcctatttt	aattgatgcc	aacggcaacg	aacccaaagac	780
tgctggaacta	ttgtctggctt	aaatgttatg	aggatcatca	acgagctcag	ggcagctgct	840
attgcttatg	gectggatga	gaggggaggg	gagaagaaca	tcctggttgt	tgacctgggt	900
ggcggaacct	tcgatgtgtc	ttctctcacc	attgacaatg	gtgtcttcta	agttgtggcc	960
actaatggag	atactcatct	gggtggagaa	gactttgacc	agcgtgtcat	ggaacacttc	1020
atcaaatctgt	acaaaaagaa	gacgggcmaa	gatgtcagga	aggacaatag	agctgtgcag	1080
aaactccggc	gcgaggtaga	aaaggccaag	gcctgtctct	ctcagcatca	agcaagaatt	1140
gaaatttgagt	ccctctatga	aggagaagac	tttcttgaga	ccctgactgc	ggccaaattt	1200
gaaagagctca	acatggatct	gttccggtct	actatgaagc	ccgtccagaa	agtggtggaa	1260
gattctgatt	tgaagaagtc	tgatattgat	gaaattgttc	ttgttggtgg	ctgcactcga	1320

attccaaaga	ttcagcaact	ggttaaagag	ttcttcaatg	gcaaggaacc	atcccgtggc	1380
ataaacccag	atgaagctgt	agcgtatggt	gctgctgtcc	aggctggtgt	gctctctggt	1440
gatcaagata	caggtgacct	ggtactgctt	catgtatgtc	cccttacact	tggtattgaa	1500
actgttaggag	gtgtcatgac	aaaactgatt	ccaagtaata	cagtggtgcc	taccaagaac	1560
tctcagatct	tttctacagc	ttctgataat	caaccaactg	ttacaatcaa	ggcttatgaa	1620
ggtgaagagc	ccctgacaaa	agacaatcat	cttctgggta	catttgcctg	gactggaatt	1680
ccctctgtctc	ctcgtggggt	cccacagatt	gaagtccact	ttgagataga	tgtgaattgt	1740
attcttcgag	tgacagctga	agacaagggt	acaggggaac	aaaataagat	cacaatcacc	1800
aatgaccaga	atcgctgtac	acctgaagaa	atcgaaagga	tggttaatga	tgtcgagaag	1860
tttgcctgag	aagacaaaaa	gctcaaggag	cgcattgata	ctagaaatga	gttggaagc	1920
tatgcctatt	ctctaaagaa	tcagattgga	gataaagaaa	agctgggagg	taaaactttcc	1980
ctcgaagata	aggagaccat	ggaaaaagct	gtagaagaaa	agattggaatg	gctggaaagc	2040
caccaagatg	ctgacattga	agacttcaaa	gctaagaaga	aggaaactgga	agaaattgtt	2100
caaccaatta	tcagcaaat	ctatggaagt	gcaggccctc	ccccaactgg	tgaagaggat	2160
acagcagaaa	aagatgagtt	gtagacactg	atctgctagt	gctgtaatat	tgtaaatact	2220
ggactcagga	accttttgtta	ggaaaaaatt	gaaagaacct	aagtctcgaa	tgtaatgtga	2280
attctcaccct	cagagtggag	tgaacctgct	atagcctaa	cggctgttta	ctgcctttca	2340
ttagcagttg	ctcacatgtc	tttgggtggg	gggggagaag	agaatgtggc	catcttaaaa	2400
agcgggttaa	aaacctgggt	taggggtgtg	gttcaccttc	aaaatgttct	atttaacaac	2460
tggtgctatg	gcattctgtg	taggaagttt	tttctaccat	aagtgcacc	aataaatgtt	2520
tgttattttac	actggtcaaa	aaaaaaaaaa	aaaa	2554		

<210> 274
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> X87949

<400> 274
 aactttcttc tgaagataag gagaccatgg aaaaagctgt agaagaaaag attgaatggc 60

<210> 275
 <211> 1359
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig1632

<400> 275						
ttttaagaca	ggtacactgt	gtgctgctgt	tacaatatat	aatgaaacca	agtcaggggga	60
gtgaatttat	caactctttt	atgtaaaagta	aaaacgtagt	tcacacttca	ggagagaaact	120
ttacatgaca	atgtctttct	ataagatatt	tttaattgatt	tagtatattta	caacattttgt	180
tccactattt	ttgatataacc	atttttttct	atctgccacg	tttttataaa	aaaactatat	240
attattttct	aaagaacaac	tcataatttt	atacaaaatt	atgttttcaa	gtaacgaaat	300
agatgtaggg	tacagtggaa	cataagcagt	gttaccctcg	ctgtgggagc	agtattatc	360
aacaaatggt	gagctggaa	atgccctgtc	tgtgctgtcc	ctcctgtgct	gggtcgcgga	420
tggtgtaggca	acattgcctt	atcacgctag	gttcacctga	cactttaaaa	ggaaaaaaag	480
ttccatagag	ttctgtggct	acaaaattgt	tttgctttta	tcaaatactt	taataagaa	540
aaagtgtcag	atattggaat	gtatggaagt	atctcagctc	ctgcataaga	ggattaaagt	600
atgaaaggat	catttaaatga	ctgtttttact	tataagtcat	taagttaattc	acctattctt	660
atggaatgat	cttaagctcg	gtgaggtttg	tactctaagg	agccacagatc	ataatgcagt	720
gcattttcctt	agcccttaga	gtttctttgca	aacattttaaa	aaaagacata	tttaagaaag	780
aaagataaag	aaaaaacata	tttaatttact	gtaaacaggt	actgctttat	gtttattttc	840
ttcttacttc	aaccaaaatc	agatactttga	ggttttgtcg	acatttttgg	tggtttttgca	900
catgtttctt	ctaatttgat	ttatgaatag	ttctatgggt	tttcaaaagt	gaatcatgct	960
aagaacactct	ctgctttttg	atccactgtt	tgacgcagaa	ttatatatat	gtataggaaa	1020
aatccacttt	gaataatcca	tggttttgtat	ttggaatttg	tttttaaaaa	taaaaaggaa	1080
aggaatatata	taaagctgtt	atttattctg	cattttctac	atatctatcg	ctgtgcagta	1140

taccgcgtttt	ggtatatatt	gcctctgcac	atctacattt	gtatatgcaa	cagtgagcgtt	1200
tatatctaca	taaaactgtaa	ataatccctt	ctgtgaaaagg	atcatcatat	caagatgata	1260
ccaaaagtat	gtaaaaagaa	acctgcatta	ttttgtaatt	atttcttata	gatatttcac	1320
ggttaagatta	gcagtcaata	aagttacttt	tttgccttt	1359		

<210> 276
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig1632

<400> 276
 ggggttttcaa agatgaatca tgctaagaac acttctgctt ttgatccac tgtttgcagc 60

<210> 277
 <211> 994
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig3464

tgaatgtata	tattaagact	gtagctgaat	tgacacatgaa	atcagattgc	caacttcttg	60
actttcaatg	ttagacattt	atcccttaagt	tgtgagcgat	atatgtagca	tgctgtgaaa	120
tgtctgttat	agctcttttaa	ttcatcagta	ttaatacaga	attatcattt	gogtttcttg	180
gtacttttta	ttcaatgttaa	tcagaagctg	tgaatgtttg	cctttgtagt	cctgtgcttt	240
gttactgttaa	tttttttttt	ttttttttacg	aagcacgtga	ctggactaat	gtaaggcaga	300
tgacgtgatc	tttaagactg	ctatatatat	cagtccttta	ctctataaag	ttttaaatta	360
gaataagcct	ttatcaaaaa	gataattgat	gcaatttagg	attcacgcaa	gtttcagtg	420
caaatggcgg	totttatagt	tcaattctga	aaatagcaaa	cttaataaac	agccacttta	480
aacttgcttc	ggcaaacacc	accctgctgt	agatatagtc	taaggtagtt	aaccatataa	540
gcctttttcaa	ctcttaatgc	cctccacatg	aatcagcagt	taagaaggtt	ctagaacca	600
tgaagacttt	tgtatgtatt	actagggttt	gtttttctta	tgtttgctga	ttttacagtt	660
ctgactaaag	ctgacctaaa	tggtacagtt	tatgtgtaat	attctagtgc	tttaatgact	720
ctttttttct	ttggagggag	ggtaacatta	tttgacaga	tgcaagaaga	actgttagtg	780
agtcaagaca	aacacatctg	aaataaagga	actgtgtatt	aacatgttaa	caattcataa	840
ctgcactttt	tatgacattt	tgaataatcta	tttataggta	cagaacaatg	ggttttgtta	900
aactgtatca	caattatact	tgcaagaatt	tatttcattg	ttatttagtag	gaattttatt	960
ggttcaataa	aattggcaaa	actgaacacc	aaaa	994		

<210> 278
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig3464

<400> 278
 ctgctgtaga tatagtctaa ggtagttaac catataagcc ttttcaactc ttaatgccct 60

<210> 279
 <211> 423
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig14683

```

<400> 279
tatgttatgg atatctttatt ttagagtaag aatataaggc atagccatat ttatgaaggt 60
agtaataactc tactaatcaa tacttagaag tttttgttat gactaatctg aatgcttttt 120
agtttttctc taactcatgt atgttggttaa tttataagtc agttttcaga ttaggaaaaa 180
aggattttga ggggtgttcca ttccactga atagtaagat gatgcttact tagatttcca 240
cagctgtttg aaagctctgt atttggtat aacggaaaac tttgttaggg atgcttgatg 300
ttttgtgttt tgtttctaaa ggaagacagt gttttgttcc ttctttagaa aacttgaaga 360
atagaataat gagtccagga ttaatttggtg ataaagtctt ttacttcata aattctgatt 420

```

ctg 423

```

<210> 280
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig14683

```

```

<400> 280
aggaagacag tgttttgttc cttctttaga aaacttgaag aatagaataa tgagtccagg 60

```

```

<210> 281
<211> 391
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig28552

```

```

<400> 281
atgccattga tgtgaagaag gtgtctgtgg aagactttct tactgacctg aataacttca 60
gaaccacatt catgcaagca ataaaggaga atatcaaaaa aagagaagca gaggaaaaaa 120
aaaaacgtgt cagaatagct aaagaattag cagagcgaga aagactcgaa cgccaacaaa 180
agaaaaagcg tttatttagaa atgaagactg aggggtgatg gacaggagtg atggataatc 240
tgctggaggc cttgcagtc ggggctgcct tccgcgacag aagaaaaagg acaccgatgc 300
caaaagatgt tccgcagagt ctgagtcgaa tgtctcagag gcctgttctg aaagtttgta 360
accatggtta taaaccgtat ttataaattg c 391

```

```

<210> 282
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig28552

```

```

<400> 282
aagactttct tactgacctg aataacttca gaaccacatt catgcaagca ataaaggaga 60

```

```

<210> 283
<211> 450
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig28947

```

```

<400> 283
ctcatccaag gagctggggc agacttcatt gattctagag agacctgttt cagtgcctac 60

```

```

tcattccctgc cctctgggtgc cagcctcctt accatcacgg ctctactgag gtgtaggtgg 120
gtttttctta aacaggagac agtctctccc ctcttacctc aacttcttgg ggtgggaatc 180
agtgtactctg gagatggcta gttgctgtgt tacgggtttg agttacattt ggctataaaa 240
caatcttgtt gggaaaaaat tgggggagag gacttcttcc tacacgcgca ttgagacaga 300
ttccaactgg ttaatatgat tgtttgtaag aaagagattc tgttggttga ctgcctaaag 360
agaaaagttg gatggccttc agattatacc agcttagcta gcattactaa ccaactgatg 420
gaagctctga aataaaaaa tcttgaaccc 450

```

```

<210> 284
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig28947

```

```

<400> 284
agacagattc caactggtta atgatattgt ttgtaagaaa gagattctgt tggttgactg 60

```

```

<210> 285
<211> 439
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig30875

```

```

<400> 285
agaaaatcaat gacagttgac aggaagagag gacgcataca acaggcaaaa gaggaatgcc 60
cagcagctctt ggtccttgcg gtgcaatact ggccttgagg ccaagtcaag aggggattcg 120
taqtcaactaa cttctaactg aggcagggaa gtaccatggt ctggaaaagg tccaaagaaa 180
caggaataga ggcagtgtag caagaggcag atttttgggt ccaaatagat ttgaactcctg 240
gttctgcttc ttcctttgta gagtatgata ttgggtcttt cctcccaaaag ctattataaa 300
gactaaaatat gtacacaaat ctttgggatg tctgacatat aaatgcttaa caatagggtat 360
ttgctgggtat tattacaaat gaatttgctt atttttgagc cacttctatg tctgtccatt 420
aaaccaaatt gtgttctgc 439

```

```

<210> 286
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig30875

```

```

<400> 286
ggttcttcc tcccaaagct attataaaga ctaaatatgt acacaaatct ttgggatgtc 60

```

```

<210> 287
<211> 338
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig31221

```

```

<400> 287
gggaagttaac actgcttcac accacaaggc cgtgggaaat cttggagggt ctgtgccttt 60
ctgtcacctc tactctttgc agctgtgatt gcactgtccc gcacatgtga ctacaagcat 120
cactggcaag gaccttttaa atggtgaaaa tgggcagatg aatagcaata agtggacctt 180
tgttactctt ctgagttaga aaaattctaa tttagtacac tctgaacaaa gcttattata 240

```

cttactttaag atgtgtttttg atttggtgtt cagaaagcaa cctgacaatg ataatactgt 300
aactatgata aaattgagaa taaaaagatt ttatttag 338

<210> 288
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31221

<400> 288
aaatgggcag atgaatagca ataagtggac cttgttact cttctgagtt agaaaaattc 60

<210> 289
<211> 417
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31288

<400> 289
gaatcacttg agccccgggag gttgaggctg cagtgaagctg tgtttatacc actgcactcc 60
agcctgctgg gtaacagagc aagactccat ctcaaaaaa aaagaaaaaa tgctttgcta 120
cataatgagg ccaggcaaaa aaaaaaaaag tcctgtggaa atcatataga caaacatttg 180
caaagctgct actgccattg taccagtggt aaaaatgtgt ctaccttgca tcttttactg 240
attttttaga cagattttat attgtaacca ttgagaact ctgtaagtgc tatggcttcc 300
ttaaactacg atttatcata tgctccaggt gtttactttg agactgaatg gcaaccagag 360
aatgtaaaaa accaagggtg atctggttat gttttaaat aaagattaat aaaagt 417

<210> 290
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31288

<400> 290
ggcttcctta aactacgatt tatcatatgc tccagtggt tactttgaga ctgaatggca 60

<210> 291
<211> 394
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31646

<400> 291
gctgctacac cccatgtaaa aagcggaaaa taaaatgaag attttccagc gcaagatgag 60
gtactggttg cttccacett ttttggcaat tgtttatttc tgcaccattg tccaaggtca 120
agtggctcca ccacaaaggt taagatataa tgtaatatct catgacagta tacagatttc 180
atggaaggct ccaagaggga aatttgggtg ttacaaaact ctgtgactc caacttcagg 240
tggaaaaaact aaccagctga atctgcagaa cactgcaact aaagcaatta tccaaggcct 300
tatgccagac cagaattaca cagttcaaat tattgcatac aataaaagata aagaagagca 360
gccagctcaa ggccaattca gaattaaaga tttta 394

<210> 292
<211> 60

```

<212> DNA
<213> Homo sapiens

<300>
<308> Contig31646

<400> 292
gccagaccag aattacacag ttcaaattat tgcatacaat aaagataaag aaagcaagcc 60

<210> 293
<211> 357
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37562

<400> 293
caattatttc aagtgcacct tattaacaaa agtatcagtg gatccaacat aaaatTTTT 60
agtactaaat gtcaagccta actgtgaatt ttgttctgta tcttaagtaa atttatgata 120
atgttctcga gctatcaaca aaatatatgt acttttgtga gctatgaatt ttctaattaa 180
attttacatg ctataacatg atttttcatg gaatgatact ttgtttataa ctatcaaatg 240
tcagtatttt actacaattt tattataaag tgtacattat cactaaatga acttcgattt 300
taaaaatcaa attagcttta gttgtatat attttttaca aataaagata gacttgt 357

<210> 294
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37562

<400> 294
atcaaatgtc agtattttac tacaatttta ttataaagtg tacattatca ctaaatgaac 60

<210> 295
<211> 351
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37895

<400> 295
aatagagaca cctctaatta attaaagcgg atgccctccc cactcctccc aggatttgac 60
tcggagcaca aactcttcac aaaccaaatt gtcaggacac catcgccagt gtccactggc 120
cactcgtgtt ggtgtgaggc agccaggagc ccctcagaac tagtaagtct gagaagaggc 180
gtcacggggc ctaggagagg gagaatatgag cccgtccaag gtgaattcct tgattctcca 240
ttgtgagtcg accaagaaca agcactccct ccgactgact ctgcctacc aggatctgga 300
acaccttcca ttaatttatt cgttcattca ataaatattt attgactgac t 351

<210> 296
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37895

<400> 296

```

ctctcgcta ccaggatctg gaacaccttc cattaattta ttcgttcatt caataaatat 60

<210> 297
 <211> 418
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig38288

<400> 297
 gacaagtataa tgggggacctg tgggacggcg ggtgcctgga gggcagctct gggctcagcg 60
 ggcagtgctt agagcacagg cccctctgtt gggggatggg gaggagagca gtctgccctt 120
 gggagcgtag gcccccaggga gacttctaaa gccccccctg tctgtctgctc ttcacccagc 180
 accacagagg cacctgctgc acacacaagc atctcactcg gcccacggag ggggccaggc 240
 ttcctttgcc tgaagctgtt ttgggaaggg tctccacaca ggcaactgac tcccaagctt 300
 tggtcgatgat gtcttttacc atttgataat tttaaactatt gtttttaaac ccaaaacatt 360
 tagtggtccg ttgcctctga agatgtaaac aaacaaatc actatttctg ggaacatt 418

<210> 298
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig38288

<400> 298
 tttagtggtc cggtgcctct gaagatgtaa acaaacaaat acactatttc tgggaacatt 60

<210> 299
 <211> 413
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig38901

<400> 299
 tacattttttg tttaatgttg ggcctgaggt taactgtgac catgggtccag cttgagtggc 60
 ttctggagca gccacatttt caaggactgt ccaaaagcca gccagttcag ggctcaggcc 120
 tcaccatttg cccaactcctg gggagaccat caactggctc atcgtttcca ccaagagtgc 180
 cccacaggag tgcctccacag acccgctgga ccagctgctc gcggtgctcg gccagggtgc 240
 tggctaacgg tgagggtcga ctctgaactg tctctcagtc tcacagaaagt gttcaagcct 300
 gttgtgttcc caaatctgat tctctcattt gtcttgtaaa tcaaacctcta agtgaaaact 360
 tccatttggt cccttcaaaag attttttttt attaaatggt ttttttaagt cct 413

<210> 300
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig38901

<400> 300
 tgttcccaaa tctgattcct cctattgtct tgtaaatcaa actctaagtg aaaacttccc 60

<210> 301
 <211> 434
 <212> DNA

<213> Homo sapiens

<300>

<308> Contig40434

<400> 301

```
gaatggtgaa agagagatgc cgtgttttga aagtaagatg atgaaatgaa tttttaattc 60
aagaaacatt cagaaacata ggaattaaaa cttagagaaa tgatctaatt tccctgttca 120
cacaaacttt acacttttaac ctgatgattg gatattttat ttttagtgaaa catcatcttg 180
ttagctaact ttaaaaaatg gatgtagaat gattaaagggt tgggtatgatt tttttttaat 240
gtatcagttt gaacctagaa tattgaatta aaatgctgtc tcagtttttt aaaagcaaaa 300
aaggaaatgga ggaataattgc atcttagacc atttttatat gcagtgatca atttgcgtgg 360
ctagaataga gataaagatt atttattttt gttcatatct tgtacttttc tattaataac 420
attttatgaa atcc 434
```

<210> 302

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig40434

<400> 302

```
aaggaaatgga ggaataattgc atcttagacc atttttatat gcagtgatca atttgcgtgg 60
```

<210> 303

<211> 391

<212> DNA

<213> Homo sapiens

<300>

<308> Contig40552

<400> 303

```
caccaagccc tgctccggca cctcgaatcc ctggcgacca tgagtcacca gctccaagcc 60
ttactgtgcc ccagagacaa gagctccatc ccccgccctc tgcagcgttt gtctagcgcc 120
cttcagcttc cagagccccc tggcccagcc cgtgactcct ctttggggcc tacagatgaa 180
gctggctctt agtgctccct ccttagaaaag gcctgaccct ccttaccac cagaacaggg 240
gttttgatgc cctcactagt gttgaagcct gttccagaga gaggtgggac tgcaaggaga 300
ggatggtcag ccctaccacac ctgccctgtt tgagcttctt gtttgacaat gtttgcgtgt 360
gattttttgt tcaataaaga atttggtaaa a 391
```

<210> 304

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig40552

<400> 304

```
tttgagcttc ctgtttgaca atgtttgctg ttgatttttt gtccaataaa gaatttggtg 60
```

<210> 305

<211> 495

<212> DNA

<213> Homo sapiens

<300>

<308> Contig41413

<400> 305
 aaatattctt aatagggcta ctttgaatta atctgccttt atgtttggga gaagaaaagct 60
 gagacattgc atgaagaatg atgagagata aatgttgatc ttttgcccc atttgtaaat 120
 tgtattcagt atttgaacgt cgtcctgttt gttgttagtt tcttccatca tttattgtat 180
 agacaatttt taaatctctg taatatgata cattttccca tcttttaagt tattgttacc 240
 taaagttaat ccagattata tggctcctat atgtgtacaa cattaaaaatg aaaggctttg 300
 tcttgcattg tgagggtacag gcggaagtgt gaatcagggt ttaggattct gtctctcatt 360
 agctgaataa tgtgaggatt aacttctgcc agctcagacc atttccaatat cagttagaag 420
 ggaaacaagt atttcagctc caaaattgaa taatgcacaa gtcttaagtg attaaaataa 480
 aactgttctt atgtc 495

<210> 306
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig41413

<400> 306
 cagctcagac catttccata tcagttgaaa gggaacaag tatttcagtc tcaaaattga 60

<210> 307
 <211> 409
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig41538

<400> 307
 aaaaaaaaaa aaaaaaaaaa aaagagttgt tttctcatgt tcattatagt tcattacagt 60
 tacatagctc gaaggctcta caactaatca ctggtagcaa taaatgcttc aggccacat 120
 gatgctgatt agttctcagt ttctattcag ttcaacaata aaccaccatt cctgccctcc 180
 ctgccaaagg tcataaatg tgactgccta acaacaaaat ttgcagttct atctcatatt 240
 catccagact tctggaactc aaagattaac ttttgactaa ccttggaata tctcttatct 300
 cacttatagc ttccaggcat tatttataat tattcttgat agcaatacca taatcaatgt 360
 gtattcctga tagtaatgct acaataaatc caaacatttc aactctgtt 409

<210> 308
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig41538

<400> 308
 ctcatgttca ttatagttca ttacagttac atagtcgaa ggtcttaca ctaatcactg 60

<210> 309
 <211> 552
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig41887

<400> 309
 ctgaagacta cgaccatgaa atcacagggc tgcgggtgtc tgtaggtctt ctcttggtga 60

```

aaagtgtcca ggtgaaactt ggagactcct gggacgtgaa actgggagcc ttagggtgga 120
ataccagga agtcaccctg cagccaggcg aatacatcac aaaagtcttt gtcgccttcc 180
aagcttttct ccgggggtatg gtcattgtaca ccagcaagga ccgctatttc tattttggga 240
agctttgatgg ccagatctcc tctgcctacc ccagccaaga ggggcaggtg ctggtgggca 300
tctatggcca gtatcaactc cttggcatca agagcattgg ctttgaatgg aattatccac 360
tagaggagcc gaccactgtg ccaccagtta atctcacata ctcagaaaac tcaccgtgg 420
gtcgttaggg tgggttatgg ggccatccga gctgaggcca tctgtgtggt ggtggctgat 480
ggtactggag taactgagtc gggacgtcta atctgaatcc accaataaat aaagcttctg 540
caaatcagtc gc 552

```

```

<210> 310
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig41887

```

```

<400> 310
tactggagta actgagtcgg gacgctgaat ctgaatccac caataataa agcttctgca 60

```

```

<210> 311
<211> 745
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig42342

```

```

<400> 311
gcagtaaaga caggacgcac coactgcaca agaggagcac aggcagggggt gttggtgtg 60
gggcagccct cagggtctcc agaccagcc ccactcacac agcagcctag gaaggagggt 120
cagagtccca ggtgtcagct ggtgggtctc ccaggagctg cccctccctg gaagtccacag 180
gacaggaatg acagatcagg gaactgcagg aagctgccac ctctggggto agaatatgcc 240
cagcctgcgg gggctctcta tcggggtctt cgagagccag acagcctgcc ttgtgtgca 300
tacctggctt tgctctgtgc agaaccagc acactgtatt ttgtgtgaca tgcagcagc 360
ctggctccca ggacaggagg cctgccttgg gggaggggct gcaggaggag ggggggcagg 420
caccatgag tctgtccagc cttgtcacag atgcctgcgc caagctgcgg tccgtatttc 480
agctcacctc agagtaaatc agaataaact gcaccagac ttccacgaat gcattgtgac 540
gctttcagtt cacccttttc ttgtctaact ttcttctat tttctcttaa tgcgagagct 600
tattaattcc atatttatca ttttgaataa cttttctcct ttttagtaa aaaatgtact 660
tcactcttag taaaatgtat ttactatttt agtaacaaaa atatacttgc ctaatcatgt 720
ttaaataata gtgagtgtgaa aaatt 745

```

```

<210> 312
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig42342

```

```

<400> 312
caccagact ttcacgaatg catgttgacg ctttcagttc acccctttct ttgctaactt 60

```

```

<210> 313
<211> 398
<212> DNA
<213> Homo sapiens

```

```

<300>

```

<308> Contig43645

<400> 313

agttcaaaagg	cagataaaatc	tgtaaattat	tttatcctat	ctaccatttc	ttaagaagac	60
attactccaa	aataattaaa	tttaaggctt	tatcagggtc	gcatatagaa	tcttaaaattc	120
taataaaggt	tcatgttaat	gtcataggat	ttttaaaga	gctataggta	atttctgtat	180
aatatgtgta	tattaaaatg	taattgattt	cagttgaaag	tattttaaag	ctgataaata	240
gcattagggt	tctttgcaat	gtggtatcta	gctgtattat	tggttttatt	tactttaaac	300
attttgaaaa	gcttatactg	gcagcctaga	aaaacaaaca	attaatgtat	ctttatgtcc	360
ctggcacatg	aataaacctt	gctgtgggtt	actaatct			398

<210> 314

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig43645

<400> 314

gaaaagctta	tactggcagc	ctagaaaaac	aaacaattaa	tgtatcttta	tgtccctggc	60
------------	------------	------------	------------	------------	------------	----

<210> 315

<211> 478

<212> DNA

<213> Homo sapiens

<300>

<308> Contig44289

<400> 315

ctaaaaacaa	cactcatcag	tcttgggaaa	tttgaacttt	gatcaactta	actaaagaag	60
gaagggtagt	aagaattttt	caaatacaaa	tatttgccaa	ttcacagatg	ataacattta	120
aggccttcaa	aagtaagggt	tttcccttgt	ttctccagtc	agctttttgc	aactcttaata	180
gttttttcat	aaacattttt	tatttgtata	attgcaacag	tttaagaaat	tatcacaaact	240
atttagaaac	attttaaagt	ttctttttga	tataagctat	atacttggaa	aaatcacattg	300
gtatctaaaa	tttgaggtgt	gttaagactg	ctttttgttt	taaaaaatgg	tttacattca	360
aatttttgaa	gtgtttttat	cttcatatgg	ctaagttgta	gtttggcaga	gttaacagca	420
taagaataaa	catgctgtaa	ttttaaaga	tgctttgaat	aaaaatttat	tttaattt	478

<210> 316

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig44289

<400> 316

catcagtcct	gggaaatttg	aactttgatc	aacttaacta	aagaaggaag	ggtagtaaga	60
------------	------------	------------	------------	------------	------------	----

<210> 317

<211> 556

<212> DNA

<213> Homo sapiens

<300>

<308> Contig44909

<400> 317

accatctggg	atttctacag	cctgggtacc	catagccaca	ccaaggcttc	tgggagattc	60
------------	------------	------------	------------	------------	------------	----

tgcagggtca	gctttccagg	ctgttcccaa	atagctccct	gcttccccac	tgcccctaaa	120
gccacagcag	aagagccatt	catctcataa	acaaaaagga	agaggaagga	atgaggaagg	180
accctgtgca	aggttatttg	caggcaggga	tggtcttgta	cctgacagca	cccaccctg	240
tgtggcccc	aggccctcat	caccctcaga	ccctccttaa	gcagttccct	cattgtctct	300
tggactagcg	tgacagcagg	aagagcaggg	cccatgacgg	gggtggaagt	cagtttttgt	360
gctctcttca	agaggggggt	ttacactctg	attccaggac	aagcactctg	aggcgggtgg	420
gggagagaaa	ccctggctct	tcaccagagt	ttcacacaca	tgtaaatgaa	acactatgtt	480
agtatctaac	acactcctgg	atacagaaca	caagtcttgg	cacatatgtg	atggaataaa	540
agtgttttgc	aatctt	556				

<210> 318
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig44909

<400> 318
 tcaccaggt ttcacacaca tgtaaatgaa acactatgtt agtatctaac acactcctgg 60

<210> 319
 <211> 710
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig45032

<400> 319
 aaagataggc ttctaagtta aggcacaaatca ttcattctgt cattaaacaa atacaaacca 60
 ggcacctgtc atatgccaa tgatattcaa aatggcccat gttagacctt gtgaagtatg 120
 tggcctaaca gacattaaac aaatgtctgt gaaactgaca taataaagta aggttaagtta 180
 tatgtgagac attctctttt tataataaatt cctgtaaaagc agtacttact taggtaatatga 240
 tatcatactg ttttgtttta tatttttctc aagagctaaa acgtcatcct ctcttcagtgt 300
 atgtggactg ggaataatctg cagcatcaga ctatgccttt catccccccag ccagatgatg 360
 aaacagatac ctctctatttt gaagccaggga atactgctca gcacctgacc gtatctggat 420
 ttagtctgta gcacaaaaat tttcctttta gtctagcctc gtgttataga atgaacttgc 480
 ataatttatat actccttaat actagattga tctaaggggg aaagatcatt atttaacctta 540
 gtccaagtgt cttttaatgt acgttacagc tttaacagag ttaaaaggct gaaagggaata 600
 tagtcagtaa tttatcttaa cctcaaaact gtatataaat cttcaaaagt tttttcatct 660
 attttatttg tttattgcac tttatgaaaa ctgaagcatt aataaaatta 710

<210> 320
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig45032

<400> 320
 ttaacctagt tcaatgtgct ttttaatgtac gttacagctt tcacagagtt aaaaggctga 60

<210> 321
 <211> 726
 <212> DNA
 <213> Homo sapiens

<300>

<308> Contig46218

<400> 321

```
atacatattg ctttagagag caggtaggtg gccatgtgtt cagcagtggt tccttaagaa 60
aataccattc ttctaagcca ctggaatttt tactttacta tttttaacat taatggatgt 120
cagggtcaaca acctcaagtc ttacatatac catgtatatt ccatatataa tgtttatata 180
ggcccaagtt tctccttaat tgggactctat atactaccag cacacaatca aaaacatgta 240
attgaataca tcagagctat atatgtaagg aatgactgg tgacccatt atcatcattg 300
ttgaattcat gtttaagtga cctcttaggg gaccataaag caattgagca cataacgaaa 360
aatgatgcaa taagaatgta tgcaactctc ttgccaaatg catgtgcttt tgtgtaacgt 420
gcatgtaaac agaattgcag tgcctgccga attctgtatc ttggctaaag gagtattttt 480
ccctctgtaa ttatgactct gagataaaat tgccattttt aaatttccaa agtaacaact 540
ttttttattt tatgaataaa cttgggattg caatttctct gatctgacaa tcaataaact 600
taacaaagat ctataaagt gtttcaagga aagttttctc aagcaaatgt aatattacct 660
catttgggca tcattactct gtttaattcta tatcaaaagga aataaaacttg ctacttgcac 720
taaatg 726
```

<210> 322

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig46218

<400> 322

```
accataaggc aattgagcac ataacgaaaa atgatgcaat aagaatgtat gcactctctt 60
```

<210> 323

<211> 580

<212> DNA

<213> Homo sapiens

<300>

<308> Contig47096

<400> 323

```
ggtgtgtctc catccttctg tgctgtctct ctaagagatg tccaaggcgg agccgggggca 60
agatccttcc agactcatct gtcagagccc caagcccttt agaccagag cccaaggacc 120
atgcctttgg gacattagga ctgcagcctt tgcttctgtg tattttggag ttttgggtgac 180
ttttgtcaac tggacaactc catttgttag ccatagtggg ttcccttggt cagcaacagt 240
gcatgtacct ctggatgtca tctgaggtga gaccaccgag gccttttctc tctgtgtaca 300
gaggggagtt aggagttgct ggactggatg cattacgagg actgggggaca gggtagaggg 360
acatccaggg atcaggggcat gagtgggggc aaccccccg cctctgacct ggcatggtct 420
cgcgatgggc tgaggtgtag ctgattggct gccacatttc ggccatgctg gctggcgctc 480
ccatgttgca gatattttcc cgagtccccc agaatggatg gtattgaatc tcagccacat 540
gcaacactgt gtcacagcatt ctttgcaata aatacttttt 580
```

<210> 324

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig47096

<400> 324

```
atattttccc gagttcccca gaatggatgg tattgaatct cagccacatg caacactgtg 60
```

<210> 325

<211> 632

```

<212> DNA
<213> Homo sapiens

<300>
<308> Contig47563

<400> 325
gccatcttagt ctgtggtttt ctgttgaagc agtctgaatt gactaaaaca gtcacttggg 60
gtagtattata accactttcc tgttgaaagc agaacatgct gattcaactg ttttgttcaa 120
tagcaatgat agattttgtt taagtcacct acactttctt atttctaaat gatcaagagt 180
acacttctctg gcagtgattg aggagtggtg atctaacaga aaaaatata ataccctgtg 240
aaccqgaata tggaaattcag attgtttctg cctcagtat cataactaaa aaacaagcat 300
acaaacaaac ataaagggaac aaacagcaac cataacaaaa acaacctttt aaagggtggg 360
ttttgtctgtg ataaatgaat acggtactct gaaggagaaa aaagtttctc aaatgagctt 420
aaactgcaag tgatttaaaa attagagaat ataattctta aagctattga aagtttcaac 480
cagaaaacct caagtgaatt ttgtatgtaa atgaatctt gaatgtaagt tctgtgattc 540
tttaagcaaa caattagctg aaaacttggt attgtttagg tttatgtagt aagtgacttg 600
gcacccatca gaaaataaag ggcattaaat tg 632

<210> 326
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig47563

<400> 326
agcaacaacat tagctgaaaa cttggtattg ttgtagttta tgtagtaagt gacttggcac 60

<210> 327
<211> 540
<212> DNA
<213> Homo sapiens

<300>
<308> Contig48913

<400> 327
accagagggt gtcccttttc cacagtaatg ggatcggtg gtgtgccttc agggaggaag 60
agggaggtgg tcaagcttga aaaactggct ttaggatggt tctgacttgg ttctcctcc 120
ccaagtgttc tcaacctcca ttctgcagtg ttcagagttt tagggaaaagg gtttgggtgc 180
cccagcatcc aggtgttgtg tggcttagcg catgtgaagt gaaaaccttc tggggttggt 240
tggaaagcagc ttctcggttc ttgtgattgt atcctgaggt ccagaaacct tattctcca 300
cgaggatcct cagtgaacct ggtggccaca cgctgtggcc gctgtgtggt tcttgggtga 360
gctgaagaaac cttgcctgtg gcacttttgc agggtagct ggaaccgaga gaacatggtc 420
cccgctgctg gactcatgcg ggtcatttcc tgcgcgcctg gtttcgcctg gtcgtgtctt 480
tatgagcacc atgtaagcct ccttgatttg agataattgg gcattaaaca ttaactgca 540

<210> 328
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig48913

<400> 328
tatgagcacc atgtaagcct ccttgatttg agataattgg gcattaaaca ttaactgca 60

<210> 329

```

```

<211> 534
<212> DNA
<213> Homo sapiens

<300>
<308> Contig49169

<400> 329
cctaagtgtta acattttttaa aaatacatat ttgggactct tattatcaag gttctaccta 60
tgtttaattta caattcatgt ttcaagacat ttgccaaatg tattaccgat gcctctgaaa 120
aggggggtcac tgggtctcat agactgatat gaagtcgaca tatttatagt gcttagagac 180
caaacctaag gaaggcagac tatttacagc ttagtatatg tgtacttaag tctatgtgaa 240
cagagaaaatg cctcccgtag tgtttgaaag cgttaagctg ataattgtaat taacaactgc 300
tgagagatca aagattcaac ttgccataca cctcaaattc ggagaaacag ttaatttggg 360
caaatctaca gtctctgttt tgctactcta ttgtcattcc tgtttaatac tcactgtact 420
tgtatttgag acaaataggt gatactgaat ttatactgt ttctacttt tccattaaaa 480
cattggcacc tcaatgataa agaaatttaa ggtataaaat taaattgtaa aatt 534

<210> 330
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig49169

<400> 330
catacacctc aaattcggag aaacagttaa ttggggcaaa tctacagttc tgtttttgct 60

<210> 331
<211> 602
<212> DNA
<213> Homo sapiens

<300>
<308> Contig49388

<400> 331
tgtcagtga ggggtctctg cagccaactg agactatctt gctgtgccct gagccttctt 60
aggggtttaga agaacagcat tcaaaattcc cgtctctgtc agtgttttgc ttgcacctc 120
ctccctctaaa gcagcgcggg gggcaaataa gacccaacc ctccctgcag ctccacaggg 180
acgtcttctt cctctcccg caccacccca ggtctccctg ggaggctgca gttgtggtac 240
acgtccccgg tctctgggtg gccgtgactc gggggcgagg cgatcgggtc tcagccccctg 300
ccttccccag tctctgggtc acccgaattt tcccaccct gcttctcccc gagagggttg 360
agctcttgag caagtggga cttgggcccgg ggccctggaag aatgatggc tgggaggccg 420
cgggaggagg gccaggagg ccggaccagt tgggaggagt gagcaggccc cgggggaggg 480
ggatgagcgc agtttgctgc ctttctctcc ctgccggccc cctccgcccc cacacacact 540
cgggacgtct tcattgaaga ttcacttaca aaggaaatgt tcaactaaata aaagaaaacc 600
ag 602

<210> 332
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig49388

<400> 332
cgggacgtct tcattgaaga ttcacttaca aaggaaatgt tcaactaaata aaagaaaacc 60

```

```

<210> 333
<211> 562
<212> DNA
<213> Homo sapiens

<300>
<308> Contig50728

<400> 333
gcgaatttgg gcccttggat cctctgatgg gagctgaaag gatgagaggt gggcatctag 60
atttaggagg gctgttcagg ctttgcaggt cccttacctg aacacataga aaccctggag 120
ctgtgactgt gtccatgtgt gtgtgtttgt ctgtgtgtgt tgcgggggat gggcacctgc 180
atgaatgtgg tagagaaaaa ggctctgtct agaggggaag taecgatagc aagcgaggga 240
ccagaggaat cacaggcgcc tggagagcag ccggggcacg cctccaggga cctgccggct 300
tcctccagtc ctccaggggc ccagcactct tcctttagcg cctgtgagcg tccottgtca 360
ggatacatct tctcattttg ctgaagctga ttgtattggg tgtctgtttc tcgcagccaa 420
aagagctctg aatgaggaaa gtgcttctgt gctaaactcc cgcgtctcct gaatttcagt 480
cattcatgta ccgcctcga aatttttgcg atatctgtgt accaactgtc catttactta 540
ataaagaagt tttctttaaa tt 562

<210> 334
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig50728

<400> 334
tttgattggg tgtctgtttc tcgcagccaa aagagctctg aatgaggaaa gtgcttctgt 60

<210> 335
<211> 400
<212> DNA
<213> Homo sapiens

<300>
<308> AI497657

<400> 335
tttttttttt tgcacttatg gtatttatgt ttggaagatt gagtacctta atgcacacca 60
atgctcagat gacttggggg cacatagggg actgctgtca ccatgcctca ctctgcagg 120
gaaggggctg cctactactaa accccagcgg gccagtgct gtgtccagaa caggtcctta 180
tattactgca gccacaatg gaactactga gtaggagcca aaagaggagg gaggcaggaag 240
agggtggcatt tggagagggg agaccgcacc cacaggtctg ccacagcgcg tcaacgggat 300
gggtactctt tacagtcaa gtgacttcgg gtccgcccca ccatctacct ttgtaggacc 360
actgaaacaa gggacatcca ccacggccca cagccggggc 400

<210> 336
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> AI497657

<400> 336
gagcattggg gtgcattaag gtactcaatc ttccaacaat aaataccata agtgcaaaaa 60

<210> 337
<211> 475

```



```

<212> DNA
<213> Homo sapiens

<300>
<308> Contig50950

<400> 337
ctggaagagg ctcccaaccc agagtgtccc tgtgggaggg aggcagaagg tgacaattga 60
cacgatttcc tgcacgcgtc ctccctctacc ttggaagcag ttagaatcta ccaggcacag 120
atgagggcgc ccttgcctga cggagcttga tgagcagccc ttggtctccg gttccaggac 180
tgagagccca gctgcctctg cccacccttc ccaggccctc tggcagcctc tggctgcacg 240
tgcagggcct gcccatggc aggcctggca gacttggct ggggacccct cccgcctctg 300
gctccctgat gggctggatg taacttgtgt ctctagccc ctaaggagc ccagggtgtt 360
taaggaatga attggtcact gcactctgta tcgattatgg ttctgagaaa agcaaatatc 420
acttttggct gcattaaaag aagcatcata tataaataa agaagatgaa ggtct 475

<210> 338
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig50950

<400> 338
gtcactgcat ctgtatcga ttatggttct gagaaaagca aatatcactt ttggctgcat 60

<210> 339
<211> 860
<212> DNA
<213> Homo sapiens

<300>
<308> Contig51660

<400> 339
ggatggcaac ctccagctag actgcctggc tcaagggtgg aagcaatacc aacagagagc 60
atttggctgg ttccgggtgt cctcctgcca gcgaagttgg gcttccgcca agtgacagatt 120
ctgtgccaca cgtactggga gcaactggaca tcccagggtc aggtgcgtat gaggctcttt 180
ggccaaagggt gccagaagtg ctccctggct caatatgaga tgcctgagtt ctccctcggaat 240
agcaccatga ggattctgag caacctgggtg cagcatatata tgaagaaata ctatggaatt 300
ggcatgagga agtctccaga aatgccagta atcctggaag tgcctctgga aggatcccat 360
gacacagcca attgtgaggg atgcactttg ggcataatgt gacagggtct aaaaagctac 420
atgacaaaagc cgtccaaatc cctactcccc cacctaaaaga ctgggaattc ctacactgga 480
attgtgtcgt gtactctcgc aaaccaagcc aagaaccagt cagatgagggc aaaagaggct 540
aaggggagtg ggtatgagaa attagggcc agtcgagacc cagatccact gaacatctgt 600
gtctttattt tgctgcttgt atttattgta gtcaaatgct ttacatcaga atgatgaaaa 660
taggcttgcc acttctctct attttaattc catggtagtc aatgaactgg ctgccacttt 720
aatataactg aaaaattcatt ttgagaccaa gcaggatcaa gtttgtagaa taaacactgg 780
tttctagacc atcctctgaa aacagtatga aacatgacca agtacataat ggatttagta 840
ataaatattg tcgaattgct 860

<210> 340
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig51660

<400> 340

```

gctgcttgta ttattgtag tcaaatgctt tacatcagaa tgatgaaaa aggcttgcca 60

<210> 341
<211> 608
<212> DNA
<213> Homo sapiens

<300>
<308> Contig52490

<400> 341
atcggtgcta ggggacagac acgagcctct tgggaatacc ttgtccatca cgtcatggcc 60
atgggtgctt tcttctcgg catcttttgg agcagctttg tcgggtgggg tgtcttaaca 120
ctactgtgtg aagtacagaa catcttctct accattcgca tgatgatgaa aatcagtaat 180
gccaggatc atctctctcta ccgggttaac aagtatgtga acctggtcat gtactttctc 240
ttccgctctg cccctcaggg ctacctcacc catcttctct tgcgttatgt gaaccagagg 300
accctgggca ccttctctgt cgttatctct cctatgctgg acgtgatgat cataactctac 360
ttttcccgcc tctctccgctc tgacttctgc cctgagcatg tcccccaaga gcaacacaaa 420
gacaagtctt tgactgagaa ctgagtggag ggcacagagc ctgggacaa aaaaacggac 480
aaggccagaa acagtctcat atggacactg ggacttagcc ccaagcctgg gtgtctctctg 540
aggccagcct ctccaccttc tgagcctgcg cccacactat tgaatacact aatgaaagta 600
ctctctctg 608

<210> 342
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig52490

<400> 342
ccaggatcat ctctcttacc ggggttaacaa gtatgtgaac ctggtcatgt actttctctt 60

<210> 343
<211> 1282
<212> DNA
<213> Homo sapiens

<300>
<308> Contig53598

<400> 343
catgccagca cctttgaacc ggtctcttag aagaagacac acatcctggg tgtacagtgg 60
tgaaatgggg agtgggtgcc cattctgaaa aacgaggcat tctctgtcat tccctctgct 120
tagctgttgg gcaggggaga gagggaatg ccaaaaactt ggagtgaagg atgatgctat 180
tttttatttt taaatatact ttccaggtat ttcttactg ttgcttcaga tctaattgaa 240
aaggcagatg tccctctctc tccacccccc acgctgaccc cggcctcagt cacggctctt 300
tgcatgatca cagtctctgt ttctggcctg tggcagggcc gggaagggcc gctggcttcc 360
gaacagacgt ggttgcctct caccagggcgc atggggagcc cgcggggccc aagctttgtc 420
gcagatgtca tcaattggcag aattacttgt cttgaaaaat aagttagcatt gctgaaacac 480
acaacccaat tctctacgat ggccatttgc tcaattgtct tctctctgtg gtatgtgagt 540
accctggcag tgtttgctgt ctccagatgg cccctcagaa caacagggct gcccttgaa 600
aaaccccaaa acaggactgt ggtgacaact ctggtcaggt gtgatttgac atgagggccg 660
gaggcggttg ctgacggcag gactggagag gctgctgccc cggcactggc agcagggtcc 720
gtgtgtcccc caggcagatc tgggcaactt cccaacccca gtttatgcgt ctccagggaa 780
gctcgggttg cagagtgtgt ggcagatctg accatcccca cagaccagaa acaaggaaat 840
ctctgggatta cccagctccc ctccaaccca gttgatgtaa ccacctcatt ttttacaatt 900
acagaatcta ttctactcag gctatgggcc tegtctctac tcagttattg cgagtgttgc 960
tgtccgcagt ctccggggccc cactgtggctc ctgtgctcta gatcatgggt actccccgc 1020
cctgtggttg gaatcgatgc caccgattgc aggccaaatt tcagatcgtg tttccaaaac 1080

```

cccttgctgt gccctttaat gggattgaaa gcacttttac cacatggaga aatatatttt 1140
taatttctga tgccttttcta caaggtccac tattttctgag tttaatgtgt ttccaacact 1200
taaggagact ctaatgaaaag ctgatgaatt ttcttttctg tccaacaacg taaaataaaa 1260
ataaaagtct atttagatgt tg 1282

```

```

<210> 344
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig53598

```

```

<400> 344
ccactatttc tgagtttaat gtgtttccaa cacttaagga gactctaattg aaagctgatg 60

```

```

<210> 345
<211> 601
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig53641

```

```

<400> 345
tggaggctgt ggatgatgt ttcaagacaa tggatgtgga tatggccgag gaacatgcc 60
gggcccagat gagggccag atgaatatcg gggatgaagc gctgattgga cgggtggagct 120
gggatgacat acaagtccag ctcccgacct gggatgagga cggagatttt ggcgatgcct 180
gggcccagat cccctttgct ttctgggccca gataccatca gtacattctg aatagcaacc 240
gtgccaaacag gagggccacg tggagagctg gcgtcagcag tggcaccaat ggagggggcca 300
gcaccagcgt cctagatggc ccagcaccac gctccaccat ccggaccaga aatgctgcca 360
gagctggcgc cagctttctc tccctggatcc agcaccgttg acgaactgca gcgatcttac 420
tggccaagcc agagcgccct ctctcagatt ccttctcgac acagcaccct aggcggcttc 480
ttcctgtcag tcggagggtg catgcaagat gaagctctct ttgctcttcc tgctttcatt 540
ttgtgctttt ccttgtgttt tcatgttttg ggtatcagtg ttacattaaa gttgcaaaat 600
t 601

```

```

<210> 346
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig53641

```

```

<400> 346
ctttcatttt gtgcttttcc ttgtgttttc atgttttggg tatcagtggt acattaaagt 60

```

```

<210> 347
<211> 751
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig54242

```

```

<400> 347
aattactcaa agaaggagcc atttcagtta actcaagtga atgaaagact tttggaatct 60
gcagtgggct ctccctgttt gaccatttgg taacttgtta tctgaccaa aactcttgag 120
ctgcaaacag ccttgccaga gggctcagga tgggaaaagga agaaggggat aggaaaagaa 180
gaggtaattt tacatttccc cttaaagta aattttagcc aactcatcat tctgaaatgt 240

```

```

ccctataaag aatgagtcga actagaccag aagccagcct atcctctctt acatagcttc 300
tccaacaggg gtacgaatga cctgtccact tcaaacacag ataaggcctg ccatacctcat 360
tggttaaaag cacacgtgag actttcagtg ggctctgctg agaaggaagg cagcccagga 420
gtcaggatg caggcattgc attgtcagtg tctgctctca gagtttacac attcaattgc 480
ttccaagggt gaatctcctg ctctgtgaat gctatcacag cccaaaggcc aaccttgggc 540
tgggtctatg tacgttcttc cgaagcactg atgatcaaaa ttgaagacac attcagaggt 600
ttgatttggt gagattaaat ggtgtggtgg ttggtgtatg tatgttttat ttttatgtct 660
tctgtatgag ttctacataa tgcaaatgt gctttctgat ggacaagacc tcataactgt 720
gattaatatc aataaaaaag ggatgttgtg g 751

```

```

<210> 348
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig54242

```

```

<400> 348
gtaaatttta gccaaactcat cattctgaaa tgccctata aagaatgagt cgaactagac 60

```

```

<210> 349
<211> 637
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig54661

```

```

<400> 349
ggcagtgatg tctatgttga gattaactta tgtattgagg aaaaattgaa gtttattttt 60
tcgatgaata aggcgtgcaa atgatttagt atagattaat gacatctttt ttagaatat 120
taaaagttagt attcctcatt atgtcatcat ttctgataat tagagtgtcta atttgaatgt 180
tagataatgt ttccacatct atacctattt ctttctaggg cacttctgac cctggggcct 240
ggggatggcc tttagggcac agtagtgtct gtgttaagtt cactaaatgt gtatttaagt 300
agaaacattc ctatgtaaaa atgtgtgtat gtgaacgtat gcatacattt ttattgtgca 360
cctgtacatt gtgaagaagt agtttggaat ttgtgaaagc acaaaccata aaagagtgtg 420
gagttattaa atgatgtagc acaaatgtaa tgttttagct ataaaaggtc ctttctattt 480
tctatggcaa agactttgac acttgaaaaa taaaaccaat atttgattta tttttgtaag 540
tatttaggat attattttta ataaatgatt gtccattatc aatataatag ttgtgaaatg 600
atttaagtaa ataaacttta tgcttctgtg tctgttg 637

```

```

<210> 350
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig54661

```

```

<400> 350
ctgtacattg tgaagaagta gtttggaat ttgtaaagca caaacataa aagagtgtgg 60

```

```

<210> 351
<211> 924
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig55188

```

```

<400> 351
gcgacaagta ccgcaagcgg gcaactcatcc tgggtgtcact gctggccttt gccggcctct 60
tcgcccgcctt cgtgctgtgg ctgtacatct accccattaa ctggccctgg atcgagcacc 120
tcacctgcttt ccccttcacc agccgcttct gcgagaagta tgagctggac cagggtgctgc 180
actgaccgctt gggccacacg gctgcccctc agccctgctg gaacagggtc tgccctgcgag 240
ggctgcccctc tcgagagcgc tctctgtgtg ccagagagcc agagacccaa gacagggccc 300
gaagcgctgga cctgggtgccc cccctgccag gcgagagctga ctccgcgtga gatggttggt 360
taaggcggggg tttttctggg gcgtgaggcc tgtgagatcc tgacccaagc tcagggcacac 420
ccaaggcacc tgccctctctg agtcttgggt ctacgttctc aaatccccgc tccttgcctga 480
gacctatccc tggggcaggg tccctttctt cccaggtctc cagcgctgcc tctgctggtg 540
ctttctcccc cactactact ggagcgtgcc cttgctgggg acgtgctgtg gccctcagtt 600
gcccccaggg ctgggtgccc accatgcccc ttcccttttc tccctctacc tctgccctgt 660
gagcccatcc ataaggctct cagatgggac attgtgggaa aggccttggc catggtctgg 720
gggcagagaa caagggggga gacacaagta gacctcaggt agaacgcacac tgggcgggagc 780
caccocaggg cctgctccca gggagtgtct gagggcctc aggcccgttt ttaccagtt 840
tatatcacgg tcttcatctt taaaagtaac gctaactttg tacggacgat gtctcatgga 900
ttaaataata ttctttatgg cagt 924

```

```

<210> 352
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig55188

```

```

<400> 352
agtaacgcta actttgtacg gacgatgtct catggattaa ataataattct ttatggcagt 60

```

```

<210> 353
<211> 699
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig55353

```

```

<400> 353
tgattatgcc aagagctcta aacagaagtt tgagaaggta aaaattaagt tgtagtatct 60
gagttgtttt tattttcttc ctttgggtgt tatgaaggta ttcataagaa ctttaatttc 120
aggggaaaaa atgcctgatt tgctattttt gacatttccct cgtctcttaa gaagtcagtt 180
aaatatgttt tcatagttta tattcctggt tcatagatta ctgtgaaaca gtattttaa 240
cctatgaatt ataaaaatag atttagattc tagcgtgagt taaatagatt agtcatatata 300
cttttagatt tgtggatttg acatgtaaat tatgtgttgg gtataagtaa gttagttaact 360
aaacatattg catggttatt gataaacttg ttgctatttt tttccaaatg ctatcagttg 420
ttgtggacct ttaaaaatta gtttgaattt ttggaatgtc tgtgataaaa tataatttca 480
actattttgt acatttaaat atgccatgtt gtatatgtct gtatttaaaa atgttgtaaa 540
tatctgcatt ttaagaatta tgaagatttt tctcaaaaaa tgacagaact ctccataact 600
aattgtgaca cattataaga tatctgattt taagcttttg gattttgttc taaaaattaa 660
gtttaaacat gctgaaaatt ccataaaaat aaaattttg 699

```

```

<210> 354
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig55353

```

```

<400> 354
taaaatagta tttagattct agcgtgagtt aaatagatta gtcatatata ttttagattt 60

```

<210> 355
 <211> 809
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig56503

```

<400> 355
gcatgtgaga tgaagtactg cgggtgaatg tgtccacagt tgagaggttg gagcaggatg 60
aggggaatcct gtcacacatca ataatacatt gtggagcgcc acctgcccc agacgcgcc 120
tgggagggaca gcatggagct ctccatggcc aggcctgctg tgtgcatgtt cctctgtctg 180
tgccccctttg ccgcctcctc gcaaacctca cagggtcccc acacaacagt gccctccaga 240
agcagccctc cggaggcaga ggaaggaaaa tggggatggc tggggctctc tccatcctcc 300
ttttctcctt gccttcgcat ggctggcctt cccctccaaa acctccattc cctgctgccc 360
agccccctttg ccatagccctg attttgggga ggaggaaggg gcgatttgag gtgagaagggg 420
agaaagctta tggctgggtc tggttcttc ccttcccaga ggtctctact gtccagggt 480
ggccccaggg caggcagggg ccacactatg cacaggaata gaatggaggg agctccagaa 540
tttaccagca gccctggcat gttcctgccc tgaagcagac tggatttttg ctctgccctc 600
accttccatc ccaaaggcag ttctcgtggt ccatgctagg actccaacct cagggactcg 720
gacccccctg cctctcttga gggaggggag aaaaacttta aggtgggagg gtggcaaggg 780
ggtgccctgc gctagcttct tttgatactg
atgtgcttaa taaatcaatt ccaagcctc 809

```

<210> 356
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig56503

```

<400> 356
gaaaaactttt aaggtgggag ggtggcaagg gatgtgctta ataatcaat tccaagcctc 60

```

<210> 357
 <211> 976
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig56678

```

<400> 357
gaaggatata ctttgttata acttattatt ttgttctctg taaatacagg atgtttatag 60
gaaatagtga ttctgaactc tatctgcaga atgagtcact acaccaaaat agttctatta 120
tttagaatgt gttaatttta aagggaacctg ataggtattt atttacatat gcatccaca 180
tttgtgtgaa agcatgtgat cactactaacc cagcctcctg gaatgtcgct gtacgatgat 240
tgatgtcttt ttctcagtc cactactaacc ttgttttaga tgcataatcag tccagtcccc 300
tgagggttaa gatcaaatat aaattactct gcttttcgac tcttcagggt agcattgtac 360
ctgaacctga ttgctacttt ttcatcttaa atattatat tctgttatcc ctttctcttt 420
ccctcatcca cagacatttg gagaaggaaa tgggagggtg gtgggcttgg tttagagccgt 540
gctttgtccc cgttgttaga ctggcagcgt cagtgtgctg aggggaagtgg tggcatttac 600
gggtgaggca ggtggctggc ggggacaggg agaggtcgag ccaaggcctg tggggcctgt 660
tgctctgaca ctcccaactg cctgctctgg gatgctgggg gtcacctcca tgtcccctct 720
gaactgcaca gccaggagca aggcagggtga aaggtagaag gogaattatg tgagtaata 780
acagtgttaa attatttaact aaaaatgact atttttgtgt gtgactaatt tattttttat 840
tggctctgttt tctcttcagc cggttgaaat atctgcttgg ttgacaagcg tgtgctttct 900
attgtaaaaga tacaataaac cgttgctgca aatagcgccc tctaaaaaga agagtacagc 960
ctggcccttat tgcggttctg ttctctcgca

```

aataaactgg ttgaaa 976

<210> 358
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig56678

<400> 358
tattacataa gcaggtgaaa ggtagaaggc gaattatgtg agtaaatatg gtctgttttc 60

<210> 359
<211> 1118
<212> DNA
<213> Homo sapiens

<300>
<308> Contig57584

<400> 359
agctgttgtg catccagagg tggaattggg gcccgccatt ccctcctcgt ccgggctgg 60
cccttgcccc caccctgcaa ctccctgggt agatgggctc agccaagagc gtcccagtc 120
caccagcgcg gcctccgccg acaacaagca tctggctcga gtggcgagc ccggttcacc 180
tagtgctggc atcctgcgca ctcccatcca ggtggagagc tctccacagc caggccctacc 240
agcaggggag caactggagg gtcttaacaa tgcccaggac tcagatcccc gctctcctac 300
tcttggtatt gcacggacac ctatgaagac cagcagtggg gaccccccaa gcccaactgt 360

gaaacagctg agtgaagtat ttgaaactga agactctaaa tcaaatcttc ccccagagcc 420
tgtttctgcc ccagaggcac ctttatcttc tgaattggac ttgcctctgg gtaccagtt 480
atctgttagg gaacagatgc cactttggaa ccagactgag ttccctccca aacaggtgtt 540
ttccaaggag gaagcaagac agcccacaga aacccctgtg gccagccaga gctccgacaa 600
gcctcaagg gacccctgaga ctcccagatc ttcaggttct atgcgcaata gatggaaccc 660
aaacagcagc aaggtactag ggagatcccc cctcaccatc ctgcaggatg acaactcccc 720
tggcaccctg acactacgac agggtaagcg gcttcaccct ctaagtgaata atgttagtga 780
actaaaggaa ggagccattc ttggaactgg acgactctctg aaaactggag gacgagcatg 840
ggagcaaggc caggaccatg acaaggaaaa tcagcacttt cccttggtgg agagctaggc 900
cctgcatggc cccagcaatg cagtcaccca gggcctgggt atatctgtgt ccctcaccct 960
cttctttccc agggatactg aggaatggct tgttttctta gactcctcct cagctaccaa 1020
actgggactc acagctttat tgggctttct ttgtgtcttg tgtgtttctt ttatatataa 1080
ggaagtaatt ttaaatgtta ctttaaaaag gtatatgt 1118

<210> 360
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig57584

<400> 360
aggaatggct tgttttctta gactcctcct cagctaccaa actgggactc acagctttat 60

<210> 361
<211> 859
<212> DNA
<213> Homo sapiens

<300>
<308> Contig63649

```

<400> 361
gtcgcagggt accagtggtc ggagttcctg ttgccaagct gaagggtgccc ctgggcaggc 60
gtcgcagggt accagtggtc ggagttcctg ttgccaagct gaagggtgccc ctgggcaggc 120
acaggtgtgt tcatatcttc agccaacagg accatctccc ggaggggccc ctctgggggg 180
ttcctacggg aagagagtg aagatttggt gcttctgtgt gtttctgccc ctccagtggt 240
gcccgtcgcc gagacagcgg gaccgggtcg tgcgcagccc tatgctgagc ctgctctctc 300
aagtctactg ttaaaatcag gaccgtgccc tgctcgctgg agaggggag cgagatttag 360
cccagcctcg caggagttga gggctgccc ttggaagctc cctgcccctga cgggttgctt 420
tggagcgcctg gcatggactc ggaactggcct ctgcaactga gaaaggctgt gtgtgttctt 480
gtcaacctcg cgaagtgagg cttggaggac ctgcaactga gaaaggctgt gtgtgttctt 540
gggtccacac ctgccagagc gctggcccta cagagcactt gggcaccctc 600
agtgaacccc ggtgtcctca gctggcccta cagagcactt gggcaccctc 660
aactctgggc gaggaagggt ccagcgccgc cctcgatc agccctgctc tggccttggg 720
ccgtacttat accagtggtg atccctgccc tgcattgccc ggggattggc tggccttggg 780
cacgcccctc tgtggaactg gatgttttca aaaaactcaa agtaaaactt tcagcaactc 840
gttcacaata tagttttcaa agtacagttt aaaaactcaa agtaaaactt tcagcaactc 859
aaaaaaaaa aaaaaaaaaa 859

<210> 362
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig63649

<400> 362
cagcctttcc tcatgtcaac acagttcaca atatagtttt caaagtacag tttaaaactc 60

<210> 363
<211> 1170
<212> DNA
<213> Homo sapiens

<300>
<308> Contig63525

<400> 363
gcoactggctc cctgggcgga gcgagcactc gcggtggaac cgcgtgccc cgggtgtggt 60
cagcgtgacc gcgcgcttcc tgcgtgacct actgctgcag ctctgccc cgggcctgct 120
cccgggctgc gcgatcttcc aggacctgat ccgctatggg aaaaccaagt ctgggggagcc 180
gtcgcgcccc gcgcgctgccc gagcctttga tgcgcccaag agatattttt ccaactttta 240
tatcatctca gtgctgtgga atggtcttct tcttgggtgc ctactactca ctctgttctc 300
gggagcaact ttcccaagct ggcttcatgg tttgctcaga attctggggg cggcacagtt 360
ccagggaggg gagctggccc tgcctgcatt cttagtgcta gtatttctgt ggcgtcacag 420
cttacgaaga ctcttcagat gccctctacgt cagtgctctc ggctaactg tgcagacca 480
cgtgcagtac tgttttgagc ttgtctatta tgccttctt ggctaactg tgcagacca 540
agtgcgaatg gatggcagga atgctacata acagggaana atctattgat gcaagcaggg 600
tgggttccata ttcttgggat gatgatgttc atctggtcat tggctattca ctgtaacacc 660
catgtttattc tcggcaatct caggaaaaat aaagcaggag tggctattca ctgtaacacc 720
atgatccctac ttggagactg gtttgaatat gtttcttccc ctaactactt agcagagctg 780
gtgacaaatg tcttctttaa tcaggccctg tctgccttcc tcagccacca attctacaaa 840
agcaaatgtg tctcttacc gaagcatagg aaagctttcc taccattttt gttttaagtt 900
aacctcagtc atgaagaatg caaacacaggt gatggtttca atgcctaagg acagtgaagt 960
ctggagccca ttgactagat tcagcaaaagc tggttgaaac ttctcattcc attctatac 1020
cccacaagtt ttgactgaat gagcatgcag tgcacactaa gaaaatgaat ctccaaagta 1080
tcttcaaga attaataact aatggcagat 1170

<210> 364
<211> 60

```


<212> DNA
<213> Homo sapiens

<300>
<308> Contig63525

<400> 364
ctcttaccgc aagcatagga aagctttcct accatttttg ttttaagta acctcagtca 60

<210> 365
<211> 632
<212> DNA
<213> Homo sapiens

<300>
<308> Contig64688

<400> 365
aagaatgcta agatgatttc agatatcgaa aagaaaagc agcgtatgat tgaagtccag 60
gatgaactgc ttcggttaga gccacagctg aaacaactac aaacaaaata tgaatgaactt 120
aaagagagaa agtcttccct taggaatgca gcatatttct tatctaattt aaaacagctt 180
tatcaagatt attcagatgt tcaagctcaa gaacccaaacg taaaggaaac gtatgattca 240
tccagccttc cagctctgtt atttaaagca agaacacttc tgggagccga aagccatctg 300
cgaaatatca accatcagtt agagaagctc ctgaccagg gatgagaaga gcagtctact 360
aaaaatgtgcc tataggaaga ctagtctcat gctgttacct tctgaaactg tacctttata 420
aatcaattgt tttgcaaaga agttatggcc tacttagaat ctaaaaattg ttattcaaat 480
taaatggctg tgaacaatgt taaatagcat cagtttgtcc aatagtttta aaggccataa 540
tcactctttc tgggtaatat cttagagtaat tttaaaatgt tgacacctta atcggtccca 600
ggtatgagcc ataataaact tgtaaaatta ag 632

<210> 366
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig64688

<400> 366
ggctgtgaac aatgttaaat agcatcagtt tgtccaatag ttttaaaggc cataatcatc 60